

Copy Link

Docs

Report from Oct 16, 2024, 6:36:00 AM

https://lethaldemo.com/digct/

Analyze

- Mobile
- Desktop

Discover what your real users are experiencing

No Data

Diagnose performance issues






Performance

Accessibility


Best Practices

SEO











- Emoiently choose images I oterial savings of one fall	·
Reduce unused CSS — Potential savings of 44 KiB	~
Reduce unused JavaScript — Potential savings of 55 KiB	~
Avoid enormous network payloads — Total size was 3,228 KiB	~
O JavaScript execution time — 0.4 s	~
○ Minimizes main-thread work — 1.8 s	~
O Avoid long main-thread tasks — 9 long tasks found	~
O Avoid non-composited animations — 4 animated elements found	~
O Initial server response time was short — Root document took 0 ms	~
O Avoids an excessive DOM size — 708 elements	~
O Avoid chaining critical requests — 24 chains found	~
Minimize third-party usage — Third-party code blocked the main thread for 0 ms	~
re information about the performance of your application. These numbers don't directly affect the Performance score.	
SSED AUDITS (12)	Show



Copy Link Docs



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

BEST PRACTICES

A . . .

[user-scalable="no"] is used in the <meta name="viewport"> element or the [maximum-scale] attribute is less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. Learn more about the viewport meta tag.

Failing Elements

head > meta

<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0">

These items highlight common accessibility best practices.

NAMES AND LABELS



Copy Link Docs

screen reader users. Learn how to make links accessible.

Failing Elements




li.epc > div.featured-block > div.ithumb > a



li.epc > div.featured-block > div.ithumb > a



li.epc > div.featured-block > div.ithumb > a



li.epc > div.featured-block > div.ithumb > a

▲ Image elements have [alt] attributes that are redundant text.

Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute.



Copy Link Docs

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-04.jpg" alt="Geothermal
Investigation">

Construction Investigation

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-05.jpg" alt="Construction
Investigation">

Mineral Exploration Drilling to 500m

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-01.jpg" alt="Mineral
Exploration Drilling to 500m ">

Grouting Program to 500m

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-02.jpg" alt="Grouting
Program to 500m">



Water Well Cleaning

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-03.jpg"
alt="Water Well Cleaning">

Geothermal Investigation

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-04.jpg" alt="Geothermal
Investigation">

Construction Investigation

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-05.jpg" alt="Construction
Investigation">

Mineral Exploration Drilling to 500m

<img decoding="async" src="https://lethaldemo.com/digct/wp-content/uploads/2024/09/service-01.jpg" alt="Mineral
Exploration Drilling to 500m ">

Grouting Program to 500m



Copy Link Docs

Program to 500m >

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

NAVIGATION

▲ Some elements have a [tabindex] value greater than 0

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. Learn more about the tabindex attribute.

Failing Elements



div#gform_fields_2 > div#field_2_1 > div.ginput_container > input#input_2_1
<input name="input_1" id="input_2_1" type="text" value="" class="large" tabindex="599"
placeholder="Name" aria-required="true" aria-invalid="false">




div#gform_fields_2 > div#field_2_3 > div.ginput_container > input#input_2_3
<input name="input_3" id="input_2_3" type="email" value="" class="large" tabindex="600"
placeholder="Email" aria-required="true" aria-invalid="false">

▲ Heading elements are not in a sequentially-descending order

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand



Copy Link Docs



These are opportunities to improve keyboard navigation in your application.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide



Ouston' interactive controls are reypourd todasable and display a foods indicator. Learn flow to make distort controls foodsable.
O Interactive elements indicate their purpose and state
Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. Learn how to decorate interactive elements with affordance hints.
O The page has a logical tab order
Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. Learn more about logical tab ordering.
O Visual order on the page follows DOM order
DOM order matches the visual order, improving navigation for assistive technology. Learn more about DOM and visual ordering.
O User focus is not accidentally trapped in a region
A user can tab into and out of any control or region without accidentally trapping their focus. Learn how to avoid focus traps.
O The user's focus is directed to new content added to the page
If new content, such as a dialog, is added to the page, the user's focus is directed to it. Learn how to direct focus to new content.
O HTML5 landmark elements are used to improve navigation
Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.</nav></main>
Offscreen content is hidden from assistive technology



Copy Link Docs

Custom controls have associated labels Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. Learn more about custom controls and labels. Custom controls have ARIA roles Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls. These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review. PASSED AUDITS (17) Hide [aria-*] attributes match their roles [aria-hidden="true"] is not present on the document <body> [aria-*] attributes have valid values [aria-*] attributes are valid and not misspelled Buttons have an accessible name Image elements have [alt] attributes ARIA attributes are used as specified for the element's role Elements use only permitted ARIA attributes Background and foreground colors have a sufficient contrast ratio

PageSpeed Insights



_	Trems. Comone não à Tranga diametro	
•	<html> element has a valid value for its [lang] attribute</html>	~
•	Form elements have associated labels	~
•	Links are distinguishable without relying on color.	~
•	Lists contain only elements and script supporting elements (<script> and <template>).</td><td>~</td></tr><tr><td>•</td><td>List items () are contained within , or <menu> parent elements</td><td>~</td></tr><tr><td>•</td><td>Touch targets have sufficient size and spacing.</td><td>~</td></tr><tr><th></th><th></th><th></th></tr><tr><td></td><td></td><td></td></tr><tr><td>IOT</td><td>APPLICABLE (35)</td><td>Hide</td></tr><tr><td>IOT</td><td>APPLICABLE (35) [accesskey] values are unique</td><td>Hide</td></tr><tr><td>O</td><td></td><td></td></tr><tr><td>0</td><td>[accesskey] values are unique</td><td>~</td></tr><tr><td>0</td><td>[accesskey] values are unique Uses ARIA roles only on compatible elements</td><td>~</td></tr><tr><td>0</td><td>[accesskey] values are unique Uses ARIA roles only on compatible elements button, link, and menuitem elements have accessible names</td><td>· · · · · · · · · · · · · · · · · · ·</td></tr><tr><td>0</td><td>[accesskey] values are unique Uses ARIA roles only on compatible elements button, link, and menuitem elements have accessible names Deprecated ARIA roles were not used</td><td>* * *</td></tr></tbody></table></script>	



VII tir t progressoar sismonto nato associato names

O [role]s have all required [aria-*] attributes	~
O Elements with an ARIA [role] that require children to contain a specific [role] have all required children.	~
O [role]s are contained by their required parent element	~
O [role] values are valid	~
 Elements with the role=text attribute do not have focusable descendents. 	~
ARIA toggle fields have accessible names	~
 ARIA tooltip elements have accessible names 	~
ARIA treeitem elements have accessible names	~
The page contains a heading, skip link, or landmark region	~
<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements.</td><td>~</td></tr><tr><td>O Definition list items are wrapped in <d1> elements</td><td>~</td></tr><tr><td>O ARIA IDs are unique</td><td>~</td></tr><tr><td>O No form fields have multiple labels</td><td>~</td></tr><tr><td><frame> or <iframe> elements have a title</td><td>~</td></tr><tr><td><html> element has an [xml:lang] attribute with the same base language as the [lang] attribute.</td><td>~</td></tr><tr><td></td><td></td></tr></tbody></table></script></dd></dt></dl>	

PageSpeed Insights

10/16/24, 7:01 AM



The document does not use <meta http-equiv="refresh"/>	~
O <object> elements have alternate text</object>	~
O Select elements have associated label elements.	~
O Skip links are focusable.	~
 Tables have different content in the summary attribute and <caption>.</caption> 	~
O Cells in a element that use the [headers] attribute refer to table cells within the same table.	~
elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.	~
O [lang] attributes have a valid value	~
<pre> <video> elements contain a <track/> element with [kind="captions"] </video></pre>	~





Copy Link Docs

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. Learn how to provide responsive images.

	URL	Displayed size	Actual size	Expected size
lethaldemo.com 1st Party				
<pre>div.ilogo > div.item-wrap > div.thumb > img.attachment-full</pre>	09/logo-02.png (lethaldemo.com)	126 x 86	130 x 89	189 x 129

TRUST AND SAFETY

Censure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. Learn how to use a CSP to prevent XSS

Description

Directive

Severity

No CSP found in enforcement mode

High



Name	Version	
jQuery	3.7.1	
ScrollMagic	2.0.5	
FlexSlider		
WordPress		
core-js	core-js-global@3.33.3	
SED AUDITS (14) Uses HTTPS		ŀ
Uses HTTPS		
Uses HTTPS Avoids deprecated APIs	nt fields	
Uses HTTPS Avoids deprecated APIs Avoids third-party cookies		H
Uses HTTPS Avoids deprecated APIs Avoids third-party cookies Allows users to paste into input	tion permission on page load	



Copy Link Docs

Hide

- rage has the ritime dectype

- Properly defines charset
- No browser errors logged to the console
- No issues in the Issues panel in Chrome Devtools
- Page has valid source maps

NOT APPLICABLE (1)

Redirects HTTP traffic to HTTPS



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on

Core Web Vitals. Learn more about Google Search Essentials.



Copy Link

Docs

Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description.

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

~

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (8)

Hide

Page isn't blocked from indexing



Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives.

Document has a <title> element



The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles.

Page has successful HTTP status code



Copy Link Docs

Links have descriptive text

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Links are crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links crawlable

Image elements have [alt] attributes

Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. Learn more about the alt attribute.

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about hreflang.

Document has a valid rel=canonical

Canonical links suggest which URL to show in search results. Learn more about canonical links.



Copy Link

Docs

More on PageSpeed Insights

Related Content

Connect

What's new

Updates

Twitter

Documentation

Web Fundamentals

Youtube

Learn about Web Performance

Ask questions on Stack Overflow

Mailing list

Podcasts

Case Studies

Google for Developers

Chrome

Firebase

All products

Terms and Privacy Policy

For details, see the **Google Developers Site Policies**.