

```
curl -X 'POST' \
  'https://localhost:7258/api/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/json' \
  -d '{
    "userName": "Sreeram",
    "password": "sreeram123"
  }'
```



Request URL

`https://localhost:7258/api/login`

Server response

Code	Details
------	---------

200

Response body

```
{
  "isSuccess": true,
  "result": {
    "user": {
      "id": "2",
      "userName": "Sreeram"
    },
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1bm1xdWVfbmFtZSI6I1NyZWVhYmV0iLCJyb2x1IjoiyWRtaW4iLCJ1YmYiOiJlE3MjA3OTcxNzYsImV4cCI6MTcyMDgwMDc3NiwiYW0iOiJ0eXNzIiwiaWF0IjoxNzY3MTc2fQ.E-3gd_Swws5MfRB-GIP7VZQ_jTP-v5RoMkSdSaxokAk"
  },
  "statusCode": 200,
  "errorMessages": []
}
```



Download

Available authorizations



Bearer (apiKey)

Authorized

JWT Authorization header using the Bearer scheme.

Enter 'Bearer' [space] and then your token in the text input below.

Example: "Bearer 12345abcdef"

Name: Authorization

In: header

Value: *****

Logout

Close

```
{
  "name": "CU100",
  "percent": 10,
  "expiryDate": "2024-07-12T15:14:00.326"
},
{
  "name": "CU200",
  "percent": 20,
  "expiryDate": "2024-07-12T15:15:02.773"
}
],
"statusCode": 200,
"errorMessages": []
}
```



Download

Id	UserName	Password	Role	AccessFailedCount	ConcurrencyStamp	Email	EmailConfirmed	LockoutEnabled
1	Fardeen	gow	admin	0	9947d550-b59a-47c1-820f-9170f3d39223	NULL	0	0
2	Sreeram	sreeram123	admin	0	a4d25881-3a17-42f8-86c8-dd36798fac78	NULL	0	0

```
mysql> select * from coupons;
```

Id	Name	Percent	ExpiryDate
1	CU102	10	0001-01-01 00:00:00.000000
2	CU101	30	0001-01-01 00:00:00.000000
3	CU100	10	2024-07-12 15:14:00.326000
4	CU200	20	2024-07-12 15:15:02.773000