## **HTML Tags Chart**

To use any of the following HTML tags, simply select the HTML code you'd like and copy and paste it into your web page.

Tag	Name	Code Example	Browser View
</td <th>comment</th> <td><!--This can be viewed in the <b-->HTML part of a document&gt;</td> <td>Nothing will show (Tip)</td>	comment	This can be viewed in the <b HTML part of a document>	Nothing will show (Tip)
<a -<="" td=""><th>anchor</th><td><a href="http://www.domain.com/"> Visit Our Site</a></td><td>Visit Our Site (Tip)</td></a>	anchor	<a href="http://www.domain.com/"> Visit Our Site</a>	Visit Our Site (Tip)
<b></b>	bold	<b>Example</b>	Example
<big></big>	big (text)	    	Example (Tip)
<body></body>	body of HTML documen t	<body>The content of your <b>HTML</b> page</body>	Contents of your web page (Tip)
	line break	The contents of your page <b>&lt; br&gt;</b> The contents of your page	The contents of your web page The contents of your web page
<center></center>	center	<center>This will center your contents</center>	This will center your contents
<dd></dd>	definition descripti on	<pre><dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dt>Definition of the term <dd>Definition of the term</dd> </dt></dl> </pre>	Definition Term  Definition of the term  Definition Term  Definition of the term
<dl></dl>	definition list	<pre><dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dt>Definition Term</dt> <dt>Definition of the term <dd>Definition of the term</dd> </dt></dl> </pre>	Definition Term Definition of the term Definition Term Definition of the term
<dt></dt>	definition term	<dl> <dt>Definition Term</dt> <dd>Definition of the term</dd> <dd>Definition Term</dd> <dt>Definition Term</dt> <dd>Definition of the term</dd> </dl>	Definition Term Definition of the term Definition Term Definition of the term
<em></em>	emphasis	This is an <b><em></em></b> Example <b></b> of using the emphasis tag	This is an <i>Example</i> of using the emphasis tag
<embed/>	embed object	<pre><embed align="center" height="60" src="yourfile.mid" width="100%"/></pre>	(Tip)
<embed/>	embed object	<embed autostart="true" hidden="false" loop="false" src="yourfile.mid"/> < noembed> < bgsound src="yourfile.mid" loop="1">	Music will begin playing when your page is loaded and will only play one time. A control panel will be displayed to enable your visitors to stop the music.
<font></font>	font	<pre><font face="Times New Roman">Example</font></pre>	Example (Tip)

<font></font>	font	<pre><font face="Times New Roman" size="4">Example</font></pre>	Example (Tip)
<font></font>	font	<pre><font color="#ff0000" face="Times New Roman" size="+3">Example</font></pre>	Example (Tip)
<form></form>	form	<pre><form action="mailto:you@yourdomain.com "> Name: <input name="Name" size="10" value=""/> Email: <input name="Email" size="10" value=""/> <center><input type="submit"/></center> </form></pre>	Name: (Tip) Email: Submit
<h1> <h2> <h3> <h4> <h5> <h6></h6></h5></h4></h3></h2></h1>	heading 2 heading 3 heading 4 heading 5	<h1>Heading 1 Example</h1> <h2>Heading 2 Example</h2> <h3>Heading 3 Example</h3> <h4>Heading 4 Example</h4> <h5>Heading 5 Example</h5> <h6>Heading 6 Example</h6>	Heading 1 Heading 2 Heading 3 Heading 4 Heading 5 Heading 6
<head></head>	heading of HTML documen t	<head>Contains elements describing the document</head>	Nothing will show
<hr/>	horizonta I rule	<hr/>	Contents of your web page (Tip) Contents of your web page
<hr/>	horizonta I rule	<b><hr< b=""> width="50%" size="3" /&gt;</hr<></b>	Contents of your web page  Contents of your web page  Contents of your web page
<hr/>	horizonta I rule	<hr noshade="" size="3" width="50%"/>	Contents of your web page Contents of your web page
<hr/> (Internet Explorer)	horizonta I rule	<b><hr< b=""> width="75%" color="<u>#ff0000</u>" size="4" /&gt;</hr<></b>	Contents of your web page Contents of your web page
<hr/> (Internet Explorer)	horizonta I rule	<b><hr< b=""> width="25%" color="<u>#6699ff</u>" size="6" /&gt;</hr<></b>	Contents of your web page  Contents of your web page
<html></html>	hypertext markup language	<html> <head> <meta/> <title>Title of your web page</title> </head> <body>HTML web page contents </body> </html>	Contents of your web page
<i>&gt;</i>	italic	<i>Example</i>	Example
<img/>	image	<img <br="" src="Earth.gif" width="41"/> height="41" border="0" alt="text describing the image" />	(Tip)

П		1	
<input/>	input field	<pre>Example 1:     <form action="/cgi- bin/example.cgi" method="post">     <input maxlength="30" size="10" type="text"/>     <input type="Submit" value="Submit"/>     </form></pre>	Example 1: (Tip)  Submit
<input/> (Internet Explorer)	input field	<pre>Example 2:     <form action="/cgi-     bin/example.cgi" method="post">         <input maxlength="30" size="10" style="color: #ffffff;     font-family: Verdana; font-weight: bold; font-     size: 12px; background-color: #72a4d2;" type="text"/>         <input type="Submit" value="Submit"/>         </form></pre>	Example 2: (Tip) Submit
<input/>	input field	Example 3: <form action="/cgi-bin/example.cgi" method="post"> <input maxlength="30" size="10" type="text"/> <input name="submit" src="yourimage.gif" type="image"/></form>	Example 3: (Tip)
<input/>	input field	<pre>Example 4:     <form action="/cgi- bin/example.cgi" method="post">     Enter Your Comments: &lt; br&gt;         <textarea cols="20" maxlength="100" name="Comments" rows="3" wrap="virtual"> &lt; / textarea &gt; &lt; br&gt;         &lt;input type="Submit" value="Submit"&gt;         &lt;input type="Reset" value="Clear"&gt;         &lt;/form&gt;&lt;/pre&gt;&lt;/td&gt;&lt;td&gt;Example 4: (Tip)  Submit Clear&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;input&gt;&lt;/th&gt;&lt;th&gt;input&lt;br&gt;field&lt;/th&gt;&lt;td&gt;Example 5:  &lt;form method=post action="/cgi-bin/example.cgi"&gt; &lt;center&gt; Select an option: &lt;select&gt; &lt;option &gt; option 1&lt;/option&gt; &lt;option &gt; option 3&lt;/option&gt; &lt;option&gt;option 4&lt;/option&gt; &lt;option&gt;option 5&lt;/option&gt; &lt;option&gt;option 6&lt;/option&gt; &lt;iprion&gt;option&gt;option 5&lt;/option&gt; &lt;option&gt;option&gt;option 6&lt;/option&gt; &lt;/option&gt;option&gt;option 6&lt;/option&gt; &lt;/select&gt;&lt;br&gt;&lt;input type="Submit" value="Submit"&gt;&lt;/center&gt; &lt;/form&gt;&lt;/td&gt;&lt;td&gt;Example 5: Tip)  Select an  option:  Submit&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;th&gt;&lt;input&gt;&lt;/th&gt;&lt;th&gt;input&lt;br&gt;field&lt;/th&gt;&lt;td&gt;Example 6:&lt;/td&gt;&lt;td&gt;Example 6: (Tip)&lt;/td&gt;&lt;/tr&gt;&lt;/tbody&gt;&lt;/table&gt;</textarea></form></pre>	

		<form action="/cgi-&lt;br&gt;bin/example.cgi" method="post"></form>	Select an option:
		Select an option: <input name="option" type="radio"/> Option	Option 1
		1 <input <="" name="option" td="" type="radio"/> <td>C Option 3</td>	C Option 3
		checked> Option 2 <input name="option" type="radio"/> Option 3	Select an option:
		<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>	Selection 1
		Select an option: <input name="selection" type="checkbox"/>	Selection 2
		Selection 1 <input <="" name="selection" td="" type="checkbox"/> <td>Selection 3</td>	Selection 3
		checked > Selection 2 <input <="" td="" type="checkbox"/> <td>Submit</td>	Submit
		name="selection"> Selection 3 <input type="Submit" value="Submit"/>	
		Example 1:	Example 1: <u>(Tip)</u>
		<menu> <li>li type="disc"&gt;List item 1</li> <li>type="circle"&gt;List item 2</li> <li>type="square"&gt;List item 3</li> </menu>	<ul><li>List item 1</li><li>List item 2</li><li>List item 3</li></ul>
<li></li>	list item	Example 2:	Example 2:
		<ol> <li>type="i"&gt;</li> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol>	i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4
<li>k&gt;</li>	link	<pre><head> <li>k rel="stylesheet" type="text/css" href="style.css" /&gt; </li></head></pre>	
<marquee &gt; (Internet Explorer)</marquee 	scrolling text	<marquee bgcolor="#cccccc" loop="-1" scrollamount="2" width="100%">Example Marquee</marquee>	(Tip)
<menu></menu>	menu	<menu> <li>li type="disc"&gt;List item 1</li> <li>type="circle"&gt;List item 2</li> <li>type="square"&gt;List item 3</li> </menu>	<ul><li>List item 1</li><li>List item 2</li><li>List item 3</li></ul>
<meta/>	meta	<meta content="Description of your site" name="Description"/> <meta content="keywords describing your site" name="keywords"/>	Nothing will show ( <u>Tip</u> )
<meta/>	meta	<meta content="4;URL=http://www.yourdomain.c om/" http-equiv="Refresh"/>	Nothing will show (Tip)

<meta/>	meta	<meta content="no-cache" http-equiv="Pragma"/>	Nothing will show (Tip)
<meta/>	meta	<pre><meta content="General" name="rating"/></pre>	Nothing will show (Tip)
<meta/>	meta	<meta content="all" name="robots"/>	Nothing will show (Tip)
<meta/>	meta	<meta <="" name="robots" td=""/> <td>Nothing will show (Tip)</td>	Nothing will show (Tip)
		content="noindex,follow">	Normale a mand
		Numbered	Numbered
		<ol></ol>	1. List item 1
		<li>List item 1</li>	2. List item 2
		<li>List item 2</li>	3. List item 3
		<li><li>List item 3</li></li>	4. List item 4
		<li>List item 4</li>	
			Numbered Special Start
		Numbered Special Start	
		•	5. List item 1
		<ol start="5"></ol>	6. List item 2
		<li>List item 1</li>	7. List item 3
		<li>List item 2</li>	8. List item 4
		<li>List item 3</li>	
		<li>List item 4</li>	Lowercase Letters
			a. List item 1
		Lowercase Letters	b. List item 2
			c. List item 3
		<ol type="a"></ol>	d. List item 4
		<li>List item 1</li>	
		<li>List item 2</li>	Capital Letters
		<li>List item 3</li>	
		<li>List item 4</li>	A. List item 1
			B. List item 2
<ol></ol>	ordered	Canital Lattors	C. List item 3
1012	list	Capital Letters	D. List item 4
		<ol type="A"></ol>	
		<li>List item 1</li>	Capital Letters Special
		<li>List item 2</li>	Start
		<li>List item 3</li>	
		<li>List item 4</li>	C. List item 1
			D. List item 2
ı	III		
			E. List item 3
		Capital Letters Special Start	E. List item 3 F. List item 4
			F. List item 4
		<ol start="3" type="A"></ol>	F. List item 4  Lowercase Roman
		<pre><ol start="3" type="A"> <li>List item 1</li></ol></pre>	F. List item 4
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li></ol></pre>	F. List item 4  Lowercase Roman  Numerals
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> Lowercase Roman Numerals <ol type="i"> <li>List item 1</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4  Capital Roman Numerals
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> Lowercase Roman Numerals <ol type="i"> <li>List item 1</li> <li>List item 2</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4  Capital Roman Numerals  I. List item 1
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> Lowercase Roman Numerals  <ol type="i"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4  Capital Roman Numerals  I. List item 1 II. List item 2
		<pre><ol start="3" type="A"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol> Lowercase Roman Numerals <ol type="i"> <li>List item 1</li> <li>List item 2</li> </ol></pre>	F. List item 4  Lowercase Roman Numerals  i. List item 1 ii. List item 2 iii. List item 3 iv. List item 4  Capital Roman Numerals  I. List item 1

		Capital Roman Numerals	Capital Roman Numerals Special Start
		<pre><ol type="I"> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 4</li> </ol></pre>	VII. List item 1 VIII. List item 2 IX. List item 3 X. List item 4
		Capital Roman Numerals Special Start <ol> <li>type="I" start="7"&gt;</li> <li>List item 1</li> <li>List item 2</li> <li>List item 3</li> <li>List item 3</li> <li>List item 4</li> <li><ol> <li><ol> </ol></li> </ol></li></ol>	
<option></option>	listbox option	<form action="/cgi-bin/example.cgi" method="post"> <center> Select an option: <select> <option>option 1</option> <option>option 3</option> <option>option 4</option> <option>option 5</option> <option>option 5</option> <option>option&gt;option 6</option> option&gt; option&gt; option&gt; option&gt; option&gt; </select> </center> </form>	Select an option: <u>(Tip)</u> option 2
>	paragrap h	This is an example displaying the use of the paragraph tag.  This will create a line break and a space between lines.  Attributes:  Example 1: <pre></pre>	This is an example displaying the use of the paragraph tag.  This will create a line break and a space between lines.  Attributes:  Example 1:  This is an example displaying the use of the paragraph tag.  Example 2:  This is an example displaying the use of the paragraph tag.  Example 3:  This is an example displaying the use of the paragraph tag.
<small></small>	small (text)	<small>Example</small>	Example (Tip)

<strike></strike>	deleted text	<strike>Example</strike>	Example
<strong></strong>	strong emphasis	<strong>Example</strong>	Example
	table	Example 1:     Column 1       Example 2: (Internet Explorer)      Column 1     Example 3:      become = "#cccccc" > Column 1	Example 1: (Tip)  Column 1 Column 2  Example 2: (Tip)  Column 1 Column 2  Example 3: (Tip)  Column 1 Column 2  Row 2 Row 2
>	table data	Column 1	Column 1 Column 2
>	table header	<pre><div align="center">       Column 1     Column 2     Column 3       Column 3       Actor = Column 3       Column 3</div></pre>	Colum         Colum         Colum           n 1         n 2         n 3           Row 2         Row 2         Row 2           Row 3         Row 3         Row 3           Row 4         Row 4         Row 4

		Row 4   Row 4   Row 4   Action Act	
<title>&lt;/th&gt;&lt;th&gt;documen&lt;br&gt;t title&lt;/th&gt;&lt;th&gt;&lt;title&gt;Title of your HTML page</title>	Title of your web page will be viewable in the title bar. <u>(Tip)</u>		
	table row	Column 1                                                                                                                                                                      2                                          2 2    2 2    2 2	Column 1 Column 2
<tt></tt>	teletype	<tt>Example</tt>	Example
<u></u>	underline	<u>Example</u>	<u>Example</u>
<ul><li><ul></ul></li></ul>	unordere d list	Example 1:     <li>List item 1</li> <li>List item 2</li>  Example 2:   Example 2: <ul type="disc"> <ul type="disc"> <ul type="circle"> <li>List item 1</li> <li>List item 2</li> <ul type="circle"> <ul type="circle"> <li>List item 3</li> <li>List item 4</li> </ul></ul></ul></ul></ul>	Example 1:  • List item 1 • List item 2  Example 2:  • List item 1 • List item 2 • List item 3 • List item 4