
Name: Muhammad Imran
Department:Computer science
Semester:First
Section:D
Serial number:52
Introduction of c++

C++ is a high-level, general-purpose, compiled programming language that was developed by Bjarne Stroustrup at Bell Labs in 1979. Originally named "C with Classes," it was created as an extension of the C programming language to add object-oriented programming (OOP) capabilities. It was officially renamed C++ in 1983, utilizing the "++" increment operator from C to symbolize that it is the next step or enhancement of the original language.


Syntax of c++


2:48
80
Coding C++
Auto saved at 14:46:54
RUN
MENU
1 #include<iostream>
2 using namespace std;
3 int main ()
4 {
5 cout << "hello word" << endl;
6 return 0;
7 }


Output


2:49
80
Compile Result
hello word
[Process completed - press Enter]


Fundamental lab 1 task 1


1:35
74
Coding C++
Auto saved at 13:34:44
RUN
MENU
1 #include<iostream>
2 using namespace std;
3 int main ()
4 {
5 cout << "hello word" << endl; //print hello word a
6 system("pause") ; //to stop the window
7 return 0;
8 }

Output


1:35
74
Compile Result
hello word
sh: pause: inaccessible or not found
[Process completed - press Enter]

Fundamental lab 1 task 2


1:48
76
Coding C++
Auto saved at 13:48:20
RUN
MENU
#include<iostream>
using namespace std;
int main ()
{
cout << "your age 10 year old" << endl;
cout << "you are too young to play game" << endl;
return 0;
}

Output

1:49

Compile Result

```
your age 10 year old
you are too young to play game

[Process completed - press Enter]
```

Fundamental lab 1 task 3

3:37 76

Coding C++

Auto saved at 15:37:04

RUN MENU

```cpp
#include<iostream>
using namespace std;
int main ()
{
cout << "*" << endl;
cout <<"**"<< endl;
cout << "***" << endl;
cout << "**** "<< endl;
cout << "*****" << endl;
return 0;
}
```

Output

3:38 76

Compile Result

```
*
**
***
****
*****

[Process completed - press Enter]
```

END