



5900 CHIMNEY ROCK RD SUITE X
HOUSTON, TX 77081
PHONE 713-664-2358 FAX 1800-245-8979

Post-Test Report
Covid-19/Flu Virus Antigen Test

First Name: _____ Middle Name: _____ Last Name: _____

Date of Birth: _____ Phone Number: _____

Collection Date: _____ Age: _____

Test Results
(Flu SARS Antigen FIA)

Covid 19

_____ Positive

_____ Negative

Technician: _____

Technician Signature _____

The Sofia 2 SARS/Flu Antigen FIA is a lateral flow immunofluorescent sandwich assay that is used with the Sofia 2 instrument intended for the qualitative detection of the nucleocapsid protein antigen from SARS-CoV-2/Flu in nasopharyngeal (NP) and nasal (NS) swab specimens directly or after the swabs have been added to viral transport media from individual who are suspected of Covid-19 by their healthcare provider. Testing is limited to laboratories certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA), 42 U.S.C.8263a, that meet the requirements to perform moderate, high or waived complexity test. According to Quidel Corporation analyzed samples are 96.7 sensitive and 100% specific. Detection of viral RNA by reverse transcription polymerase chain reaction is the most common method used to confirm the diagnosis.

Confidentiality of this medical record shall be maintained except when the use or disclosure is required or permitted by law, regulation, or written authorization by the patient.

Zeeshan I. Shaikh, Medical Director.

Cash: _____ CC: _____