

FARSight Design System

The single source of truth for colors, typography, spacing, component anatomy, and interaction patterns used in FARSight. Use this document as context when prompting agentic coding tools.

Design language: Clean, trustworthy, and conversational — modeled on Anthropic's aesthetic. Warm amber as the action/brand color; deep navy for authority/citation elements; stone neutrals for surfaces and text. Every decision prioritizes legibility and confidence for a student pilot under study pressure.

1. Color Tokens

All colors are defined as CSS custom properties in `src/styles/theme.css` and consumed via Tailwind's `var()` bridge.

BRAND




Primary
`--primary`
`#d97706`



Primary Foreground
`--primary-foreground`
`#ffffff`




Accent (Navy)
`--accent`
`#0c4a6e`



Accent Foreground
`--accent-foreground`
`#ffffff`

SURFACES






Background

--background
#fafaf9




Card

--card
#ffffff



Secondary

--secondary
#f5f5f4



Muted

--muted
#f5f5f4

TEXT



Foreground

--foreground
#1c1917



Muted Foreground

--muted-foreground
#78716c



Card Foreground

--card-foreground
#1c1917

BORDERS & STATES



Border

--border
#e7e5e4



Ring

--ring
#d97706



Destructive

--destructive
#dc2626

USAGE RULES

```
/* ✅ Always reference tokens */
className="bg-primary text-primary-foreground"
className="bg-card border border-border"
className="text-muted-foreground"

/* ✅ Alpha variants via Tailwind opacity modifier */
className="bg-primary/10 border border-primary/20"
className="bg-accent/5 border border-accent/20"

/* ❌ Never hardcode hex values */
style={{ background: "#d97706" }}
className="bg-[#d97706]"
```

2. Typography

Font: system-ui stack. Scale and weights defined in theme.css @layer base.
Override with Tailwind size utilities only when intentional.

text-5xl / font-semibold — Hero headline

Get instant answers

text-3xl / font-semibold — Question display

What are the VFR weather minimums?

text-2xl / font-semibold — Section heading (h2 default)

Official FAR/AIM Sources

text-xl / font-medium — Subsection (h3 default)

Part 91 — General Operating Rules

text-xl / normal — Body large

Complex regulations explained clearly for student pilots.

text-lg / leading-relaxed — Answer body

For VFR flight in Class C airspace, you need 3 statute miles visibility and must remain 500 ft below, 1,000 ft above, and 2,000 ft horizontally from clouds.

text-base / normal – Default prose

Every answer cites the exact FAR/AIM section for verification.

text-sm / medium – Labels, meta

Popular questions · Official Source · Your question

text-xs / uppercase tracking-wider – Category labels

OFFICIAL SOURCE

FONT WEIGHT TOKENS

--font-weight-normal 400 --font-weight-medium 500

semibold (600) and bold (700) are used via Tailwind utilities where needed for display text.

3. Spacing & Layout

Tailwind's 4px base unit. Key layout values used consistently across screens.

PAGE LAYOUT

Max content width	max-w-4xl (56rem)
Wide content width	max-w-5xl (64rem)
Horizontal padding	px-6 (1.5rem)
Header height	py-4 (1rem top+bottom)
Section gap (hero)	space-y-16 (4rem)
Message thread gap	space-y-8 (2rem)

COMPONENT SPACING


Card padding	p-8 (2rem)
Card inner gap	space-y-8 (2rem)
Citation block padding	p-4 (1rem)
Button padding	px-4 py-2
Example card padding	p-4 (1rem)
Trust indicator gap	gap-3 (0.75rem)

VISUAL RHYTHM



4. Border Radius


Single base radius variable; all variants derived from it.



sm

`calc(var(--radius) - 4px)`


≈ 2px



md

`calc(var(--radius) - 2px)`


≈ 6px



lg (base)

0.5rem

≈ 8px



xl

`calc(var(--radius) + 4px)`

≈ 12px

```
/* Card components */      rounded-xl (12px)
/* Citation/badge blocks */ rounded-lg (8px)
/* Buttons, chips */       rounded-lg (8px)
/* Small pills/tags */     rounded-full
```

5. Component Anatomy

Live examples of every recurring pattern in the app with annotated prop surfaces.

5.1 Navigation Header

Sticky, full-width, 1px bottom border. Content max-w-4xl or max-w-5xl depending on screen. Two variants: Home (logo only) and Conversation (logo + action button).

 **FARSight**

 Home

`bg-card · border-b border-border · sticky top-0 z-10`

5.2 Question Input

Full-width textarea with embedded submit button. Focus ring uses --ring (amber). Submits on Enter (without Shift).

Ask anything about FAA regulations...



`Container: bg-muted rounded-xl border border-border · Submit: bg-primary rounded-lg p-2.5`

5.3 Example Question Card

Clickable card in a 2-column grid on desktop. Hover lifts border to primary/50 and tints text.

What are the VFR weather minimums for Class C airspace?

What documents must I carry when flying as PIC? (hover state)

`Default: border-border bg-card · Hover: border-primary/50 bg-primary/5 text-`

5.4 Question Display (Conversation)

The user's question displayed as a large heading with a "Your question" label above.

Your question

When is a transponder required?

Label: bg-muted rounded-full px-3 py-1 text-xs · Question: text-3xl font-semibold

5.5 Answer Card

White card with shadow. Answer body at text-lg. Citation block uses accent (navy) with a divider.

A transponder is required when operating in Class A, B, or C airspace; within 30 nautical miles of a Class B primary airport; above 10,000 ft MSL (except at or below 2,500 ft AGL); and in airspace above Class C.



OFFICIAL SOURCE

**14 CFR Part 91.215 — ATC Transponder and
Altitude Reporting Equipment**

Card: bg-card border border-border rounded-xl p-8 shadow-sm · Citation: bg-accent/5 border-accent/20 rounded-lg p-4

5.6 Inline Loading State

Three amber dots with staggered opacity+scale pulse using Motion. No spinner; no full-page overlay.

● ● ● Searching the FAR/AIM...

```
{[0, 1, 2].map((i) => (  
  <motion.div  
    key={i}  
    className="w-2 h-2 rounded-full bg-primary"  
    animate={{ opacity: [0.3, 1, 0.3], scale: [1, 1.2, 1] }}  
    transition={{ duration: 1.4, repeat: Infinity, delay: i * 0.2, ease: "  
  />  
))}
```

5.7 Uncertain / Not Found State

Amber-tinted warning block. Uses raw Tailwind amber utilities (amber-50, amber-200, amber-600) since this is a semantic warning color, not a brand token.



I couldn't find a confident answer in the FAR/AIM

The regulations can be specific about terminology. Try rephrasing your question with different wording, or check the FAR/AIM document directly for this topic.

Exception to token rule: amber-50/200/600 used because no semantic warning token exists. Do not use primary or accent for warnings.

5.8 Trust Indicator Row

3-column grid on desktop, 1-col on mobile. Icon + title + description. Used at the bottom of the home screen, separated by a top border.

- ✓ **Official Sources**
Every answer cites the exact FAR/AIM section
- ✓ **Plain English**
Complex regulations explained clearly
- ✓ **Study Smart**
Built for student pilots preparing for their PPL

Icon: CheckCircle2 w-5 h-5 text-primary · Title: font-medium text-foreground
· Desc: text-sm text-muted-foreground

5.9 Brand Pill / Badge

Small rounded-full pill used for contextual labels. Three semantic variants.

 Powered by FAR/AIM Primary Accent Muted Default

```
/* Primary pill */
className="inline-flex items-center gap-2 px-3 py-1.5 rounded-full bg-prim

/* Muted label (conversation) */
className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-muted
```

6. Iconography

All icons use lucide-react at two standard sizes. Never use other icon libraries.

 **Sparkles**
Brand logo / nav

 **BookOpen**
Citations, FAR/AIM



CheckCircle2

Trust indicators



AlertCircle

Uncertain state



Home

Nav back button

ArrowRight

Submit button



Palette

Design system link

```
import { Sparkles, BookOpen, CheckCircle2, AlertCircle, Home, ArrowRight } from  
  
/* Standard sizes */  
w-4 h-4 /* small - nav, button icons */  
w-5 h-5 /* default - trust indicators, brand */  
w-6 h-6 /* large - warning state icon */
```

7. Interaction & Motion

All animation uses motion/react (not framer-motion). Transitions are subtle and functional — never decorative for its own sake.

Hover transitions

```
/* All interactive elements */  
transition-all /* colors + borders + bg */  
transition-colors /* text color only */  
  
/* Duration: Tailwind default (150ms) */
```

Dot pulse (loading)

```
animate={{ opacity: [0.3, 1, 0.3], scale: [1, 1.2, 1] }}  
transition={{ duration: 1.4, repeat: Infinity,  
  delay: i * 0.2, ease: "easeInOut" }}
```

Auto-scroll

```
/* In ConversationScreen – fires on every new message */
useEffect(() => {
  if (scrollRef.current) {
    scrollRef.current.scrollTop = scrollRef.current.scrollHeight;
  }
}, [messages]);
```

8. Screen Architecture

Three views controlled by state in App.tsx. No URL router — state-driven navigation.

Home

`!hasStarted`

Hero, question input, example cards, trust indicators

HomeScreen.tsx

Conversation

`hasStarted`

Stacked Q&A messages, sticky input at bottom, auto-scroll

ConversationScreen.tsx

Design System

`showDesignSystem`

This page — living design reference

DesignSystemScreen.tsx

```
// App.tsx state shape
const [hasStarted, setHasStarted] = useState(false);
const [showDesignSystem, setShowDesignSystem] = useState(false);
```

```
// Message union type
type Message =
  | { type: "question"; content: string }
  | { type: "loading" }
  | { type: "answer"; content: string; citation: string }
  | { type: "uncertain" };
```

9. Service Layer

farService.ts handles FAR/AIM queries with eCFR API attempt + intelligent keyword-matched mock fallback.

```
// src/app/services/farService.ts
interface FARResponse {
  found: boolean;
  answer: string;
  citation: string;
}

async function queryFAR(question: string): Promise<FARResponse>

// Returns:
// { found: true, answer: "...", citation: "14 CFR Part 91.XXX – ..." }
// { found: false, answer: "", citation: "" } // → renders uncertain state

// Flow:
// 1. Attempt eCFR API (https://www.ecfr.gov/api/versioner/v1/...)
// 2. On failure/timeout → keyword-match against mock knowledge base
// 3. Keywords: vfr, weather, minimums, transponder, documents, PIC, etc.
```

10. Quick-Reference Token Sheet

Paste this into an agentic coding prompt for instant context.

```
/* FARSight Design Tokens – src/styles/theme.css */

/* Brand */
--primary: #d97706;          /* Amber – CTAs, icons, focus rings */
--primary-foreground: #fff;
--accent: #0c4a6e;          /* Navy – citations, authority elements */
```

```

--accent-foreground: #fff;

/* Surfaces */
--background: #fafaf9;      /* Stone-50 - page background */
--card: #ffffff;            /* Pure white - cards */
--muted: #f5f5f4;          /* Stone-100 - subtle fills */
--secondary: #f5f5f4;

/* Text */
--foreground: #1c1917;      /* Stone-900 - primary text */
--muted-foreground: #78716c; /* Stone-500 - secondary text */

/* Borders */
--border: #e7e5e4;          /* Stone-200 */
--ring: #d97706;            /* Focus ring = primary */

/* Radius */
--radius: 0.5rem;           /* 8px base */
/* Derived: sm=4px, md=6px, lg=8px, xl=12px */

/* Font weights */
--font-weight-normal: 400;
--font-weight-medium: 500;

/* Tailwind class → token mapping */
bg-background → var(--background)
bg-card       → var(--card)
bg-primary    → var(--primary)
bg-accent     → var(--accent)
bg-muted      → var(--muted)
text-foreground → var(--foreground)
text-primary  → var(--primary)
text-accent   → var(--accent)
text-muted-foreground → var(--muted-foreground)
border-border → var(--border)
rounded-xl    → 12px
rounded-lg    → 8px

```