



Nama : Imron  
NPM : 232310021  
Mata Kuliah : Lab PW TI24PA2  
Quiz 7 Mei 2026  
1. Hasil Tampilan



2. Struktur Folder



### 3. Kode

```
index.jsx

import LandingLayout from "../_layout";
import Navbar from "../components/navbar";
import Hero from "../components/hero";
import About from "../components/about";
import Programs from "../components/programs";
import Membership from "../components/membership";
import Trainers from "../components/trainers";
import Contact from "../components/contact";
import Technology from "../components/tech";

export default function LandingPage() {
  return (
    <LandingLayout>
      <div style={{ backgroundColor: "#0f0f0f", minHeight: "100vh" }}>
        <Navbar />
        <Hero />
        <About />
        <Technology />
        <Programs />
        <Membership />
        <Trainers />
        <Contact />

        <footer className="py-5 text-center border-top border-secondary text-white-50">
          <div className="container">
            <p className="fw-bold text-white">TITANFORGE FITNESS © 2026</p>
            <small>UNLEASH THE BEAST IN YOU</small>
          </div>
        </footer>
      </div>
    </LandingLayout>
  );
}
```

```

trainers.jsx

export default function Trainers() {
  const trainers = [
    {
      name: "Marcus 'Titan' Reed",
      role: "Head of Strength",
      img: "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQLrFlotbgQs5U3df1UQlk0Zf71rkzbCnxJXw6s",
    },
    {
      name: "Sarah Volkov",
      role: "AI Biomechanics Specialist",
      img: "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcSUVbgk06wGKBiiPXgjxxycqYFMtsFYnX4RVg6s",
    },
    {
      name: "Jaxson Ford",
      role: "Pro Athlete Performance",
      img: "https://market-resized.envatousercontent.com/photodune.net/EVA/TRX/5a/2a/a0/44/3a/v1_E10/E107KP6M.jpg?auto=format&q=94&mark=https%3A%2F%2Fassets.market-storefront.envato-static.com%2Fwatermarks%2Fphoto-260724.png&opacity=0.2&cf_fit=contain&w=590&h=884&s=08f5e294e07476ef9c9325bc736d798e33946ba0554df4da3bc57880d02b378b",
    },
  ];

  return (
    <section id="trainers" className="py-5" style={{ background: "#1a1a1a" }}>
      <div className="container py-5">
        <h2 className="fw-bold text-center text-white mb-5">
          ELITE <span style={{ color: "#ff3b3b" }}>FORGERS</span>
        </h2>
        <div className="row g-4">
          {trainers.map((t, i) => (
            <div className="col-md-4" key={i}>
              <div className="border border-secondary bg-black p-0 h-100 overflow-hidden shadow-sm">
                <img
                  src={t.img}
                  alt={t.name}
                  className="img-fluid"
                  style={{
                    filter: "grayscale(100%)",
                    objectFit: "cover",
                    height: "350px",
                    width: "100%",
                  }}
                />
                <div className="p-4 border-top border-danger border-2">
                  <h4 className="fw-bold text-white mb-1">{t.name}</h4>
                  <small className="text-danger fw-bold text-uppercase">
                    {t.role}
                  </small>
                </div>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  );
}

```

```

techjsx

export default function Technology() {
  const techs = [
    {
      title: "AI MOTION CAPTURE",
      desc: "Kamera pintar yang mengoreksi form latihanmu secara real-time untuk mencegah cedera.",
      icon: "bi-camera-video-fill",
    },
    {
      title: "BIOMETRIC SYNC",
      desc: "Sinkronisasi otomatis dengan smartwatch untuk menyesuaikan intensitas beban latihan.",
      icon: "bi-cpu",
    },
    {
      title: "NEURAL RECOVERY",
      desc: "Teknologi stimulasi otot elektronik untuk mempercepat pemulihan jaringan setelah latihan berat.",
      icon: "bi-activity",
    },
  ],
};

return (
  <section id="technology" className="py-5" style={{ background: "#0f0f0f" }}>
    <div className="container py-5">
      <div className="row align-items-center">
        <div className="col-lg-5 mb-5 mb-lg-0">
          <h6
            className="text-danger fw-bold text-uppercase mb-3"
            style={{ letterSpacing: "2px" }}
          >
            Next-Gen Fitness
          </h6>
          <h2 className="display-4 fw-bold text-white mb-4">
            THE <span style={{ color: "#ff3b3b" }}>TECH</span> BEHIND THE
            BEAST
          </h2>
          <p className="text-white-50 fs-5 mb-4">
            Kami tidak hanya menggunakan besi. Kami menggunakan data. Setiap
            gerakan dipantau, setiap kemajuan dihitung oleh sistem AI kami.
          </p>
          <button className="btn btn-outline-danger rounded-0 px-4 py-2 fw-bold">
            VIEW SPECS
          </button>
        </div>
        <div className="col-lg-6 offset-lg-1">
          <div className="d-flex flex-column gap-4">
            {techs.map((t, i) => (
              <div
                key={i}
                className="p-4 border-start border-danger border-4"
                style={{ background: "#1a1a1a", transition: "0.3s" }}
              >
                <div className="d-flex align-items-center mb-2">
                  <i className={`bi ${t.icon} text-danger fs-3 me-3`} ></i>
                  <h4
                    className="fw-bold text-white mb-0"
                    style={{ letterSpacing: "1px" }}
                  >
                    {t.title}
                  </h4>
                </div>
                <p className="text-white-50 mb-0 small">{t.desc}</p>
              </div>
            ))}
          </div>
        </div>
      </div>
    </div>
  </section>
);
}

```

```

    programs.jsx

"use client";
export default function Programs() {
  const programs = [
    {
      title: "MUSCLE BUILDING",
      desc: "Hypertrophy training with AI-optimized rest periods and load tracking.",
      icon: "bi-hammer",
    },
    {
      title: "FAT LOSS",
      desc: "High-intensity metabolic conditioning monitored via real-time body analytics.",
      icon: "bi-fire",
    },
    {
      title: "STRENGTH TRAINING",
      desc: "Powerlifting programs focused on neurological adaptations and raw power.",
      icon: "bi-lightning-fill",
    },
    {
      title: "ATHLETE PERFORMANCE",
      desc: "Sport-specific agility and explosive power for elite competitive levels.",
      icon: "bi-trophy-fill",
    },
  ],
  return (
    <section
      id="programs"
      className="py-5"
      style={{ backgroundColor: "#0f0f0f" }}
    >
      <div className="container py-lg-5">
        <div className="text-center mb-5">
          <h6
            className="text-danger fw-bold text-uppercase"
            style={{ letterSpacing: "3px" }}
          >
            Our Expertise
          </h6>
          <h2 className="display-4 fw-bold text-white">
            ELITE <span style={{ color: "#ff3b3b" }}>PROGRAMS</span>
          </h2>
          <div
            className="mx-auto mt-3"
            style={{ width: "80px", height: "4px", backgroundColor: "#ff3b3b" }}
          ></div>
        </div>

        <div className="row g-4">
          {programs.map((p, i) => (
            <div className="col-md-6 col-lg-3" key={i}>
              <div
                className="p-4 h-100 border border-secondary transition-all shadow-hover"
                style={{
                  backgroundColor: "#1a1a1a",
                  cursor: "pointer",
                  transition: "0.3s",
                }}
                onMouseOver={(e) => {
                  e.currentTarget.style.borderColor = "#ff3b3b";
                  e.currentTarget.style.transform = "translateY(-10px)";
                }}
                onMouseOut={(e) => {
                  e.currentTarget.style.borderColor = "#444";
                  e.currentTarget.style.transform = "translateY(0)";
                }}
              >
                <div
                  className="mb-4 d-inline-block p-3"
                  style={{
                    borderLeft: "3px solid #ff3b3b",
                    backgroundColor: "rgba(255, 59, 59, 0.1)",
                  }}
                >
                  <i
                    className={`bi ${p.icon} fs-1`}
                    style={{ color: "#ff3b3b" }}
                  ></i>
                </div>
                <h4
                  className="fw-bold text-white mb-3"
                  style={{ letterSpacing: "1px" }}
                >
                  {p.title}
                </h4>
                <p className="text-white-50 small leading-relaxed">{p.desc}</p>
                <a
                  href="#contact"
                  className="text-danger text-decoration-none fw-bold small"
                >
                  LEARN MORE <i className="bi bi-arrow-right ms-1"></i>
                </a>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  );
}

```

```

    navbar.jsx

"use client";
import { useState, useEffect } from "react";

export default function Navbar() {
  const [scrolled, setScrolled] = useState(false);

  useEffect(() => {
    const handleScroll = () => setScrolled(window.scrollY > 50);
    window.addEventListener("scroll", handleScroll);
    return () => window.removeEventListener("scroll", handleScroll);
  }, []);

  const navLinks = [
    "Home",
    "About",
    "Programs",
    "Technology",
    "Trainers",
    "Membership",
    "Contact",
  ];

  return (
    <nav
      className="navbar navbar-expand-lg fixed-top border-bottom border-danger border-opacity-
25 transition"
      style={{
        backgroundColor: scrolled ? "rgba(15, 15, 15, 0.95)" : "transparent",
        transition: "0.4s",
        boxShadow: scrolled ? "0 0 20px rgba(255, 59, 59, 0.2)" : "none",
      }}
    >
      <div className="container">
        <a
          className="navbar-brand fw-bold text-white fs-3"
          href="#home"
          style={{ letterSpacing: "2px" }}
        >
          TITAN<span style={{ color: "#ff3b3b" }}>FORGE</span>
        </a>
        <button
          className="navbar-toggler border-0 shadow-none"
          type="button"
          data-bs-toggle="collapse"
          data-bs-target="#navbarNav"
        >
          <span className="navbar-toggler-icon"></span>
        </button>
        <div className="collapse navbar-collapse" id="navbarNav">
          <ul className="navbar-nav ms-auto align-items-center">
            {navLinks.map((item) => (
              <li key={item} className="nav-item">
                <a
                  className="nav-link text-white fw-semibold px-3"
                  href={`#${item.toLowerCase()}`}
                >
                  {item}
                </a>
              </li>
            ))}
            <li className="nav-item ms-lg-3 mt-3 mt-lg-0">
              <button
                className="btn fw-bold px-4 rounded-0"
                style={{ backgroundColor: "#ff3b3b", color: "#fff" }}
              >
                JOIN NOW
              </button>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  );
}

```

```

membership.jsx

export default function Membership() {
  const tiers = [
    { name: "BASIC", price: "299", perks: ["Gym Access", "Basic Locker"] },
    {
      name: "PRO",
      price: "599",
      perks: ["All Access", "AI Coach", "Sauna"],
      active: true,
    },
    {
      name: "ELITE",
      price: "999",
      perks: ["Personal VIP", "Nutrition App", "Full Wearable"],
    },
  ];

  return (
    <section id="membership" className="py-5" style={{ background: "#0f0f0f" }}>
      <div className="container py-5">
        <h2 className="fw-bold text-center text-white mb-5">
          MEMBERSHIP <span style={{ color: "#ff3b3b" }}>PLANS</span>
        </h2>
        <div className="row g-4">
          {tiers.map((t, i) => (
            <div className="col-lg-4" key={i}>
              <div
                className={`p-5 h-100 ${t.active ? "border border-danger border-2" : "border border-secondary"}`}
                style={{ background: "#1a1a1a" }}
              >
                <h3 className="fw-bold text-white">{t.name}</h3>
                <h2 className="display-4 fw-bold text-danger">
                  IDR {t.price}k<small className="fs-6 text-white">/mo</small>
                </h2>
                <ul className="list-unstyled text-white-50 my-4">
                  {t.perks.map((p, idx) => (
                    <li key={idx} className="mb-2">
                      ✓ {p}
                    </li>
                  ))}
                </ul>
                <button
                  className={`btn w-100 rounded-0 fw-bold ${t.active ? "btn-danger" : "btn-outline-light"}`}
                >
                  SELECT PLAN
                </button>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  );
}

```

```

hero.jsx

export default function Hero() {
  return (
    <section
      id="home"
      className="min-vh-100 d-flex align-items-center position-relative overflow-hidden"
      style={{ background: "#0f0f0f" }}
    >
      <div className="container position-relative py-5 mt-5">
        <div className="row align-items-center">
          <div className="col-lg-8 text-center text-lg-start">
            <h1
              className="display-1 fw-bold text-white mb-3"
              style={{ letterSpacing: "-1px" }}
            >
              FORGE YOUR <br />
              <span
                style={{
                  color: "#ff3b3b",
                  textShadow: "0 0 15px rgba(255,59,59,0.5)",
                }}
              >
                ULTIMATE STRENGTH
            </span>
          </h1>
          <p
            className="lead text-white-50 mb-5 fs-4 mx-auto mx-lg-0"
            style={{ maxWidth: "600px" }}
          >
            Train with AI-powered fitness technology and achieve your peak
            performance in a futuristic environment.
          </p>
          <div className="d-flex gap-3 justify-content-center justify-content-lg-start">
            <button
              className="btn btn-lg px-lg-5 px-4 rounded-0 fw-bold"
              style={{ backgroundColor: "#ff3b3b", color: "#fff" }}
            >
              START TRAINING
            </button>
            <button className="btn btn-outline-light btn-lg px-lg-5 px-4 rounded-0 fw-bold">
              EXPLORE PROGRAMS
            </button>
          </div>
        </div>
      </div>
      <div className="col-lg-4 d-none d-lg-block">
        <div className="position-relative text-center">
          
        </div>
      </div>
    </div>
  );
}

```



```

feature.jsx

export default function Programs() {
  const programs = [
    { name: "Muscle Building", icon: "bi-hammer" },
    { name: "Fat Loss", icon: "bi-fire" },
    { name: "Strength Training", icon: "bi-lightning-fill" },
    { name: "Athlete Performance", icon: "bi-trophy" },
  ];

  return (
    <section id="programs" className="py-5" style={{ background: "#0f0f0f" }}>
      <div className="container py-5 text-white">
        <h2 className="fw-bold text-center mb-5">
          ELITE <span style={{ color: "#ff3b3b" }}>PROGRAMS</span>
        </h2>
        <div className="row g-4">
          {programs.map((p, i) => (
            <div className="col-md-6 col-lg-3" key={i}>
              <div
                className="p-5 h-100 border border-secondary transition"
                style={{
                  background: "rgba(255,255,255,0.03)",
                  transition: "0.3s",
                }}
              >
                <i
                  className={`bi ${p.icon} display-4 mb-3`}
                  style={{ color: "#ff3b3b" }}
                ></i>
                <h4 className="fw-bold">{p.name}</h4>
                <p className="text-white-50">
                  Customized roadmap to hit your physical peak.
                </p>
              </div>
            </div>
          ))}
        </div>
      </div>
    </section>
  );
}

```

```

contact.jsx

export default function Contact() {
  const inputStyle = {
    backgroundColor: "#1a1a1a",
    border: "1px solid #333",
    color: "ffff",
    borderRadius: "0",
    padding: "12px",
  };

  return (
    <section id="contact" className="py-5" style={{ background: "#0f0f0f" }}>
      <div className="container py-5">
        <div className="row g-5">
          <div className="col-lg-5 text-white">
            <h2 className="display-5 fw-bold mb-4">
              READY TO <span style={{ color: "#ff3b3b" }}>EVOLVE?</span>
            </h2>
            <p className="text-white-50 mb-5">
              Visit our digital district sector or send us a message.
            </p>

            <div className="mb-4">
              <h6 className="fw-bold text-danger mb-1">LOCATION</h6>
              <p className="text-white-50">Bogor, Jln No 1</p>
            </div>

            <div>
              <h6 className="fw-bold text-danger mb-1">PHONE</h6>
              <p className="text-white-50">+62 812 3333 3333</p>
            </div>
          </div>

          <div className="col-lg-7">
            <div
              className="p-4 border border-secondary"
              style={{ background: "#1a1a1a" }}
            >
              <form>
                <div className="row g-3">
                  <div className="col-md-6">
                    <label className="small fw-bold text-white-50 mb-1">
                      First Name
                    </label>
                    <input
                      type="text"
                      className="form-control shadow-none"
                      style={inputStyle}
                    />
                  </div>
                  <div className="col-md-6">
                    <label className="small fw-bold text-white-50 mb-1">
                      Email Address
                    </label>
                    <input
                      type="email"
                      className="form-control shadow-none"
                      style={inputStyle}
                    />
                  </div>
                  <div className="col-12">
                    <label className="small fw-bold text-white-50 mb-1">
                      Your Message
                    </label>
                    <textarea
                      className="form-control shadow-none"
                      rows="4"
                      style={inputStyle}
                    ></textarea>
                  </div>
                  <div className="col-12 mt-4">
                    <button
                      className="btn w-100 py-3 fw-bold rounded-0 text-white"
                      style={{ backgroundColor: "#ff3b3b" }}
                    >
                      SEND DRILL REQUEST
                    </button>
                  </div>
                </div>
              </form>
            </div>
          </div>
        </div>
      </section>
    );
  }
}

```



about.jsx

```
export default function About() {
  const stats = [
    { label: "Active Members", value: "10K+" },
    { label: "AI Body Tracking", value: "ENABLED" },
    { label: "Smart Recovery", value: "SYSTEM" },
  ];

  return (
    <section id="about" className="py-5" style={{ background: "#1a1a1a" }}>
      <div className="container py-5">
        <div className="row align-items-center">
          <div className="col-lg-6 mb-4 mb-lg-0">
            <h2 className="display-4 fw-bold text-white mb-4">
              GYM OF THE <span style={{ color: "#ff3b3b" }}>FUTURE</span>
            </h2>
            <p className="text-white-50 fs-5 mb-4">
              TitanForge is more than a gym. We combine cutting-edge AI
              analytics with premium hardware to rebuild your body from the
              ground up.
            </p>
          </div>
          <div className="col-lg-6">
            <div className="row g-3">
              {stats.map((stat, i) => (
                <div className="col-6 col-md-4" key={i}>
                  <div className="p-4 border border-secondary text-center">
                    <h3 className="fw-bold text-white mb-1">{stat.value}</h3>
                    <small className="text-danger fw-bold">{stat.label}</small>
                  </div>
                </div>
              ))}
            </div>
          </div>
        </div>
      </div>
    </section>
  );
}
```