

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	16.453 s	1	0	1	0	3	2	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM Application	Login with valid credentials


TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	1	0	1	0	16.453 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	2	1	0	16.448 s

DETAILED SECTION -- 7 --

## **Login to HRM Application**

FAILED	DURATION - 16.453 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 10:38:01.106 pm //	10:38:17.559 pm /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	👢 š 🥖
		Skip - 0		Skip - 0	
		SKIP - U		SKIP - U	

## **Login with valid credentials**



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://ui.freecrm.com"	PASSED	10.837 s
2	When User enters username as "husainahamad055@gmail.com" and password as "Kaalo@1234"	PASSED	3.156 s
3	Then User should be able to login sucessfully and new page open	FAILED	0.107 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='top-header-menu']/div[2]/span[1]"} (Session info: chrome=138.0.7204.101) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.34.0', revision: '707dcb4246*' System info: os.name: "Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ad096684a69a3fd5d4a2fb9fa73585ab, findElement {using=xpath, value=//*[@id='top-header-menu']/div[2]/span[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 138.0.7204.101, chrome: {chromedriverVersion: 138.0.7204.157 (e533e98b126, userDataDir: C:\Users\Dell\AppData\Local}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55413}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55413/devtoo, se:cdpVersion: 138.0.7204.101, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ad096684a69a3fd5d4a2fb9fa73585ab at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy22.isDisplayed(Unknown Source)		
	at com.example.actions.HomePageActions.lambda\$fluentWait\$0(HomePageActions.java:29)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at com.example.actions.HomePageActions.fluentWait(HomePageActions.java:29)		
	at com.example.actions.HomePageActions.getHomePageText(HomePageActions.java:34)		
	at com.example.definitions.LoginPageDefinitions.verifyLogin(LoginPageDefinitions.java:39)		
	at ?.User should be able to login sucessfully and new page open(file:///C:/Users/Dell/eclipse-workspace/POM_CucumberJunitDemo/src/test/		
	resources/features/LoginPage.feature:9)		
	* Not displayable characters are replaced by '?'.		
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.223 s
	Login with valid credentials		
	A hand and divinged dow B secure  Los  G type of the loss		