Cucumber Report

Start : Jul 25, 8:18:39.280 pm	*End : Jul 25, 8:18:55.032 pm*	*Duration : 15.752 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM Application	*15.752 s*	*1*	*1*	*0*	*0*	*3*	*3*	*0*	*0*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	Login to HRM Application	1	1	0	0	15.752 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials	3	3	0	0	15.748 s

Login to HRM Application

PASSED	DURATION - 15.752 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 8:18:39.280 pm // 8:18:55.032 pm /					

Login with valid credentials

PASSED	DURATION - 15.748 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 8:18:39.284 pm // 8:18:55.032 pm /				
Login to HRM Application				
@ValidCredentials				

#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://ui.freecrm.com"	PASSED	0.782 s
2	When User enters username as "husainahamad055@gmail.com" and password as "Kaalo@1234"	PASSED	9.385 s
3	Then User should be able to login successfully and new page open	PASSED	3.448 s
	AFTER - com.example.definitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.197 s
	Scenario Screenshot: Login with valid credentials		