

Agent Readability Audit

Test how AI agents read, understand, and represent your product.

agent readability audit by aiuxdesign.guide | © 2026 | For personal use only

Agent readability audit

A toolkit to test how AI agents read, understand, and represent your product.

The 5-Prompt Test

Run each prompt in a fresh chat with no prior context. That's how a real user's agent would arrive.

1. Understanding

What is [YOUR URL]? Who is it for?

Tests whether the agent grasps your core value proposition.

2. Task Application

I'm doing [SPECIFIC TASK]. Which features on [YOUR URL] would help?

Tests whether the agent can apply your product to real use cases.

3. Tool Comprehension

Walk me through how to use [YOUR MAIN TOOL] on [YOUR URL].

Tests whether the agent understands your interactive elements.

4. Content

What's new this week on [YOUR URL]?

Tests whether the agent can access current/dynamic content.

5. Specific Retrieval

What was changed/published on [YOUR URL] on [SPECIFIC DATE]?

Tests whether the agent can retrieve specific, verifiable facts.

How to score: For each prompt, note whether the agent's response is accurate, partially accurate, or fabricated. Pay attention to which parts come from your site vs. external sources.

Layer Stripping Checklist

After running the prompts, check which layers of your product the agent could actually see.

LAYER	WHAT IT INCLUDES	VISIBLE?
Structure	HTML hierarchy, semantic markup, navigation	☐ Yes ☐ Partial ☐ No
Content	Text, images, data, static information	☐ Yes ☐ Partial ☐ No
Interaction	Hover states, animations, clickable demos	☐ Yes ☐ Partial ☐ No
Retrieval	Curated selections, voice, opinion, analysis	☐ Yes ☐ Partial ☐ No

DIAGNOSTIC QUESTIONS

- ☐ Did the agent mention any interactive features? (If no, Interaction layer is invisible)
- ☐ Did the agent capture your voice or just facts? (If just facts, Retrieval layer is invisible)
- ☐ Did the agent describe visual design elements? (If no, Visual layer is invisible)
- ☐ Could the agent navigate between related content? (Tests structural coherence)

Gap-Filling Scorecard

When agents can't access your content, they fill gaps from elsewhere. Check for these failure modes.

Competitor Blending

- ☐ The agent mixed your product's features with a competitor's, presenting them as a unified description. Look for: Features you don't have, terminology you don't use, or methodologies from other products.

If found: Your differentiation is invisible to agents.

Narrative Recycling

- ☐ The agent cited your old content (blog posts, social media, past articles) as current information. Look for: Outdated information presented as current, references to content from other platforms

If found: Your dynamic/editorial content isn't being accessed.

Confident Fabrication

- ☐ The agent invented specific details (names, dates, features) without flagging uncertainty. Look for: Specific claims that are wrong, made-up product names, incorrect pattern names or categories

If found: The agent is hallucinating to fill your content gaps

What to do with your results:

If you found any of these failure modes, consider:

1. Adding an AGENTS.md or llms.txt file with structured content for agents
2. Ensuring your key differentiators are in plain text, not just interactive demos,
3. Making your editorial content accessible in the HTML, not loaded via JavaScript.

For a deeper analysis of your AI interface patterns:

[aiuxdesign.guide/audit](#) - Analyzes screenshots against 28 documented AI UX patterns