



1. Create a Flask application with an `/api` route. When this route is accessed, it should return a JSON list. The data should be stored in a backend file, read from it, and sent as a response.



A screenshot of a web browser window. The address bar shows the URL `http://127.0.0.1:5000`. The page title is "Submit Data". The form contains three input fields: the first contains "shakti", the second contains "rajpurohit@gmail.com", and the third contains "ble" with a red "x" icon to its right. Below the input fields is a "Submit" button.




A screenshot of a web browser window. The address bar shows the URL `http://127.0.0.1:5000/success`. The page displays the text "Data submitted successfully" in a bold, black font.



The screenshot shows a web browser window with the address bar displaying `http://127.0.0.1:5000/api`. The browser's developer tools are open, showing the 'JSON' tab. The JSON data is a list of two objects, each with 'id' and 'name' fields.

```
[
  {
    "id": 1,
    "name": "shakti"
  },
  {
    "id": 2,
    "name": "siya"
  }
]
```



The screenshot shows a web browser window with the address bar displaying `http://127.0.0.1:5000/view`. The browser's developer tools are open, showing the 'JSON' tab. The JSON data is a list of seven objects, each with 'password' and 'username' fields. The first four objects have 'password' as 'w2332' and 'username' as 'shaktisingh'. The last three objects have 'password' as 'sadasd' and 'username' as 'shaktisingh'.

```
{
  "data": [
    {
      "password": "1234",
      "username": "shaktisingh"
    },
    {
      "password": "w2332",
      "username": "shaktisingh"
    },
    {
      "password": "w2332",
      "username": "shaktisingh"
    },
    {
      "password": "w2332",
      "username": "shaktisingh"
    },
    {
      "password": "w2332",
      "username": "shaktisingh"
    },
    {
      "password": "sadasd",
      "username": "shaktisingh"
    },
    {
      "password": "sadasd",
      "username": "shaktisingh"
    },
    {
      "password": "sadasd",
      "username": "shaktisingh"
    }
  ]
}
```

2. Create a form on the frontend that, when submitted, inserts data into MongoDB Atlas. Upon successful submission, the user should be redirected to another page displaying the message **"Data submitted successfully"**. If there's an error during submission, display the error on the same page without redirection.

http://127.0.0.1:5000

Create Account

Username

shaktisingh

Password

Sign Up

view

← → ↺

http://127.0.0.1:5000/submit

Data submitted successfully!

