

[← Back to process timeline](#)

INTERNSHIP PROCESS

Week 6 — Prototype & Constraints

Interactive component variants, branching flows, and Figma's limitations.

week:6 Reflection

Steps I Got Stuck During the Task

1. Keyboard Navigation & Accessibility

Constraint:

Figma does not support true keyboard navigation using the **Tab** key, automatic focus traversal, or keyboard-only interaction within prototypes.

Workaround:

Documented the intended keyboard focus order and accessibility behavior through annotations. These interactions are intended for implementation during frontend development (HTML/CSS/JavaScript) following **WCAG 2.2 AA** guidelines.

2. Input Field & Micro-interactions

Constraint:

Figma cannot simulate live text entry, a blinking text cursor (caret), automatic focus movement between input fields, or real-time form validation.

Workaround:

Used interactive component variants, Smart Animate, and predefined states (**Default, Hover, Focus, Filled, Error, Disabled**) to demonstrate the intended user experience.

3. Dynamic User Flows

Constraint:

Figma cannot use a single interaction to generate different outcomes based on user input. For example, the **Pay Now** button cannot automatically navigate to either **Order Success** or **Payment Failed**, and coupon validation cannot dynamically determine valid or invalid results.

Workaround:

Created separate prototype flows to represent the Happy Path and each edge-case scenario.

4. Multiple Branching Scenarios

Constraint:

The checkout journey included multiple branching paths:

- Happy Path
- Coupon Applied
- Coupon Expired / Invalid
- Shipping Validation Error
- Payment Failure & Retry

Displaying all possible outcomes within one continuous prototype is not feasible in Figma.

Workaround:

The prototype was divided into four independent flows:

- Happy Path Checkout
- Coupon Edge Cases
- Payment Failure
- Shipping Validation

This ensured each scenario could be demonstrated clearly and independently.

5. Prototype Sharing & Submission

Constraint:

Figma shares the entire design page instead of only selected prototype flows. Additionally, the submission portal did not support uploading a .txt file containing the prototype URL.

Workaround:

Created a PDF containing a **view-only hyperlink** to the Figma prototype, allowing reviewers to access the interactive prototype while meeting the submission requirements.

6. Prototype Interaction Limitation

Constraint:

Figma does not allow text fields to accept real keyboard input or navigate directly to another screen. Interactive elements such as buttons or hotspots must be used to trigger navigation.

Workaround:

Text fields were treated as visual components, while navigation was handled using dedicated buttons and interactive hotspots to simulate the intended checkout experience.

Conclusion

Although Figma has limitations in simulating real application behavior, keyboard accessibility, conditional logic, and branching interactions, these constraints were addressed through interactive components, multiple prototype flows, accessibility annotations, and a dedicated prototype link. This approach enabled a realistic demonstration of both the primary checkout journey and key edge-case scenarios while remaining within Figma's prototyping capabilities.

[← Week 5 — Screen Iterations & WCAG](#)[Week 7 — Final Screens & Testing →](#)

© 2026 Shrishti