Quality of Service Report (Mobile Network Operator)
Banglalink Digital Communications Ltd.

Reporting Month **September, 2026**

Report: A3

1. National QoS KPI Performance

KPI Name	Threshold	BTRC Monitored Value	Operator Declared Value
2G Call Drop Rate(%)	<= 1.00	compliant	compliant
2G Call Setup Success Rate (%)	>= 99.00	compliant	compliant
4G Avg. UE throughput DL (Mbps)	>= 3.50	compliant	compliant
4G Counter Mobile Data NRR - LTE ERAB Non-Retainability(%)	<= 0.50	compliant	compliant
4G RRC Success Rate (%)	>= 99.00	compliant	compliant
4G VoLTE Call Setup Success Rate (%)	>= 99.00	compliant	compliant
4G VoLTE drop/Abnormal Release Rate (%)	<= 0.50	compliant	compliant
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	<= 1.00	compliant	compliant
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	>= 99.00	compliant	compliant
CSFB Success Rate (%)	>= 98.00	compliant	compliant
SMS Completion Rate (%)	>= 98.00	compliant	compliant
Accumulated Down Time of BTSs, eNodeBs and beyond (%)	<= 1.00	compliant	compliant

2. District-wise Compliance with QoS KPIs

KPI Name	BTRC Monitored Count (Compliant/Total)	Operator Declared Count (Compliant/Total)
2G Call Drop Rate(%)	0 / 0	64/64
2G Call Setup Success Rate(%)	0 / 0	64/64
4G Avg. UE throughput DL(Mbps)	0 / 0	64/64
4G RRC Success Rate(%)	0 / 0	64/64
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	0 / 0	64/64
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	0 / 0	64/64

3. Upazila-wise Compliance with QoS KPIs

KPI Name	No. of Upazila/Area	No. of Upazila/Area where Service Available	No. of Compliant Upazila (BTRC Mointored)	No. of Compliant Upazila (Operator Declared)
2G Call Drop Rate (%)	544	541	539	541
2G Call Setup Success Rate (%)	544	541	540	541
4G RRC Success Rate (%)	544	541	539	540
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	544	541	540	541
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	544	541	540	541

:Complied
:Non-Complied

KPI (Key Performance Indicator) Name	Short description
2G Call Drop Rate (%)	*Percentage of 2G calls disconnected unexpectedly.*
2G Call Setup Success Rate (%)	*Percentage of 2G call attempts successfully connected.*
4G Avg. UE Throughput DL (Mbps)	*Average 4G download speed experienced by users.*
4G Counter Mobile Data NRR – LTE E-RAB Non-Retainability (%)	*Percentage of 4G data sessions disconnected unexpectedly.*
4G RRC Success Rate (%)	*Percentage of successful 4G network connection attempts.*
4G VoLTE Call Setup Success Rate (%)	*Percentage of VoLTE call attempts successfully connected.*
4G VoLTE Drop/Abnormal Release Rate (%)	*Percentage of VoLTE calls disconnected unexpectedly.*
MIXED VoLTE+GSM Combined Abnormal Release Rate (%)	*Percentage of VoLTE and GSM calls disconnected unexpectedly.*
MIXED VoLTE+GSM Combined Voice Setup Success Rate (%)	*Percentage of VoLTE and GSM call attempts successfully connected.*
CSFB Success Rate (%)	*Percentage of successful transfers from 4G to 2G for voice calls.*
SMS Completion Rate (%)	*Percentage of SMS attempts successfully completed .*

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
1. Bagerhat	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bagerhat Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chitalmari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fakirhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kachua	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mollahat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mongla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Morrelganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rampal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sarankhola	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
2. Bandarban	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Alikadam	<= 1.50	No Service	compliant	>= 98.00	No Service	compliant	>= 98.50	No Service	compliant	<= 1.50	No Service	compliant	>= 98.00	No Service	compliant			
	Bandarban Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lama	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Naikhongchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rowangchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ruma	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service	>= 98.50	No Service	No Service	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service			
	Thanchi	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service	>= 98.50	No Service	No Service	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service			
3. Barguna	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Amtali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bamna	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Barguna Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Betagi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patharghata	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
4. Barisal	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Agailjhara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Babuganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bakerganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Banari Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Barisal Sadar (Kotwali)	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gaurnadi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hizla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mehendiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Muladi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Wazirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
5. Bhola	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bhola Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Burhanuddin	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Char Fasson	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Daulatkhan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lalmohan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manpura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tazumuddin	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
6. Bogra	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Adamdighi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bogra Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhunat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhupchanchia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gabtali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kahaloo	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nandigram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sariakandi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shajahanpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sherpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shibganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sonatola	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
7. Brahamanbari	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Akhaura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	non-compliant	compliant			
	Ashuganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Banchharampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bijoynagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Brahmanbaria Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kasba	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nabinagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nasirnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sarail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
8. Chandpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Chandpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Faridganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Haim Char	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hajiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kachua	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Matlab Dakshin	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Matlab Uttar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shahrasti	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
9. Nawabganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bholahat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gomastapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nachole	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nawabganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shibganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
10. Chittagong	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Anowara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bakalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Banshkhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bayejid Bostami	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Boalkhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chandanaish	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chandgaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chittagong Port	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Double Mooring	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fatikchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Halishahar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hathazari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khulshi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kotwali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lohagara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mirsharai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pahartali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Panchlaish	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patenga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patiya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rangunia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Raozan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sandwip	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Satkania	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sitakunda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
11. Chuadanga	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Alamdanga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chuadanga Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Damurhuda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jiban Nagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
12. Cox's Bazar	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Chakaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Cox's Bazar Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kutubdia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Maheshkhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pekua	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ramu	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Teknaf	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ukhia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
13. Comilla	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Barura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Brahman Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Burichang	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chandina	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chauddagram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Comilla Adarsha Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Comilla Sadar Dakshin	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Daudkandi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Debidwar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Homna	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Laksam	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manoharganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Meghna	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Muradnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nangalkot	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Titas	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
14. Dhaka	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Adabor	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Badda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bangshal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Biman Bandar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Cantonment	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chak Bazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dakshinkhan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Darus Salam	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Demra	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhamrai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhanmondi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dohar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gendaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gulshan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hazaribagh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jatrabari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kadamtali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kafrul	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalabagan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kamrangir Char	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Keraniganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khilgaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khilkhet	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kotwali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lalbagh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mohammadpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Motijheel	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nawabganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	non-compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	New Market	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pallabi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Paltan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ramna	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rampura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sabujbagh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Savar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shah Ali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shahbagh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sher-e-bangla Nagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shyampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sutrapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tejgaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tejgaon Ind. Area	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Turag	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Uttar Khan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Uttara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
15. Dinajpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Biral	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Birampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Birganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bochaganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chiriribandar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dinajpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fulbari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ghoraghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hakimpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaharole	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khansama	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nawabganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Parbatipur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
16. Faridpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Alfadanga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bhanga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Boalmari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Char Bhadrasan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Faridpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madhukhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nagarkanda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sadarpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Saltha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
17. Feni	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Chhagalnaiya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Daganbhuiyan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Feni Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fulgazi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Parshuram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sonagazi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
18. Gaibandha	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Fulchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gaibandha Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Gobindaganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Palashbari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sadullapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Saghatta	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sundarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
19. Gazipur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Gazipur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaliakair	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaliganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kapasia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreepur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
20. Gopalganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Gopalganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kashiani	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kotali Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Muksudpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tungi Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
21. Habiganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Ajmiriganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bahubal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Baniachong	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chunarughat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Habiganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lakhai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madhabpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nabiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
22. Jamalpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bakshiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dewanganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Islampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jamalpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Melandaha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sarishabari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
23. Jessore	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Abhaynagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bagher Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chaugachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jhikargachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Keshabpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kotwali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manirampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sharsha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
24. Jhalokati	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Jhalokati Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kanthalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nalchity	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
25. Jhenaidah	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Harinakunda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jhenaidah Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaliganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kotchandpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Maheshpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shailkupa	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
26. Joypurhat	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Akkelpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Joypurhat Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khetlal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Panchbibi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
27. Khagrachhar	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Dighinala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khagrachhari Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lakshmichhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mahalchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manikchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Matiranga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Panchhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ramgarh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
28. Khulna	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Batiaghata	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dacope	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Daulatpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dighalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dumuria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khalishpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khan Jahan Ali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khulna Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Koyra	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Paikgachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Phultala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rupsa	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sonadanga	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Terokhada	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
29. Kishoreganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Austagram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bajitpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bhairab	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hossainpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Itna	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Karimganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Katiadi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kishoreganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kuliar Char	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mithamain	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nikli	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pakundia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tarail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
30. Kurigram	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bhurungamari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Char Rajibpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chilmari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kurigram Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nageshwari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Phulbari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajarhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Raumari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ulipur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
31. Kushtia	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bheramara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Daulatpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khoksa	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kumarkhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kushtia Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
32. Lakshmipur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Kamalnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lakshmipur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ramganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ramgati	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Roypur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
33. Lalmonirhat	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Aditmari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hatibandha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaliganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lalmonirhat Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patgram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
34. Madaripur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Kalkini	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madaripur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajoir	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shib Char	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
35. Magura	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Magura Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mohammadpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shalikha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreepur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
36. Manikganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Daulatpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ghior	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Harirampur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manikganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Saturia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shibalaya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Singair	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
37. Meherpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Gangni	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Meherpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mujib Nagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
38. Maulvibazar	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Barlekha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Juri	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kamalganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kulaura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Maulvi Bazar Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreemangal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
39. Munshiganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Gazaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lohajang	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Munshiganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Serajdikhan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreenagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tongibari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
40. Mymensingh	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bhaluka	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhobaura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fulbaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gaffargaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gauripur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Haluaghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ishwarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Muktagachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mymensingh Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nandail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Phulpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Trishal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
41. Naogaon	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Atrai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Badalgachhi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhamoirhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mahadebpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Naogaon Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Niamatpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patnitala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Porsha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Raninagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sapahar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
42. Narail	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Kalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lohagara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Narail Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
43. Narayanganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Araihazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bandar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Narayanganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rupganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sonargaon	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
44. Narsingdi	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Belabo	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Manohardi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Narsingdi Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Palash	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Roypura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shibpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
45. Natore	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bagati Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Baraigram	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gurudaspur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Lalpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Natore Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Singra	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
46. Netrakona	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Atpara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Barhatta	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Durgapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalmakanda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Kendua	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Khaliajuri	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madan	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mohanganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Netrokona Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Purbadhala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
47. Nilphamari	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Dimla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Domar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jaldhaka	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kishoreganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nilphamari Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Saidpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
48. Noakhali	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Begumganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chatkhil	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Companiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Hatiya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kabirhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Noakhali Sadar (Sudharam)	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Senbagh	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sonaimuri	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Subarnachar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
49. Pabna	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Atgharia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bera	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bhangura	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chatmohar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Faridpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ishwardi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pabna Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Santhia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sujanagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
50. Panchagarh	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Atwari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Boda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Debiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Panchagarh Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tentulia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
51. Patuakhali	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bauphal	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dashmina	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dumki	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Galachipa	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kala Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mirzaganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Patuakhali Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
52. Pirojpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bhandaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kawkhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mathbaria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nazirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nesarabad (Swarupkati)	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pirojpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Zianagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
53. Rajbari	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Balia Kandi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Goalandaghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalukhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pangsha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajbari Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
54. Rajshahi	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bagha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Baghmara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Boalia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Charghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Durgapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Godagari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Matihar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mohanpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Paba	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Puthia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajpara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Shah Makhdum	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tanore	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
55. Rangamati	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Baghai Chhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Barkal	<= 1.50	non-compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	1.4205	compliant	>= 98.00	99.1404	compliant			
	Belai Chhari	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service	>= 98.50	No Service	No Service	<= 1.50	No Service	No Service	>= 98.00	No Service	No Service			
	Jurai Chhari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	0.8357	compliant	>= 98.00	99.5816	compliant			
	Kaptai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kawkhali (Betbunia)	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Langadu	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Naniarchar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rajasthali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rangamati Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
56. Rangpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Badarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gangachara	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaunia	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mitha Pukur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pirgachha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pirganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Rangpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Taraganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
57. Satkhira	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Assasuni	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Debhata	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalaroa	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kaliganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Satkhira Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shyamnagar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tala	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
58. Shariatpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bhedarganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Damudya	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gosairhat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Naria	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shariatpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Zanjira	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
59. Sherpur	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Jhenaigati	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nakla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nalitabari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sherpur Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sreebardi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
60. Sirajganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Belkuchi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chauhali	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kamarkhanda	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kazipur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Royganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Shahjadpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sirajganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tarash	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ullah Para	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
61. Sunamganj	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Bishwambarpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Chhatak	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dakshin Sunamganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Derai	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dharampasha	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dowarabazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jagannathpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jamalganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sulla	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sunamganj Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tahirpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
62. Sylhet	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Balaganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Beani Bazar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bishwanath	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Companiganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dakshin Surma	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Fenchuganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Golabganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			

District	Upazilla	2G Call Drop Rate			2G Call Setup Success Rate			4G RRC Success Rate			MIXED VoLTE+GSM Combined Abnormal Release			MIXED VoLTE+GSM Combined Voice Setup			4G Avg.		
		Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value	Threshold	BTRC Mointored Value	Operator Declared Value
	Gowainghat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Jaintiapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kanaighat	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sylhet Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Zakiganj	<= 1.50	compliant	compliant	>= 98.00	99.7465	compliant	>= 98.50	99.5961	compliant	<= 1.50	compliant	compliant	>= 98.00	99.7916	compliant			
63. Tangail	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Basail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Bhuapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Delduar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Dhanbari	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ghatail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Gopalpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Kalihati	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Madhupur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Mirzapur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Nagarpur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Sakhipur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Tangail Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
64. Thakurgaon	-	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 2.50	compliant	compliant
	Baliadangi	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Haripur	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Pirganj	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Ranisankail	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			
	Thakurgaon Sadar	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant	>= 98.50	compliant	compliant	<= 1.50	compliant	compliant	>= 98.00	compliant	compliant			