

Dataset Link: <https://itv-contentbucket.s3.ap-south-1.amazonaws.com/Exams/Tableau/insurance.xlsx>

Using insurance.xlsx file , perform the following.


1. Change the datatype of Auto year column from number to date.

Ans:


The screenshot shows the Tableau Desktop interface with the 'insurance' data source loaded. The 'Fields' pane on the left lists various fields, including 'Auto Year'. The 'Columns' shelf contains 'Property Claim', 'Vehicle Claim', 'Auto Make', 'Auto Model', 'Auto Year', and 'Fraud Reported'. The 'Rows' shelf is empty. The 'Marks' shelf is set to 'Auto'. The 'Auto Year' field is highlighted in the Fields pane, indicating it is being prepared for a date format change.

2. Display day wise policy bind date vs capital gain using discrete and continuous axis.

Ans: 1. day wise policy bind date vs capital gain using discrete



2. day wise policy bind date vs capital gain using continuous



3. What are the measure names and its values available in dataset.

Measure Names

Measure Names is a Tableau-generated field that contains the names of all measures in the dataset.

Examples from the Insurance dataset may include:

Months as Customer

Age

Policy Deductable

Policy Annual Premium

Umbrella Limit

Capital Gains

Capital Loss

Incident Hour of the Day

Bodily Injuries

Measure Values

Measure Values is another Tableau-generated field that contains the actual values of the selected measures.

Example:

Measure Name	Measure Value
Capital Gains	5000
Capital Loss	-2000
Total Claim Amount	25000
Vehicle Claim	12000

