



Litera Compare Command Line Comparisons

January 2026




Table Of Contents

Introducing command line comparisons	1
Running comparisons using lcp_auto.exe	1
Supported file types	1
Comparison styles file extensions	2
Run the command line	2
Exit codes	3
Examples	3
Running comparisons using individual executables	4
lcp_main.exe for Compare for Word	4
lcp_ppt.exe for Compare for PowerPoint	6
lcp_main.exe for Compare for Excel	6
lcp_pdfcmp.exe for Compare for PDF	8

Introducing command line comparisons

There are two ways to use the command line to run Litera Compare comparisons:

- Using lcp_auto.exe
- Using the individual executables for each comparison application:
 - lcp_main.exe for Compare for Word
 - lcp_ppt.exe for Compare for PowerPoint
 - lcx_main.exe for Compare for Excel
 - lcp_pdfcmp.exe for Compare for PDF

Running comparisons using lcp_auto.exe

lcp_auto.exe is installed automatically in the folder where Litera Compare was installed (typically **C:\Program Files (x86)\Litera\Compare**).

Supported file types

The following file types are supported for command line comparison (input and output):

Type of comparison	File types supported
Document comparison	doc, docx, rtf, pdf, wpd, htm, html
Spreadsheet comparison	xls, xlsx, xlsx, xlsb
Presentation comparison	ppt, pps, pptx, pptm, ppsx, ppsm
Image comparison	png, bmp, jpg, jpeg

Comparison styles file extensions

Rendering styles created in the Litera Compare desktop application can be used in conjunction with lcp_auto.exe:

Type of comparison	File extension for rendering style files
Document comparison	tpx
Spreadsheet comparison	tpz
Presentation comparison	tpp
Image comparison	Not applicable

Run the command line

Litera Compare command line comparisons are run as follows:

```
{path}\\lcp_auto.exe -o {original file with full path} -m {modified file with full path}  
{comparison options}
```

Use the following parameters (either short or long forms are acceptable):

Parameter (short)	Parameter (long)	Description
-h	--help	Show list of available switches.
-o	--original	The full path and file name of the original document.
-m	--modified	The full path and file name of the modified document.
-r	--redline	The full path and file name of the comparison document (output).
-s	--style	The full path and file name of the comparison style file. If a comparison style file is not specified, the built-in default comparison style is used.
-v	--visible	Run the comparison in the Litera Compare application window. (-redline parameter will be ignored.)
-e	--errors	Show error dialog on comparison error.

Exit codes

The result codes are returned. Refer to the following list for their meanings.

- | | |
|---|---|
| 0 | Files compared successfully |
| 1 | Command line error |
| 2 | Comparison error |
| 3 | Error loading original file |
| 4 | Error loading modified file |
| 5 | Different content types of files |
| 6 | File format is not supported |
| 7 | Result comparison file can't be created |
| 8 | Litera Compare application is not installed |

Examples

The following examples illustrate simple ways to use **lcp_auto.exe**.

Document comparison:

```
lcp_auto.exe -o "C:\Test.doc" -m "C:\Test.docx" -r "c:\TestRed.docm"
```

Compare documents in silent mode. When the comparison is finished the redline will be saved to the destination path, that was passed with "r" parameter.

```
lcp_auto.exe -o "C:\Test.doc" -m "C:\Test.docx" -r "c:\TestRed.docm" -s "Black.tpx"
```

Compare documents with the specific comparison style, that was passed with "s" parameter. When the comparison is finished the redline will be saved to the destination path, that was passed with "r" parameter.

Presentation comparison:

```
lcp_auto.exe -o "C:\Test.ppt" -m "C:\Test.pptx" -r "c:\TestRed.pptm"
```

Compare presentations in silent mode. When the comparison is finished the redline will be saved to the destination path, that was passed with "r" parameter.

```
lcp_auto.exe -o "C:\Test.ppt" -m "C:\Test.pptx" -r "c:\TestRed.pptm" -s "Black .tpp"
```

Compare presentations with the specific comparison style, that was passed with “s” parameter. When the comparison is finished the redline will be saved to the destination path, that was passed with “r” parameter.

Spreadsheet comparison:

```
lcp_auto.exe -o “C:\Test. xls” -m “C:\Test. xlsx” -r “c:\TestRed. xlsx”
```

Compare spreadsheets in silent mode. When the comparison is finished the redline will be saved to the destination path, that was passed with “r” parameter.

```
lcp_auto.exe -o “C:\Test. xls” -m “C:\Test. xlsx” -r “c:\TestRed. xlsx” -s “Black.tpz”
```

Compare spreadsheets with the specific comparison style, that was passed with “s” parameter. When the comparison is finished the redline will be saved to the destination path, that was passed with “r” parameter.

Running comparisons using individual executables

The individual executables are installed automatically in the folder where Litera Compare was installed (typically **C:\Program Files (x86)\Litera\Compare**).

lcp_main.exe for Compare for Word

Command line syntax

```
lcp_main.exe -org [original filename] -mod [modified filename] -auto [redline filename]
```

Command line options

Name	Description
-org [filename]	The full path and file name of the original document. Include the file extension in the name.
-mod [filename]	The full path and file name of the modified document. Include the file extension in the name.
-auto [filename]	The full path and file name for the redline (comparison) document. Include the file extension in the name.

Name	Description
-autoedp [filename]	The full path and file name for the changed pages only redline document. The file type will always be PDF so need to include a file extension.
-autorep [filename]	Save a change report after the comparison. Add the full path for the location and include the extension with the report file name.
-autoorg [filename]	Save the original document with a different extension. Add the full path for the location and include the extension as a parameter.
-automod [filename]	Save the modified document with a different extension. Add the full path for the location and include the extension as a parameter.
-autotrch [filename]	Save the redline with tracked changes. Add the full path for the location and include the extension as a parameter.
-style [stylename]	The full path and file name of the comparison style file to apply to the comparison. Include the file extension in the name. If the comparison style files are in the default location, the full path isn't necessary, just the file name and extension.
-advanced	Run Litera Compare in Advanced mode. When Litera Compare is run in Advanced mode, the File > Settings panel includes an additional Advanced section, where specific troubleshooting options can be configured.
-silent	Run Litera Compare in silent mode so no message boxes are displayed.
-visible	Show the Litera Compare main window and display the redline in it. (By default, the window is hidden and the redline is saved according to what is set for -auto [filename].)
-cmp	Automatically start the comparison when using the -visible parameter.

Name	Description
-prop [list of properties]	Push comparison properties for Compare object.
-client [application name]	The name of the client application that launches Compare for Word.

lcp_ppt.exe for Compare for PowerPoint

Command line syntax

```
lcp_ppt.exe -org [original filename] -mod [modified filename] -auto [redline filename]
```

Command line options

The command line options are the same as those used for lcp_main.exe for Compare for Word.

lcx_main.exe for Compare for Excel

Batch compare

The application window is minimized and closed after the comparison.

```
lcx_main.exe -b <original filename> <modified filename> <redline filename>
```

The command line options are:

Name	Description
-b	Run a batch comparison. This must be the first parameter.

Silent compare:

The application window is minimized and closed after the comparison.

```
lcx_main.exe -s -lorg <original filename> -lmod <modified filename> -lres <redline filename> [-style <style.tpz>] [[-c] -m]
```

The command line options are:

Name	Description
-s	Run a silent comparison. This must be the first parameter.

Name	Description
-lorg [filename]	The full path and file name of the original document. Include the file extension in the name.
-lmod [filename]	The full path and file name of the modified document. Include the file extension in the name.
-lres [filename]	The full path and file name for the redline (comparison) document. Include the file extension in the name.
-style [stylename]	The full path and file name of the comparison style file to apply to the comparison. Include the file extension in the name. If the comparison style files are in the default location, the full path isn't necessary, just the file name and extension.
-c	Use Aspose components for the conversion of Excel files to the old XLS format. It's used only with the '-m' parameter. Chart comparison will be disabled. If -c parameter is not set, Microsoft Office Compatibility Pack is used.
-m	Run multiple instances of Litera Compare. If not set, every command line comparison will try to use a running instance of Litera Compare. If -m is used, a new instance of Litera Compare is launches for each command line comparison. This must be the last parameter.

Simple launch

```
lcx_main.exe -lorg <original filename> -lmod <modified filename>
```

The command line options are:

Name	Description
-lorg [filename]	Original file name. Use the full path to the location and include the extension with the original file name.
-lmod [filename]	Modified file name. Use the full path to the location and include the extension with the modified file name.

lcp_pdfcmp.exe for Compare for PDF

Command line syntax

```
lcp_pdfcmp.exe -org [original filename] -mod [modified filename]
```

Command line options

Name	Description
-org [original filename]	The full path and file name of the original document.
-mod [modified filename]	The full path and file name of the modified document.



©2026 *Litera*

For further information and help, go to Litera Customer Care [https://
support.litera.com/contact-support](https://support.litera.com/contact-support).