

Verification of the Cart page GUI elements

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened
2	Verify that a list of added items is displayed		The list of added items is displayed <a href="#">according to the mockup</a>
3	Verify that each item has its image, name, selected quantity, price, spinbutton for changing quantity and "Удалить" button		Each item has its image, name, selected quantity, price, spinbutton for changing quantity and "Удалить" button <a href="#">according to the mockup</a>
4	Verify that total cost is displayed		Total cost is displayed <a href="#">according to the mockup</a>
5	Verify the "Оформить заказ" button is displayed		The "Оформить заказ" button is displayed <a href="#">according to the mockup</a>

Display of the Cart Counter

Priority	Severity	Behavior	Type
Medium	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is registered and has items added to a cart, but not logged in

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/login">https://qa.demoshopping.ru/login</a>		The login page is opened, the cart counter is not displayed
2	Log in with the user credentials		The user is logged in and redirected to the main page, the cart counter is displayed and shows the current number of items in the user's cart

G101-398 / Web App Testing / Web App Testing – Ilia Murashev / Cart Management

Automatic update of the Cart Counter when the item quantity is changed

Priority	Severity	Behavior	Type
Medium	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>		The main page is opened, the cart counter shows the current number of items in the user's cart
2	Choose an item and click the "Добавить в корзину" button		The cart counter is updated accordingly
3	Navigate to <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened
4	Choose an item and click the "Удалить" button		The cart counter is updated accordingly

Hiding the Cart Counter upon logout

Priority	Severity	Behavior	Type
Medium	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/">https://qa.demoshopping.ru/</a>		The main page is opened, the cart counter is displayed and and shows the current number of items in the user's cart
2	Click the "Выйти" button		The user is logged out, the cart counter is not displayed

Changing the quantity of an item in the Cart by using a spinbutton control

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened, the list of added items is displayed
2	Choose an item in the cart and click the up arrow on the spinbutton control		The quantity value in the input field increases and the total cost is updated accordingly
3	Choose an item in the cart and click the down arrow on the spinbutton control		The quantity value in the input field decreases and the total cost is updated accordingly

G101-406 / Web App Testing / Web App Testing – Ilia Murashev / Cart Management

Changing the quantity of an item in the Cart by using a spinbutton input field

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened, the list of added items is displayed
2	Choose an item in the cart, input a greater number of units into the spinbutton input field and press Enter		The quantity value in the input field and the total cost are updated accordingly
3	Choose an item in the cart, input a lesser number of units into the spinbutton input field and press Enter		The quantity value in the input field and the total cost are updated accordingly

Error message upon inputting 0 into the spinbutton input field in the Cart

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened, the list of added items is displayed
2	Input 0 into the spinbutton input field of the chosen item and press Enter	0	The error message "Количество товара не может быть меньше 1." is displayed

Removing an item from the Cart

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened, the list of added items is displayed
2	Choose an item in the cart and click the "Удалить" button next to the item		The item is removed from the cart, the number of items in the cart and the total cost are updated accordingly

G101-411 / Web App Testing / Web App Testing – Ilia Murashev / Cart Management

Redirection to the Оплата page upon clicking the "Оформить заказ" button

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has items added to a cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened, the list of added items is displayed
2	Click the "Оформить заказ" button		The user is redirected to the Оплата page to proceed with the checkout

G101-412 / Web App Testing / Web App Testing – Ilia Murashev / Cart Management

Error message upon proceeding to checkout with an empty cart

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has no items in the cart

Custom fields

Module

Cart

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/cart">https://qa.demoshopping.ru/cart</a>		The cart page is opened
2	Click the "Оформить заказ" button		The error message "Ваша корзина пуста. Добавьте товары перед оформлением заказа" is displayed

G101-883 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Changing the quantity of an item in the Order by using a spinbutton control

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Choose an item in an order and click the up arrow on the spinbutton control		The quantity value in the input field increases, the total cost of the order and the total amount of all the orders are updated accordingly
3	Choose an item in an order and click the down arrow on the spinbutton control		The quantity value in the input field decreases, the total cost of the order and the total amount of all the orders are updated accordingly

G101-884 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Changing the quantity of an item in the Order by using a spinbutton input field

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Choose an item in an Order, input a greater number of units into the spinbutton input field and press Enter		The quantity value in the input field increases, the total cost of the order and the total amount of all the orders are updated accordingly
3	Choose an item in an order, input a lesser number of units into the spinbutton input field and press Enter		The quantity value in the input field decreases, the total cost of the order and the total amount of all the orders are updated accordingly

G101-889 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Successful payment via Paypal with a valid account with sufficient balance

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Custom fields

Module



Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Click the "PayPal" checkbox		The Paypal checkbox is selected, the "Email для PayPal" and "Email для отправки чека" input fields appeared on the page
3	Input an email into the "Email для PayPal" input field	For test data <a href="#">see the table</a>	The email is displayed without errors
4	Input a valid email into the "Email для отправки чека" input field	For input validation data <a href="#">see the table</a>	The email is displayed without errors
5	Click the "Оформить заказ" button		The orders have been successfully paid and moved to the Order History

G101-901 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Unsuccessful payment via Paypal when account status is not "valid"

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Parameters

Name	Value
Account status	Invalid Blocked

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Choose a status of a Paypal account that is not "valid"	For account statuses see Parameters	The account status is chosen
3	Click the "PayPal" checkbox		The Paypal checkbox is selected, the "Email для PayPal" and "Email для отправки чека" input fields appeared on the page
4	Input an email into the "Email для PayPal" input field	For test data <a href="#">see the table</a>	The email is displayed without errors
5	Input a valid email into the "Email для отправки чека" input field	For input validation data <a href="#">see the table</a>	The email is displayed without errors
6	Click the "Оформить заказ" button		The payment is unsuccessful, an error message is displayed

G101-890 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Error message upon unsuccessful payment via PayPal with invalid email

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed

#	Step	Action	Expected Result
2	Click the "PayPal" checkbox		The "Email для PayPal" and "Email для отправки чека" input fields appeared on the page
3	Input an invalid email into the "Email для PayPal" input field	For input validation data <a href="#">see the table</a>	The email is displayed without errors
4	Input a valid email into the "Email для отправки чека" input field	For input validation data <a href="#">see the table</a>	The email is displayed without errors
5	Click the "Оформить заказ" button		The payment is unsuccessful, the error message "Введите валидный email" is displayed next to the "Email для PayPal" input box

G101-896 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Successful payment via card with the "valid" status and a sufficient balance

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Parameters

Name	Value
Card payment method	Visa MasterCard

Custom fields

Module

Product catalog

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Select a card payment method	For card payment methods see Parameters	The card payment method is selected, the card data input fields appeared

#	Step	Action	Expected Result
3	Input a card number into the "Номер карты" input field	For test data <a href="#">see the table</a>	The card number is displayed without errors
4	Input a valid first name into the "Имя" input field	For Input validation data <a href="#">see the table</a>	The first name is displayed without errors
5	Input a valid last name into the "Фамилия" input field	For Input validation data <a href="#">see the table</a>	The last name is displayed without errors
6	Input a month of expiry into the "ММ" input field	For test data <a href="#">see the table</a>	The month is displayed without errors
7	Input a year of expiry into the "ГГ" input field	For test data <a href="#">see the table</a>	The year is displayed without errors
8	Input a CVV into the "CVV" input field	For test data <a href="#">see the table</a>	The CVV is displayed without errors
9	Input a valid email into the "Email для отправки чека" input field	For Input validation data <a href="#">see the table</a>	The email is displayed without errors
10	Click the "Оформить заказ" button		The orders have been successfully paid and moved to the Order History

G101-900 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Unsuccessful payment via card when the card status is not "valid"

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Parameters

Name	Value
Card payment method	Visa MasterCard
Card status	Expired Stolen Blocked

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Select a card payment method	For card payment methods see Parameters	The card payment method is selected, the card data input fields appeared
3	Choose a status of a card that is not "valid"	For cards statuses see Parameters	The status is chosen
4	Input a card number into the "Номер карты" input field	For test data <a href="#">see the table</a>	The card number is displayed without errors
5	Input a valid first name into the "Имя" input field	For Input validation data <a href="#">see the table</a>	The first name is displayed without errors
6	Input a valid last name into the "Фамилия" input field	For Input validation data <a href="#">see the table</a>	The last name is displayed without errors
7	Input a month of expiry into the "ММ" input field	For test data <a href="#">see the table</a>	The month is displayed without errors
8	Input a year of expiry into the "ГГ" input field	For test data <a href="#">see the table</a>	The year is displayed without errors
9	Input a CVV into the "CVV" input field	For test data <a href="#">see the table</a>	The CVV is displayed without errors
10	Input a valid email into the "Email для отправки чека" input field	For Input validation data <a href="#">see the table</a>	The email is displayed without errors
11	Click the "Оформить заказ" button		The payment is unsuccessful, the error message is displayed

G101-899 / Web App Testing / Web App Testing – Ilia Murashev / Order Management

Error message upon unsuccessful payment via card with an invalid card number

Priority	Severity	Behavior	Type
High	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Parameters

Name	Value
Card payment method	Visa MasterCard

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru/payment</a>		The Оплата page is opened, active orders are displayed
2	Select a card payment method	For card payment methods see Parameters	The card payment method is selected, the card data input fields appeared
3	Input an invalid card number into the "Номер карты" input field	For Input validation data <a href="#">see the table</a>	The card number is displayed without errors
4	Input a valid first name into the "Имя" input field	For Input validation data <a href="#">see the table</a>	The first name is displayed without errors
5	Input a valid last name into the "Фамилия" input field	For Input validation data <a href="#">see the table</a>	The last name is displayed without errors
6	Input a valid month of expiry into the "ММ" input field	For Input validation data <a href="#">see the table</a>	The month is displayed without errors
7	Input a valid year of expiry into the "ГГ" input field	For Input validation data <a href="#">see the table</a>	The year is displayed without errors
8	Input a valid CVV into the "CVV" input field	For Input validation data <a href="#">see the table</a>	The CVV is displayed without errors
9	Input a valid email into the "Email для отправки чека" input field	For Input validation data <a href="#">see the table</a>	The email is displayed without errors
10	Click the "Оформить заказ" button		The payment is unsuccessful, the error message "Проверьте корректность введенных данных" is displayed

Error message upon input of invalid email into the "Email для отправки чека" field

Priority	Severity	Behavior	Type
Medium	-	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has proceeded to checkout with active orders

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
	Open		
1	<a href="https://qa.demoshopping.ru/payment">https://qa.demoshopping.ru /payment</a>		The Оплата page is opened, active orders are displayed
2	Input an invalid email into the "Email для отправки чека" input field	For Input validation data <a href="#">see the table</a>	The email is displayed with errors
3	Click the "Оформить заказ" button		The error message "Укажите действующий email для отправки счета." is displayed next to the "Email для отправки чека" input field

Verification of the Order History page GUI elements

Priority	Severity	Behavior	Type
High	-	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		

Preconditions

The user is authorized and has payed orders

Custom fields

Module

Order management

Steps to reproduce

#	Step	Action	Expected Result
1	Open <a href="https://qa.demoshopping.ru/history">https://qa.demoshopping.ru/history</a>		The Order History page is opened
2	Verify that a list of paid orders is displayed		The list of paid orders is displayed <a href="#">according to the mockup</a>
3	Verify that each order has its number, list of items, total cost, payment date and delivery date		Each order has its number, list of items, total cost, payment date and delivery date <a href="#">according to the mockup</a>