AVAILABLE COLOURS







BLACK



MATTE AXIS GRAY METALLIC



IMPERIAL RED METALLIC

Dealer Stamp

Kothari Honda Botha Road

Buldhana











TECHNICAL SPECIFICATIONS+

2020 mm

751 mm

1116 mm

1278 mm

163 mm

115 Kg 690 mm

790 mm

109.51 cc

PGM-FI

10.1:1

4 Gear

Self/Kick

6.47 kW @7500 rpm

47 x 63.121 mm

Drum - 130 mm

Diamond Type

Hydraulic Type

Halogen Bulb, DC

Telescopic

12V. 5Ah

9.30 N-m @ 5500 rpm

Multiplate Wet Clutch

80/100-18 M/C 47P. Tubeless

80/100-18 M/C 54P, Tubeless

Disc -240 mm, Drum - 130 mm

Air Cooled, 4 Stroke, SI, BS-VI Engine

9 L

BODY DIMENSIONS

Length

Width

Height

Wheel Base **Ground Clearance**

Kerb Weight

Seat Length

Seat Height

Displacement Max Engine Output

Max Torque

Fuel System

Bore x Stroke

Compression Ratio Starting Method

TRANSMISSION Clutch Type

TYRES & BRAKES Tyre Size & Type (Front)

Tyre Size & Type (Rear)

Brake Type & Size (Front)

Brake Type & Size (Rear)

FRAME & SUSPENSION

No. of Gears

Frame Type

ELECTRICALS

Batterv Headlamp

Front Suspension

Rear Suspension

ENGINE

Type

Fuel Tank Capacity







• +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • New Livo meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • All features may not be part of all variants • *Only rear tyre is HET • **Conditions apply.



Honda Motorcycle and Scooter India Pvt. Ltd.,

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana), India Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com



सच कर देंगे सपने







URBAN STYLE

Always arrive in style with the unique combination of a muscular shroud, chiseled visor, sharp headlight, and detailed air duct design.



STRONG REAR APPEARANCE

Leave a strong impression with an excitingly designed tail-light and grab rail.



HONDA

MUSCULAR TANK DESIGN
WITH STRIKING GRAPHICS
A definite head-turner, the
muscular fuel tank design
with edgy graphics makes it
very annealing very appealing.





COMFORT AND CONVENIENCE

DC HEADLAMP
The DC Headlamp gives consistent illumination while riding irrespective of the speed and riding conditions.

ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime anywhere. Enjoy enhanced convenience.



The Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.

5-STEP ADJUSTABLE REAR SUSPENSION

Make your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.

SERVICE DUE INDICATOR

Want to keep your Livo in the best condition all the time? No problem. Service due indicator on the meter console will give a reminder, even if you forget.



CBS WITH EQUALIZER

The Equalizer Technology in Combi Brake System distributes optimal braking force between front and rear wheels ensuring shorter braking distance with rock-solid balance.

LONG AND COMFORTABLE SEAT

7km 18:88

Makes every ride comfortable for the rider and pillion, despite the conditions of



INTEGRATED HEADLAMP **BEAM & PASSING SWITCH**

Integrated Smart Single Switch for passing signal and low/high beam.