Page - 01

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) Visit us at: www.honda2wheelersindia.com, Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp:

Kothari Honda

Botha Road

Buldhana

Tel: 9422325159

Mob: 9422324157





Premium Edition

Activa 125 has been an upgrade for its user, not just in power and technology, but also an upgrade in their status. That respect and status will get further elevated with premiumness added by dual tone, exclusive colors, fresh graphics, body-colored grab rail, black suspension & engine.

Premium Style



BODY-COLORED GRAB RAIL




PREMIUM GRAPHICS



BLACK FRONT SUSPENSION



BLACK ENGINE





POWERFUL 125CC ENGINE

Delivers best in class power & pickup.



MILEAGE UP

A completely new engine powered by Honda's globally acclaimed eSP technology delivers 13%^ more mileage.

Technology



Experience the globally acclaimed eSP technology that reduces friction & improves combustion, delivering class leading performance & mileage.

PENEL INJECTION

Sensor based PGM-FI system constantly adjusts the air/fuel mixture, as per the ride mode and conditions allowing complete combustion. This results in consistent performance, better fuel efficiency, all weather start and lesser emissions.

SILENT START WITH ACG

Activa 125 is equipped with ACG starter, which starts the engine silently by removing the gear meshing noise. It also reduces maintenance.





Technology



ADVANCE MILEAGE INDICATIONS*

The most intelligent digital analog meter displays advanced information like distance to empty, real time mileage and average mileage.





IDLING STOP SYSTEM

Wasteful fuel consumption is eliminated with Idling Stop System that automatically switches the engine off at traffic lights and other brief stops.

Comfort & Convenience



DOUBLE LID EXTERNAL FUEL FILL



MULTI-FUNCTION SWITCH



TELESCOPIC FRONT SUSPENSION

Technical Specifications+







BODY DIMENSIONS		ENGINE	
Length	1850 mm	Туре	
Width	707 mm	Displacement	
Height	1170 mm	Max Net Power	
Wheel Base	1260 mm	Max Net Torque	
Ground Clearance	162 mm	Bore	
Seat Length	712 mm	Stroke	
Kerb Weight	109 kg	Fuel System	
Fuel Tank Capacity	5.3 L	Compression Ratio	
		Air Filter Type	
TRANSMISSION		Starting Method	
Clutch Type	Automatic		
		FRAME & SUSPENSION	
TYRES & BRAKES		Frame Type	
Tyre Size (Front)	90/90-12 54J	Front	
Tyre Size (Rear)	90/100-10 53J	Rear	
Tyre Type (Front)	Tubeless		
Tyre Type (Rear)	Tubeless	ELECTRICALS	
Brake Type & Size (Front)	Disc 190 mm	Battery	
Brake Type & Size (Rear)	Drum 130 mm	Headlamp	

ENGINE		
Туре	Fan Cooled, 4 Stroke, SI Engine	
Displacement	123.97 cc	
Max Net Power	6.10 kW @ 6500 rpm	
Max Net Torque	10.3 Nm @ 5000 rpm	
Bore	50.0 mm	
Stroke	63.1 mm	
Fuel System	PGM-Fi	
Compression Ratio	10.0±0.2	
Air Filter Type	Viscous Paper Filter	
Starting Method	Kick/Self	
FRAME & SUSPENSION		
Frame Type	Under Bone	
Front	Telescopic	
Rear	3-Step Adjustable	
	Spring Loaded Hydraulic	
ELECTRICALS		
Battery	12V 5.0 Ah (MF)	
Headlamp	LED	

- *The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice *Distance to empty, real time and average mileage readings may vary as per variant and riding conditions
- Activa 125 meets Bharat Stage VI norms The technical specifications mentioned are for Deluxe variant Allieage has increased by 13% for Activa 125 BS-VI Deluxe variant as compared to the Activa 125 BS-IV Deluxe variant
- Product shown in the picture may vary from actual product available in the market Accessories shown in the picture are not part of standard equipment All features and colours may not be part of all variants.