

approximate_bayesian_computation

Parameters

cm_name: abc_40
dataframe_in: data_missing_40
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 1
report_parameters: {}
running_time: 192570.82273840904
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	16767.361382	14.145105
1	16767.361382	14.260440
2	16767.361382	14.533235
3	0.000000	15.742475
4	0.000000	16.568079
...
25688	0.000026	16.000699
25689	0.000026	15.982464
25690	0.000026	15.739962
25691	0.000026	15.577213
25692	0.000026	15.078009

[25693 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	15988.217867	14.134392	15988.0
---	--------------	-----------	---------

with an acceptance percentage of 22.028772819247102%