

approximate_bayesian_computation

Parameters

cm_name: abc_60
dataframe_in: data_missing_60
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 1
report_parameters: {}
running_time: 201479.28778481483
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	16767.361382	30.390699
1	0.000000	28.395445
2	0.000000	28.947705
3	0.000000	30.217538
4	0.000000	31.942916
...
6229	0.000003	31.806532
6230	0.000003	32.107886
6231	0.000003	31.844848
6232	0.000003	33.255214
6233	0.000003	27.142936

[6234 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	0.0	23.668014	0.0
---	-----	-----------	-----

with an acceptance percentage of 9.038756587285706%