

# bayesian\_optimization

## Parameters

cm\_name: bo\_60  
dataframe\_in: data\_missing\_60  
description: Bayesian optimization method for optimization of timeseries  
diff\_func\_name: manhattan\_metrics  
diff\_func\_parameters: {}  
model\_method: bayesian\_optimization  
name: bayesian\_optimization  
parameters:  
  decision\_variables:  
    keys:  
      - max\_keys  
  decision\_variables\_names:  
    - graph\_structure  
  exploration\_strategy: ei  
  ground\_truth\_topology:  
    keys:  
      - max\_keys  
  initial\_points: 100  
  n\_iterations: 3750  
  num\_pool: 5  
  seed: 26  
report\_parameters: {}  
running\_time: 192367.86820721626  
type: calibrationmodel  
version: 1.0.0

## Results

Summary CalibrationModel with most optimal solution:

	graph_structure	min_distance	round
0	29578	2.170665	29578

# bayesian\_optimization

## Parameters

cm\_name: bo\_50  
dataframe\_in: data\_missing\_50  
description: Bayesian optimization method for optimization of timeseries  
diff\_func\_name: manhattan\_metrics  
diff\_func\_parameters: {}  
model\_method: bayesian\_optimization  
name: bayesian\_optimization  
parameters:  
  decision\_variables:  
    keys:  
      - max\_keys  
  decision\_variables\_names:  
    - graph\_structure  
  exploration\_strategy: ei  
  ground\_truth\_topology:  
    keys:  
      - max\_keys  
  initial\_points: 100  
  n\_iterations: 3750  
  num\_pool: 5  
  seed: 26  
report\_parameters: {}  
running\_time: 192236.53289675713  
type: calibrationmodel  
version: 1.0.0

## Results

Summary CalibrationModel with most optimal solution:

	graph_structure	min_distance	round
0	32796	2.294488	32796

# Summary

Model Name	Model Method	Score	Difference Function	Dataframe	Duration
bo_60	bayesian_optimization	0.97	manhattan_metrics	data_missing_60	192367.868 sec
bo_50	bayesian_optimization	0.97	manhattan_metrics	data_missing_50	192236.533 sec