# bayesian\_optimization Parameters

```
cm_name: bo_70
dataframe in: data missing 70
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 1
report_parameters: {}
running_time: 221708.90995430946
type: calibrationmodel
version: 1.0.0
```

### Results

Summary CalibrationModel with most optimal solution: graph\_structure min\_distance round 0 38391 7.531411 38391

# bayesian\_optimization Parameters

```
cm_name: bo_80
dataframe in: data missing 80
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 1
report_parameters: {}
running_time: 221746.8839302063
type: calibrationmodel
version: 1.0.0
```

### Results

```
Summary CalibrationModel with most optimal solution:
graph_structure min_distance round
0 19040 8.04361 19040
```

### Summary

Model Name	Model Method	Score	Difference Function	Dataframe	Duration
bo_80	bayesian_optimization	0.97	manhattan_metrics	data_missing_80	221746.884 sec
bo_70	bayesian_optimization	0.99	manhattan_metrics	data_missing_70	221708.910 sec