powell_method Parameters

```
cm_name: powell_30_s26
dataframe in: data missing 30
description: Powell Method for optimization of timeseries with simulation
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: powell_method
name: powell_method
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  epsilons:
  - 1
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_draws: 20000
  n_iterations: 100
  nfe: 1500
  num pool: 1
  population_size: 100
  seed: 26
report_parameters: {}
running_time: 2120.095491886139
type: calibrationmodel
version: 1.0.0
```

Results

```
Summary CalibrationModel with most optimal solution:
graph_structure Distance round
0 15326.633507 5.391441 15327.0
```

powell_method Parameters

```
cm_name: powell_30_s21
dataframe in: data missing 30
description: Powell Method for optimization of timeseries with simulation
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: powell_method
name: powell_method
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  epsilons:
  - 1
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_draws: 20000
  n_iterations: 100
  nfe: 1500
  num pool: 1
  population_size: 100
  seed: 21
report_parameters: {}
running_time: 4324.978579998016
type: calibrationmodel
version: 1.0.0
```

Results

```
Summary CalibrationModel with most optimal solution:
graph_structure Distance round
0 15278.941083 4.580111 15279.0
```

Summary

Model Name	Model Method	Score	Difference Function	Dataframe	Duration
powell_30_s26	powell_method	0.96	manhattan_metrics	data_missing_30	2120.095 sec
powell_30_s21	powell_method	0.96	manhattan_metrics	data_missing_30	4324.979 sec