

approximate_bayesian_computation

Parameters

cm_name: abc_30
dataframe_in: data_missing_30
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 6
report_parameters: {}
running_time: 182116.8153989315
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	17525.218903	21.704664
1	17525.218903	20.838296
2	17525.218903	20.078081
3	17525.218903	18.622862
4	0.000000	18.628391
...
20215	0.000000	17.494555
20216	0.000000	18.109727
20217	0.000000	19.418288
20218	0.000000	18.358448
20219	0.000000	18.770443

[20220 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	0.0	16.669574	0.0
---	-----	-----------	-----

with an acceptance percentage of 0.011117781780179222%