

approximate_bayesian_computation

Parameters

cm_name: abc_90_s1
dataframe_in: data_missing_90
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 21
report_parameters: {}
running_time: 186400.04335570335
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	2782.768614	16.634364
1	2782.768614	16.554734
2	0.000000	16.286697
3	0.000000	16.528672
4	0.000000	15.992107
...
12581	0.000000	17.053158
12582	0.000000	16.528005
12583	0.000000	17.951065
12584	0.000000	16.095854
12585	0.000000	15.871547

[12586 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	0.0	15.042486	0.0
---	-----	-----------	-----

with an acceptance percentage of 0.0066706690681075315%