

approximate_bayesian_computation

Parameters

cm_name: abc_60
dataframe_in: data_missing_60
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 6
report_parameters: {}
running_time: 180827.0783109665
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	17525.218903	22.485442
1	17525.218903	21.993931
2	17525.218903	21.114241
3	17525.218903	19.563470
4	0.000000	19.041622
...
17933	0.000000	19.773435
17934	0.000000	19.683665
17935	0.000000	20.179568
17936	0.000000	20.558749
17937	0.000000	20.527643

[17938 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	0.0	18.14407	0.0
---	-----	----------	-----

with an acceptance percentage of 0.011117781780179222%