

approximate_bayesian_computation

Parameters

cm_name: abc_10
dataframe_in: data_missing_10
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
 algorithm: pydream
 decision_variables:
 keys:
 - max_keys
 decision_variables_names:
 - graph_structure
 epsilons:
 - 1
 ground_truth_topology:
 keys:
 - max_keys
 initial_points: 100
 n_chains: 3
 n_draws: 15000
 n_iterations: 100
 nfe: 15000
 num_pool: 1
 population_size: 100
 seed: 6
report_parameters: {}
running_time: 184060.92765903473
type: calibrationmodel
version: 1.0.0

Results

Summary CalibrationModel with solutions:

	graph_structure	Distance
0	17525.218903	22.316015
1	17525.218903	21.316404
2	17525.218903	20.261742
3	17525.218903	18.641710
4	0.000000	16.093659
...
19366	0.000000	15.554516
19367	0.000000	15.979096
19368	0.000000	15.385561
19369	0.000000	15.252543
19370	0.000000	14.659803

[19371 rows x 2 columns]

with the most optimal solution:

	graph_structure	Distance	round
--	-----------------	----------	-------

0	0.0	14.347552	0.0
---	-----	-----------	-----

with an acceptance percentage of 0.011117781780179222%