genetic_algorithm Parameters

```
cm_name: ga_60
dataframe in: data missing 60
description: Genetic Algorithm for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: genetic_algorithm
name: genetic_algorithm
parameters:
  algorithm: epsNSGAII
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  epsilons:
  - 0.1
  ground_truth_topology:
    keys:
    - max_keys
  n_iterations: 100
  nfe: 10000
  num pool: 4
  population_size: 100
  seed: 21
report_parameters: {}
running_time: 186159.67001748085
type: calibrationmodel
version: 1.0.0
```

Results

genetic_algorithm Parameters

```
cm_name: ga_50
dataframe in: data missing 50
description: Genetic Algorithm for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: genetic_algorithm
name: genetic_algorithm
parameters:
  algorithm: epsNSGAII
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  epsilons:
  - 0.1
  ground_truth_topology:
    keys:
    - max_keys
  n_iterations: 100
  nfe: 10000
  num pool: 4
  population_size: 100
  seed: 21
report_parameters: {}
running_time: 186036.76284193993
type: calibrationmodel
version: 1.0.0
```

Results

Summary

	Model Name	Model Method	Score	Difference Function	Dataframe	Duration
g	a_60	genetic_algorithm	0.97	manhattan_metrics	data_missing_60	186159.670 sec
g	a_50	genetic_algorithm	0.98	manhattan_metrics	data_missing_50	186036.763 sec