approximate_bayesian_computation

```
cm_name: abc_70
dataframe in: data missing 70
description: Approximate Bayesian Computation for Time Series
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: approximate_bayesian_computation
name: approximate_bayesian_computation
parameters:
  algorithm: pydream
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  epsilons:
  - 1
  ground_truth_topology:
    keys:
     - max_keys
  initial_points: 100
  n_chains: 3
  n draws: 15000
  n iterations: 100
  nfe: 15000
  num_pool: 1
  population_size: 100
  seed: 16
report_parameters: {}
running_time: 183738.83435750008
type: calibrationmodel
version: 1.0.0
```

Results

```
Summary CalibrationModel with solutions:
    graph structure Distance
0
     2.254669e+04 37.154156
1
     3.999900e+04 28.727519
2
     3.999900e+04 26.565496
3
     3.999900e+04 26.951826
4
     3.999900e+04 26.298192
20244 1.205277e-10 16.508121
20245 1.206556e-10 15.960078
20246 1.206556e-10 16.353301
20247
       1.207836e-10 16.602030
20248
       1.209115e-10 15.427857
```

with the most optimal solution:
graph_structure Distance round
1.420231e-11 14.580596 0.0
with an acceptance percentage of 25.410802036777618%