bayesian_optimization Parameters

```
cm_name: bo_70
dataframe in: data missing 70
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 21
report_parameters: {}
running_time: 218530.19869422913
type: calibrationmodel
version: 1.0.0
```

Results

Summary CalibrationModel with most optimal solution: graph_structure min_distance round 0 32186 1.897887 32186

bayesian_optimization Parameters

```
cm_name: bo_80
dataframe in: data missing 80
description: Bayesian optimization method for optimization of timeseries
diff_func_name: manhattan_metrics
diff_func_parameters: {}
model_method: bayesian_optimization
name: bayesian_optimization
parameters:
  decision_variables:
    keys:
    - max_keys
  decision_variables_names:
  - graph_structure
  exploration_strategy: ei
  ground_truth_topology:
    keys:
    - max_keys
  initial_points: 100
  n_iterations: 3750
  num_pool: 5
  seed: 21
report_parameters: {}
running_time: 248782.21338891983
type: calibrationmodel
version: 1.0.0
```

Results

```
Summary CalibrationModel with most optimal solution:
graph_structure min_distance round
0 32186 1.937067 32186
```

Summary

	Model Name	Model Method	Score	Difference Function	Dataframe	Duration
bo_80		bayesian_optimization	0.97	manhattan_metrics	data_missing_80	248782.213 sec
bo_70		bayesian_optimization	0.97	manhattan_metrics	data_missing_70	218530.199 sec