

# bayesian\_optimization

## Parameters

cm\_name: bo\_90\_s6  
dataframe\_in: data\_missing\_90  
description: Bayesian optimization method for optimization of timeseries  
diff\_func\_name: manhattan\_metrics  
diff\_func\_parameters: {}  
model\_method: bayesian\_optimization  
name: bayesian\_optimization  
parameters:  
  decision\_variables:  
    keys:  
      - max\_keys  
  decision\_variables\_names:  
    - graph\_structure  
  exploration\_strategy: ei  
  ground\_truth\_topology:  
    keys:  
      - max\_keys  
  initial\_points: 100  
  n\_iterations: 3750  
  num\_pool: 5  
  seed: 16  
report\_parameters: {}  
running\_time: 238788.40752077103  
type: calibrationmodel  
version: 1.0.0

## Results

Summary CalibrationModel with most optimal solution:

	graph_structure	min_distance	round
0	24389	8.068193	24389

# bayesian\_optimization

## Parameters

cm\_name: bo\_90\_s1  
dataframe\_in: data\_missing\_90  
description: Bayesian optimization method for optimization of timeseries  
diff\_func\_name: manhattan\_metrics  
diff\_func\_parameters: {}  
model\_method: bayesian\_optimization  
name: bayesian\_optimization  
parameters:  
  decision\_variables:  
    keys:  
      - max\_keys  
  decision\_variables\_names:  
    - graph\_structure  
  exploration\_strategy: ei  
  ground\_truth\_topology:  
    keys:  
      - max\_keys  
  initial\_points: 100  
  n\_iterations: 3750  
  num\_pool: 5  
  seed: 11  
report\_parameters: {}  
running\_time: 277166.0950229168  
type: calibrationmodel  
version: 1.0.0

## Results

Summary CalibrationModel with most optimal solution:

	graph_structure	min_distance	round
0	39520	-0.0	39520

# Summary

Model Name	Model Method	Score	Difference Function	Dataframe	Duration
bo_90_s6	bayesian_optimization	0.97	manhattan_metrics	data_missing_90	238788.408 sec
bo_90_s1	bayesian_optimization	1.0	manhattan_metrics	data_missing_90	277166.095 sec