

# bootstrap專案開發06

建立orderlist.php

林志強

# 建立訂單查閱功能



會員註冊 會員登出 會員中心 最新活動 查訂單 折價券 購物車4 企業專區

Search... 

 彩妆專區

 隔離/防曬/飾底乳

 BB霜/CC霜

 粉餅(蕊)/蜜粉/蜜粉/海綿

 遮瑕/毛孔/打亮

 臉部保養

 美膚保養

站長推薦，熱銷商品



電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註
1234567890123456	2021-03-10 15:18:41	貨到付款	處理中	林小強	工業區一路100號	--

產品編號	圖片	名稱	價格	數量	小計	狀態
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
累計：123456						
運費：100						
總計：123456						

# 運用index\_s01產生orderlist.php

```
.....<div class="row">
.....<div class="col-md-2">
.....<!-- 引入產品類別 -->
.....<?php require_once("sidebar.php"); ?>
.....<!-- 引入熱銷商品 -->
.....<?php require_once("hot.php"); ?>
.....</div>
.....<div class="col-md-10">
.....<!-- 引入訂單查詢 -->
.....<?php // require_once("order_content.php");
.....?>
.....</div>
.....</div>
.....</div>
.....</section>
.....<hr>
```

# 取得bootstrap collapse元件

The screenshot displays the Bootstrap 5.2 documentation page for the Accordion component. The page layout includes a top navigation bar with links to Docs, Examples, Icons, Themes, and Blog, along with a search bar and social media icons. The left sidebar contains a 'Components' section with a list of components, where 'Accordion' is highlighted. The main content area features a description of the Accordion component, a live example with three items, and the corresponding HTML code. A red box highlights the 'Components' menu, another red box highlights the 'Accordion' component, a third red box highlights the first accordion item, and a fourth red box highlights the 'Copy to clipboard' button.

Figures

Forms

- Overview
- Form control
- Select
- Checks & radios
- Range
- Input group
- Floating labels
- Layout
- Validation

Components

- Accordion**
- Alerts
- Badge
- Breadcrumb
- Buttons
- Button group
- Card
- Carousel
- Close button
- Collapse
- Dropdowns
- List group

Accordion Item #1

This is the first item's accordion body. It is shown by default, until the collapse plugin adds the appropriate classes that we use to style each element. These classes control the overall appearance, as well as the showing and hiding via CSS transitions. You can modify any of this with custom CSS or overriding our default variables. It's also worth noting that just about any HTML can go within the `.accordion-body`, though the transition does limit overflow.

Accordion Item #2

Accordion Item #3

On this page

- How it works
- Example
  - Flush
  - Always open
- Accessibility
- CSS
  - Variables
  - Sass variables

Copy to clipboard

HTML

```
<div class="accordion" id="accordionExample">
  <div class="accordion-item">
    <h2 class="accordion-header" id="headingOne">
      <button class="accordion-button" type="button" data-bs-toggle="coll
        Accordion Item #1
      </button>
    </h2>
    <div id="collapseOne" class="accordion-collapse collapse show" aria-l
      <div class="accordion-body">
        <strong>This is the first item's accordion body.</strong> It is s
      </div>
    </div>
  </div>
  <div class="accordion-item">
```

# 建立訂單查詢樣版1

```
27 .....<?php·require_once("hot.php");·?>
28 .....</div>
29 .....<div·class="col-md-10">
30 .....<!--·引入訂單查詢·-->
31 .....<?php·//·require_once('order_content.php');·?>
32 <div·class="accordion"·id="accordionExample">
33 >··<div·class="accordion-item">····
44 ·····</div>
45 >··<div·class="accordion-item">····
56 ·····</div>
57 >··<div·class="accordion-item">····
68 ·····</div>
69 </div>
70 .....</div>
71 .....</div>
72 .....</div>
```

刪除

# 改成超連結的方式

```
31 .....<?php // require_once('order_content.php'); ?>
32 <div class="accordion" id="accordionExample">
33   <div class="accordion-item">
34     <h2 class="accordion-header" id="headingOne">
35       <a class="accordion-button" type="button" data-bs-toggle="collapse" data-bs-target="#collapseOne"
          aria-expanded="true" aria-controls="collapseOne">
36         .....Accordion Item #1
37       </a>
38     </h2>
39     <div id="collapseOne" class="accordion-collapse collapse show" aria-labelledby="headingOne"
        data-bs-parent="#accordionExample">
40       <div class="accordion-body">
41         .....<strong>This is the first item's accordion body.</strong> It is shown by default, until the collapse plugin
          adds the appropriate classes that we use to style each element. These classes control the overall
          appearance, as well as the showing and hiding via CSS transitions. You can modify any of this with custom
          CSS or overriding our default variables. It's also worth noting that just about any HTML can go within the
          <code>.accordion-body</code>, though the transition does limit overflow.
42       </div>
43     </div>
44   </div>
45 </div>
46 .....</div>
```

# 文字內容

- h3電商藥粧：訂單查詢
- td 訂單編號
- td 下單日期時間
- td 付款方式
- td 訂單狀態
- td 收件人
- td 地址
- td 備註說明
- td 1234567890123456
- td 2021-03-10 15:18:41
- td 貨到付款
- td 處理中
- td 林小強
- td 工業區一路100號

# 建立付款方式樣版1

```
31 .....<?php // require_once('order_content.php'); ?>
32 <h3>電商藥粧：訂單查詢</h3>
33 <div class="accordion" id="accordionExample">
34   <div class="accordion-item">
35     <h2 class="accordion-header" id="headingOne">
36       <a class="accordion-button" type="button" data-bs-toggle="collapse" data-bs-target="#collapseOne"
          aria-expanded="true" aria-controls="collapseOne">
37         <div class="table-responsive-md" style="width:100%">
38           <table class="table">
39             <thead>
40               <tr>
41                 <td width="10%">訂單編號</td>
42                 <td width="20%">下單日期時間</td>
43                 <td width="15%">付款方式</td>
44                 <td width="15%">訂單狀態</td>
45                 <td width="10%">收件人</td>
46                 <td width="20%">地址</td>
47                 <td width="10%">備註說明</td>
48               </tr>
49             </thead>
50             <tbody>
51               <tr>
52                 <td>1234567890123456</td>
53                 <td>2021-03-10 15:18:41</td>
54                 <td>貨到付款</td>
55                 <td>處理中</td>
56                 <td>林小強</td>
```



# 建立付款方式樣版2

```
.....<div class="table-responsive-md" style="width:100%">
.....<table class="table">
.....<thead>
.....<tr>
.....<td width="10%">訂單編號</td>
.....<td width="20%">下單日期時間</td>
.....<td width="15%">付款方式</td>
.....<td width="15%">訂單狀態</td>
.....<td width="10%">收件人</td>
.....<td width="20%">地址</td>
.....<td width="10%">備註說明</td>
.....</tr>
.....</thead>
.....<tbody>
.....<tr>
.....<td>1234567890123456</td>
.....<td>2021-03-10 15:18:41</td>
.....<td>貨到付款</td>
.....<td>處理中</td>
.....<td>林小強</td>
.....<td>工業區一路100號</td>
.....<td>--</td>
.....</tr>
.....</tbody>
.....</table>
.....</div>
..</a>
```

# 測試執行

bootstrap專案開 x 電商藥粧 x localhost / 127.0.0.1 x B Accordion · Boot x listing directory / x +

localhost/lesson-14/orderlist.php

藥

產品資訊 ▾ 會員註冊 會員登出 會員中心 最新活動 查訂單 折價券 購物車 3 企業專區 ▾

Search... 🔍

彩妝專區 ^

隔離/防曬/飾底乳

BB霜/CC霜

粉餅(蕊)/蜜粉/蜜粉/海綿

遮瑕/毛孔/打亮

臉部保養 ^

美膚保養 ^

化粧品 AA ^

## 電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
<a href="#">1234567890123456</a>	<a href="#">2021-03-10 15:18:41</a>	<a href="#">貨到付款</a>	<a href="#">處理中</a>	<a href="#">林小強</a>	<a href="#">工業區一路100號</a>	==

This is the first item's accordion body. It is shown by default, until the collapse plugin adds the appropriate classes that we use to style each element. These classes control the overall appearance, as well as the showing and hiding via CSS transitions. You can modify any of this with custom CSS or overriding our default variables. It's also worth noting that just about any HTML can go within the `.accordion-body`, though the transition does limit overflow.

# 修正超連結樣式

```
7  <!doctype html>
8  <html lang="zh-TW">
9
10 <head>
11     <!-- 引入網頁標頭 -->
12     <?php require once("headfile.php"); ?>
13     <style type="text/css">
14         .accordion-header a{
15             text-decoration: none;
16         }
17     </style>
18 </head>
19
```

# 建立訂單詳細子頁樣版

產品編號	圖片	名稱	價格	數量	小計	狀態
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
1		Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g	\$125	1	\$125	處理中
累計：			123456			
運費：			100			
總計：			123456			

# 文字內容

- h3電商藥粧：訂單查詢
- td 產品編號
- td 圖片
- td 名稱
- td 價格
- td 數量
- td 小計
- td 狀態
- td 1
- td product\_img/zoom2555551.webp
- alt Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g
- td Biore 蜜妮淨嫩沐浴乳 浪漫櫻花香 水采保濕型 1000g
- td h4 \$125
- td h4 1
- td h4 \$125
- td 處理中

# 複製checkout\_content的TABLE

```
checkout.php  orderlist.php  orderlistOLD.php  checkout_content.php X  addorder.php  changeaddr.php  register.php
checkout_content.php > ...
131  ....</table>
132  ....</div>
133  ....</div>
134  ....</div>
135  ....</div>
136  </div>
137  <?php
138  //建立結帳表格資料庫查詢
139  $SQLstring = "SELECT * FROM cart,product,product_img where ip='" . $_SERVER['REMOTE_ADDR'] . "' AND orderid is NULL
AND cart.p_id=product_img.p_id AND cart.p_id=product.p_id AND product_img.sort=1 ORDER BY cartid DESC";
140  $cart_rs = $link->query($SQLstring);
141  $pTotal = 0; //設定累加變數$pTotal
142  ?>
143  <div class="table-responsive-md" style="width:90%">...
191  </div>
```

# table複製到accordion-body中

```
63 .....</a>
64 .....</h2>
65 .....<div id="collapseOne" class="accordion-collapse collapse show" aria-labelledby="headingOne"
      data-bs-parent="#accordionExample">
66 .....   <div class="accordion-body">
67 .....     <?php
68 //建立結帳表格資料庫查詢
69 $SQLstring = "SELECT * FROM cart,product,product_img where ip='" . $_SERVER['REMOTE_ADDR'] . "' AND orderid is NULL
      AND cart.p_id=product_img.p_id AND cart.p_id=product.p_id AND product_img.sort=1 ORDER BY cartid DESC";
70 $cart_rs = $link->query($SQLstring);
71 $pTotal = 0; //設定累加變數$pTotal
72 ?>
73 <div class="table-responsive-md" style="width:90%">
74 .....<table class="table table-hover mt-3">
75 .....<thead>
76 .....<tr class="bg-primary" style="color:white;">
77 .....<td width="10%">產品編號</td>
78 .....<td width="10%">圖片</td>
79 .....<td width="30%">名稱</td>
80 .....<td width="15%">價格</td>
81 .....<td width="15%">數量</td>
82 .....<td width="20%">小計</td>
83 .....</tr>
84 .....</thead>
85 .....<tbody>
```

# 測試執行

產品資訊 ▾ 會員註冊 會員登出 會員中心 最新活動 查訂單 折價券 購物車 3 企業專區 ▾

## 電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1234567890123456	2021-03-10 15:18:41	貨到付款	處理中	林小強	工業區一路100號	--

產品編號	圖片	名稱	價格	數量	小計
47		KOSE 高絲 雪肌精 潤白保濕BB霜 -02自然膚色 30g	\$710	3	\$2130
51		Little butterfly倫敦小蝴蝶 春蕊淨白媽媽日霜50ml	\$999	1	\$999
52		KATE 凱婷	\$330	1	\$330
累計：3459					
運費：100					
總計：3559					

🛒 確認結帳

↶ 回上一頁



# 刪除不使用tr列

```
106 .....</tbody>
107 ✓ .....<tfoot>
108 ✓ .....<tr>
109 .....<td colspan="7">累計 : <?php echo $pTotal; ?></td>
110 .....</tr>
111 ✓ .....<tr>
112 .....<td colspan="7">運費 : 100</td>
113 .....</tr>
114 ✓ .....<tr>
115 .....<td colspan="7" class="color_red">總計 : <?php echo $pTotal + 100; ?></td>
116 .....</tr>
117 ✓ .....<tr>
118 ✓ .....<td colspan="7">
119 .....<button type="button" id="btn04" name="btn04" class="btn btn-danger mr-2"><i class="fas
120 .....fa-cart-arrow-down pr-2"></i>確認結帳</button>
121 .....<button type="button" id="btn05" name="btn05" class="btn btn-warning mr-2" onclick="window.
122 .....history.go(-1);"><i class="fas fa-undo-alt pr-2"></i>回上一頁</button>
123 .....</td>
124 .....</tr>
125 .....</tfoot>
126 ✓ .....</table>
127 ✓ .....</div>
```

# 練習一

- 持續以不同的主題網頁
- 建立訂單樣版內容

# 建立訂單查詢php程式1

```
1 <?php
2 //建立訂單查詢
3 $maxRows_rs = 5; ... //分頁設定數量
4 $pageNum_rs = 0; ... //起啟頁=0
5 if (isset($_GET['pageNum_order_rs'])) {
6     ... $pageNum_rs = $_GET['pageNum_order_rs'];
7 }
8 $startRow_rs = $pageNum_rs * $maxRows_rs;
9 //列出uorder資料表查詢
10 $queryFirst = sprintf("SELECT uorder.orderid, uorder.create_date as orderTime, uorder.remark, ms1.msname as howpay, ms2.msname as status,
    addbook.* FROM uorder, addbook, multiselect as ms1, multiselect as ms2 WHERE ms2.msid=uorder.status AND ms1.msid=uorder.howpay AND
    uorder.emailid='%d' AND uorder.addressid=addbook.addressid ORDER BY uorder.create_date DESC", $_SESSION['emailid']);
11 $query = sprintf("%s LIMIT %d,%d", $queryFirst, $startRow_rs, $maxRows_rs);
12 $order_rs = $link->query($query);
13 $i = 21; ... //控制第一筆訂單開啟
14 ?>
15 <h3>電商藥粧：訂單查詢</h3>
16 <?php if ($order_rs->rowCount() != 0) { ?>
17     ... <div class="accordion" id="accordion_order">
18         ... <?php while ($data01 = $order_rs->fetch()) { ?>
```

# 建立還沒有任何的訂單處理

```
47 ..... $query = sprintf("%s LIMIT %d,%d", $queryFirst, $startRow_rs, $maxRows_rs);
48 ..... $order_rs = $link->query($query);
49 ..... $i = 21; //控制第一筆訂單開啟
50 ..... ?>
```

```
51 <h3>電商藥粧：訂單查詢</h3>
```

```
52 <?php if ($order_rs->rowCount() != 0) { ?>
53 <div class="accordion" id="accordionExample">
54   <div class="accordion-item">
55     <h2 class="accordion-header" id="headingOne"> ...
84     </h2>
85     <div id="collapseOne" class="accordion-collapse collapse show" aria-labelledby="headingOne"
      data-bs-parent="#accordionExample">
86       <div class="accordion-body"> ...
135     </div>
136   </div>
137 </div>
138 </div>
139 <?php } else { ?>
140   <div class="alert alert-info" role="alert">
141     抱歉！目前還沒有任何的訂單。
142   </div>
143 <?php } ?>
```

```
144 </div>
```

```
145 </div>
```

```
146 </div>
```

# 建立while處理

```
50 .....?>
51 <h3>電商藥粧：訂單查詢</h3>
52 <?php if ($order_rs->rowCount() != 0) { ?>
53 <div class="accordion" id="accordionExample">
54 <?php while ($data01 = $order_rs->fetch()) { ?>
55 ..<div class="accordion-item">
56 >...<h2 class="accordion-header" id="headingOne">...
85 ...</h2>
86 ...<div id="collapseOne" class="accordion-collapse collapse show" aria-labelledby="headingOne"
    data-bs-parent="#accordionExample">
87 >...<div class="accordion-body">...
136 ...</div>
137 ...</div>
138 ..</div>
139 ..<hr>
140 <?php $i++; } ?>
141 </div>
142 <?php } else { ?>
143 ...<div class="alert alert-info" role="alert">
144 ...    抱歉！目前還沒有任何的訂單。
145 ...</div>
146 <?php } ?>
147 .....</div>
148 .....</div>
```

# 建立訂單查詢php程式1

```
49 ..... $i = 21; //控制第一筆訂單開啟
50 ..... ?>
51 <h3>電商藥粧：訂單查詢</h3>
52 <?php if ($order_rs->rowCount() != 0) { ?>
53 <div class="accordion" id="accordion_order">
54 <?php while ($data01 = $order_rs->fetch()) { ?>
55 .. <div class="accordion-item">
56 ..... <h2 class="accordion-header" id="headingOne<?php echo $i; ?>">
57 ..... <a class="accordion-button" type="button" data-bs-toggle="collapse" data-bs-target="#collapseOne<?php echo
58 ..... $i; ?>" aria-expanded="true" aria-controls="collapseOne<?php echo $i; ?>">
59 ..... <div class="table-responsive-md" style="width:100%">
60 ..... <table class="table"> ...
82 ..... </table>
83 ..... </div>
84 ..... </a>
85 ..... </h2>
86 ..... <div id="collapseOne<?php echo $i; ?>" class="accordion-collapse collapse show" aria-labelledby="headingOne<?
87 ..... php echo $i; ?>" data-bs-parent="#accordion_order">
88 ..... <div class="accordion-body"> ...
136 ..... </div>
137 ..... </div>
138 ..... </div>
139 ..... <hr>
140 <?php $i++; } ?>
141 </div>
```

# 將訂單表格echo程式

```
<div class="table-responsive-md" style="width: 100%;">
  <table class="table">
    <thead>
      <tr>
        <td width="10%">訂單編號</td>
        <td width="20%">下單日期時間</td>
        <td width="15%">付款方式</td>
        <td width="15%">訂單狀態</td>
        <td width="10%">收件人</td>
        <td width="20%">地址</td>
        <td width="10%">備註說明</td>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td><?php echo $data01['orderid']; ?></td>
        <td><?php echo $data01['orderTime']; ?></td>
        <td><?php echo $data01['howpay']; ?></td>
        <td><?php echo $data01['status']; ?></td>
        <td><?php echo $data01['cname']; ?></td>
        <td><?php echo $data01['address']; ?></td>
        <td><?php echo $data01['remark']; ?></td>
      </tr>
    </tbody>
  </table>
</div>
```



# 測試執行



產品資訊 ▾ 會員註冊 會員登出 會員中心 最新活動 查訂單 折價券 購物車 3 企業專區 ▾



彩妝專區



隔離/防曬/飾底乳

BB霜/CC霜

粉餅(蕊)/蜜粉/蜜粉/海綿

遮瑕/毛孔/打亮



臉部保養



美膚保養



站長推薦，熱銷商品



## 電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1662031788775169	2022-09-01 19:21:38	貨到付款	處理中	廖真真	中正路1號	

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1619261151557635	2021-04-23 20:00:59	貨到付款	處理中	張山山	工業區一路100號	

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1619261102143533	2021-04-22 10:41:48	貨到付款	處理中	李小明2	中正路1號2	

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1619260500232495	2021-04-22 10:41:48	貨到付款	處理中	李小明2	中正路1號2	

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明



# 建立處理訂單詳細商品資料列表

```
...<div class="table-responsive-md" style="width:100%">
<table class="table">...
</table>
</div>
</a>
</h2>
<div id="collapseOne<?php echo $i; ?>" class="accordion-collapse collapse<?php echo ($i == 21) ? ' show'
: '' ; ?>" aria-labelledby="headingOne<?php echo $i; ?>" data-bs-parent="#accordion_order">
<div class="accordion-body">
<?php
//處理訂單詳細商品資料列表查詢
$SQLstring = sprintf("SELECT *,ms1.msname as status FROM cart,product,product_img, multiselect as
ms1 WHERE cart.orderid='%s' AND ms1.msid=cart.status AND cart.p_id=product_img.p_id AND product.
p_id=product_img.p_id AND cart.p_id=product.p_id AND product_img.sort=1 ORDER BY cart.create_date
DESC", $data01['orderid']);
$cart_rs = $link->query($SQLstring);
$pTotal = 0;
?>
<div class="table-responsive-md" style="width:100%">
<table class="table table-hover mt-3">
<thead>
<tr class="bg-primary" style="color:white;">
<td width="10%">產品編號</td>
```

# 詳細商品資料列表1

```
<div class="table-responsive-md" style="width:100%">
  <table class="table table-hover mt-3">
    <thead>
      <tr class="bg-primary" style="color:white;">
        <td width="10%">產品編號</td>
        <td width="10%">圖片</td>
        <td width="30%">名稱</td>
        <td width="10%">價格</td>
        <td width="10%">數量</td>
        <td width="15%">小計</td>
        <td width="15%">狀態</td>
      </tr>
    </thead>
    <tbody>
      <?php while ($cart_data = $cart_rs->fetch()) { ?>
        <tr>
          <td><?php echo $cart_data['p_id']; ?></td>
          <td>" class="img-fluid"></td>
          <td><?php echo $cart_data['p_name']; ?></td>
          <td>
            <h4 class="color_e600a0 pt-1"><?php echo $cart_data['p_price']; ?></h4>
          </td>
          <td><?php echo $cart_data['qty']; ?></td>
```

# 詳細商品資料列表2

```
<tbody>
  <?php while ($cart_data = $cart_rs->fetch()) { ?>
    <tr>
      <td><?php echo $cart_data['p_id']; ?></td>
      <td>" class="img-fluid"></td>
      <td><?php echo $cart_data['p_name']; ?></td>
      <td>
        <h4 class="color_e600a0 pt-1">$<?php echo $cart_data['p_price']; ?></h4>
      </td>
      <td><?php echo $cart_data['qty']; ?></td>
      <td>
        <h4 class="color_e600a0 pt-1">$<?php echo $cart_data['p_price'] *
          $cart_data['qty']; ?></h4>
      </td>
      <td><?php echo $cart_data['status']; ?></td>
    </tr>
    <?php $pTotal += $cart_data['p_price'] * $cart_data['qty'];
  } ?>
</tbody>
<tfoot> ...
</tfoot>
</table>
```

# 印出累計、運費、總計

```

    } :/
</tbody>
<tfoot>
    <tr>
        <td colspan="7">累計：<?php echo $ptotal; ?></td>
    </tr>
    <tr>
        <td colspan="7">運費：100</td>
    </tr>
    <tr>
        <td colspan="7" class="color_red">總計：<?php echo $ptotal +
            100; ?></td>
    </tr>
</tfoot>
</table>
```



# 測試執行

## 電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1662031788775169	2022-09-01 19:21:38	貨到付款	處理中	廖真真	中正路1號	

產品編號	圖片	名稱	價格	數量	小計	狀態
40		【GNC健安喜】型男保健 美佳男複方維他命食品錠 90錠	\$1160	3	\$3480	待出貨
49		HUATUO 華陀扶元堂古傳滴雞精7入裝	\$999	1	\$999	待出貨
48		Maybelline 媚比琳純淨礦物極效幻膚BB凝露 升級版 SPF 50/PA++++ 01白暫色	\$710	1	\$710	待出貨
50		My Scheming 我的心機-玻尿酸鎖水保濕面膜10入	\$999	2	\$1998	待出貨

# 練習二

- 持續以不同的主題網頁
- 建立訂單查詢php程式

# 將product\_list分頁模組複製進來

```
編輯(E) 選取項目(S) 檢視(V) 移至(G) 執行(R) 終端機(T) ... product_list.php - Lesson-14 - Visual Studio Code
product_list.php x orderlist.php orderlistOLD.php checkout_content.php addorder.php changeaddr.php register
product_list.php > div.row-mt-2 > div.col-md-12
0 }·?>
1 <div class="row mt-2">
2   ... <div class="col-md-12">
3     ... <?php
4       //取得目前頁數
5       if (isset($_GET['totalRows_rs'])) {
6         $totalRows_rs = $_GET['totalRows_rs'];
7       } else {
8         $all_rs = $link->query($queryFirst);
9         $totalRows_rs = $all_rs->rowCount();
10      }
11      $totalPages_rs = ceil($totalRows_rs / $maxRows_rs) - 1;
12      // 呼叫分頁功能函數
13      $prev_rs = "&laquo;";
14      $next_rs = "&raquo;";
15      $separator = "|";
16      $max_links = 20;
17      $pages_rs = buildNavigation($pageNum_rs, $totalPages_rs, $prev_rs, $next_rs,
18        $separator, $max_links, true, 3, "rs");
19      ?>
20      <nav aria-label="Page navigation example">
21        <ul class="pagination justify-content-center">
22          <?php echo $pages_rs[0] . $pages_rs[1] . $pages_rs[2]; ?>
23        </ul>
24      </nav>
25    </div>
26  </div>
27  <?php } else { ?>
28    <div class="alert alert-danger" role="alert">
```

# 修改模組傳入參數1

```
51 <h3>電商藥粧：訂單查詢</h3>
52 <?php if ($order_rs->rowCount() != 0) { ?>
53 <div class="accordion" id="accordion_order">
54 <?php while ($data01 = $order_rs->fetch()) { ?> ...
142 <?php $i++; } ?>
143 </div>
144 <?php
145     ... //取得目前頁數
146     ... if (isset($_GET['totalRows_rs'])) {
147     ...     $totalRows_rs = $_GET['totalRows_rs'];
148     ... } else {
149     ...     $all_rs = $link->query($queryFirst);
150     ...     $totalRows_rs = $all_rs->rowCount();
151     ... }
152     ... $totalPages_rs = ceil($totalRows_rs / $maxRows_rs) - 1;
153     ... // 呼叫分頁功能函數
154     ... $prev_rs = "&laquo;";
155     ... $next_rs = "&raquo;";
156     ... $separator = "|";
157     ... $max_links = 20;
158     ... $pages_rs = buildNavigation($pageNum_rs, $totalPages_rs, $prev_rs, $next_rs,
159     ...     $separator, $max_links, true, 3, "order_rs");
159 ?>
160 <nav aria-label="Page navigation example">
161     ... <ul class="pagination justify-content-center">
162     ...     ... <?php echo $pages_rs[0] . $pages_rs[1] . $pages_rs[2]; ?>
163     ... </ul>
164 </nav>
165 <?php } else { ?>
166     ... <div class="alert alert-info" role="alert">
167     ...     抱歉！目前還沒有任何的訂單
```



# 修改模組傳入參數1

```
<?php
//建立訂單查詢
$maxRows_rs = 5; //分頁設定數量
$pageNum_rs = 0; //起啟頁=0
if (isset($_GET['pageNum_order_rs'])) {
    $pageNum_rs = $_GET['pageNum_order_rs'];
}
$startRow_rs = $pageNum_rs * $maxRows_rs;
$queryFirst = sprintf("SELECT *, uorder.create_date as udate FROM uorder, addbook WHERE uorder.emailid='%d' AND
uorder.addressid=addbook.addressid ORDER BY uorder.create_date DESC", $_SESSION['emailid']);
$query = sprintf("%s LIMIT %d,%d", $queryFirst, $startRow_rs, $maxRows_rs);
echo "<h1>$query</h1>";
$order_rs = mysqli_query($link, $query);
$i = 1; //控制第一筆訂單開啟
?>
```

# 建立驗證是否帳號登入

🐞 orderlist.php > ...

```
1  <?php require_once('Connections/conn_db.php'); ?>
2  <?php (!isset($_SESSION)) ? session_start() : ""; ?>
3  <?php require_once('php_lib.php'); ?>
4  <?php
5  //驗證是否帳號登入|
6  if (!isset($_SESSION['login'])) {
7      $sPath = "login.php?sPath=orderlist";
8      header(sprintf("Location: %s", $sPath));
9  }
10 ?>
11 <!doctype html>
12 <html lang="zh-TW">
13
14 </html>
15
16 <head>
17     <!-- css link與相關設定 -->
18     <?php require_once('headfile.php'); ?>
19 </head>
```

# 測試執行

會員註冊 會員登入 會員中心 最新活動 **查訂單** 折價券 購物車 0 企業專區 ▾



電商藥粧：會員登入

Sign in

[New user/Forgot the password?](#)

# 練習三

- 持續以不同的主題網頁
- 建立驗證是否帳號登入

# 建立navbar查訂單超連結

```
<?php } else { ?>
<li class="nav-item"><a class="nav-link" href="login.php">會員登入</a></li>
<?php } ?>
<li class="nav-item"><a class="nav-link" href="#">會員中心</a></li>
<li class="nav-item"><a class="nav-link" href="#">最新活動</a></li>
<li class="nav-item"><a class="nav-link" href="orderlist.php">查訂單</a></li>
<li class="nav-item"><a class="nav-link" href="#">折價券</a></li>
<li class="nav-item"><a class="nav-link" href="cart.php">購物車<span
class="badge badge-info"><?php echo ($cart_rs)?$cart_rs->num_rows:''; ?></
span></a></li>
<li class="nav-item dropdown">
  <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"
  role="button" data-toggle="dropdown" aria-haspopup="true"
  aria-expanded="false">企業專區</a>
```

# 練習四

- 持續以不同的主題網頁
- 建立查訂單超連結

# 建立order\_content.php子頁

```
checkout.php  orderlist.php  order_content.php X  chkout_content.php  # website_s01.css  addorder.php  navbar.php  cart.php  cart_content.php

order_content.php > [?] $startRow_rs
1  <?php
2  //建立訂單查詢
3  $maxRows_rs = 5;    //分頁設定數量
4  $pageNum_rs = 0;    //起啟頁=0
5  if (isset($_GET['pageNum_order_rs'])) {
6      $pageNum_rs = $_GET['pageNum_order_rs'];
7  }
8  $startRow_rs = $pageNum_rs * $maxRows_rs;
9  $queryFirst = sprintf("SELECT *,uorder.create_date as udate FROM uorder,addbook WHERE uorder.emailid='%d' AND uorder.
addressid=addbook.addressid ORDER BY uorder.create_date DESC", $_SESSION['emailid']);
10 $query = sprintf("%s LIMIT %d,%d", $queryFirst, $startRow_rs, $maxRows_rs);
11 $order_rs = mysqli_query($link, $query);
12 $i = 1; //控制第一筆訂單開啟
13 ?>
14 <h3>電商藥粧：訂單查詢</h3>
15 <?php if ($order_rs->num_rows != 0) { ?>
16     <div class="accordion" id="accordion_order">
17         <?php while ($data01 = mysqli_fetch_array($order_rs)) { ?>
18             <div class="card">
19                 <div class="card-header" id="heading1<?php echo $i; ?>"><a data-toggle="collapse" href="#collapse1<?php
echo $i; ?>" aria-expanded="true" aria-controls="collapse1<?php echo $i; ?>">
20                     <div class="table-responsive-md">
21                         <table class="table">
22                             <thead>
23                                 <tr>
24                                     <td width="10%">訂單編號</td>
25                                     <td width="20%">下單日期時間</td>
26                                     <td width="15%">付款方式</td>
27                                     <td width="15%">訂單狀態</td>
```

# 啟動order\_content

```
... <section id="content">
...   <div class="container-fluid">
...     <div class="row">
...       <div class="col-md-2">
...         <!-- 引入sidebar分類導覽 -->
...         <?php require_once("sidebar.php"); ?>
...         <!-- 引入熱銷商品模組 -->
...         <?php require_once("hot.php"); ?>
...       </div>
...       <div class="col-md-10">
...         <!-- 引入訂單查詢 -->
...         <?php require_once('order_content.php'); ?> 取消註解
...       </div>
...     </div>
...   </div>
... </section>
... <section id="scontent">
...   <!-- 服務說明 -->
...   <?php require_once('scontent.php'); ?>
... </section>
```



# 測試執行



產品資訊 ▾ 會員註冊 會員登出 會員中心 最新活動 查訂單 折價券 購物車 3 企業專區 ▾



彩妝專區 ^

隔離/防曬/飾底乳

BB霜/CC霜

粉餅(蕊)/蜜粉/蜜粉/海綿

遮瑕/毛孔/打亮

臉部保養 ^

美膚保養 ^

化粧品AA ^

站長推薦，熱銷商品



## 電商藥粧：訂單查詢

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1234567890123456	2021-03-10 15:18:41	貨到付款	處理中	林小強	工業區一路100號	--

產品編號	圖片	名稱	價格	數量	小計	狀態
45		曼秀雷敦 Acnes 抗痘BB霜30g	\$360	4	\$1440	處理中
20		L'OREAL PARIS 巴黎萊雅青春密碼注入式酵素精華面膜獨家5入組 (33gx5)	\$499	3	\$1497	處理中
21		Biore 蜜妮 Biore A極效防曬噴霧 50g	\$109	3	\$327	處理中
27		Biore 蜜妮 高防曬明亮隔離乳液 30ml	\$289	2	\$578	處理中
51		Little butterfly倫敦小蝴蝶 春蕊淨白媽媽日霜50ml	\$999	2	\$1998	處理中
			累計：5840			
			運費：100			
			總計：5940			

訂單編號	下單日期時間	付款方式	訂單狀態	收件人	地址	備註說明
1234567890123456	2021-03-10 15:18:41	貨到付款	處理中	林小強	工業區一路100號	--

# 練習五

- 持續以不同的主題網頁
- 建立order\_content.php子頁
- 搬移epayCode及processCode到php\_lib

# 任務

- Navbar建立個人資料
- 建立個人資料修改頁面
- 建立個人密碼設定頁面

