School of Computer Science Engineering and Information Systems

(SCORE) Winter semester 2026-2027

FAT

Name : YOGESHWARAN

Reg.No : 23MIS0429

Course : Agile Development Process and Devops Lab

Code : ISWE406P

Faculty : BALA GANESH N

FILE STRUCTURE AND MAVEN BUILD





GIT REPOSITORY AND GIT PUSH


New repository
Type / to search
On April 24 we'll start using GitHub Copilot interaction data for AI model training unless you opt out. Review this update and manage your preferences in your GitHub account settings.
Create a new repository
Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.
Required fields are marked with an asterisk (*).
1 General
Owner *
imyogeshwaran
Repository name *
expense tracking system
Your new repository will be created as expense-tracking-system.
The repository name can only contain ASCII letters, digits, and the characters ., -, and _.
Great repository names are short and memorable. How about fuzzy-octo-winner?
Description
0 / 350 characters
2 Configuration
Choose visibility *
Public


EXPLORER
OPEN EDITORS
EXPENSE TRACKING SYSTEM
.github\workflows
ci-cd.yml
k8s
deployment.yaml
service.yaml
src
main
java\com\example\expense
controller
ExpenseController.java
model
Expense.java
service
ExpenseService.java
ExpenseApplication.java
resources
application.properties
test\java\com\example\expense
ExpenseServiceTest.java
target
Dockerfile
pom.xml
README.md
OUTLINE
TIMELINE
MAVEN
LOGICAL STRUCTURE
ExpenseApplication.java 2
Expense.java 2
ExpenseService.java 2
ExpenseController.java 1
ExpenseServiceTest.java
src > main > java > com > example > expense > service > ExpenseService.java > ExpenseService
package com.example.expense.service;
import com.example.expense.model.Expense;
import org.springframework.stereotype.Service;
PROBLEMS 9
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
POSTMAN CONSOLE
powershell
create mode 100644 src/main/java/com/example/expense/ExpenseApplication.java
create mode 100644 src/main/java/com/example/expense/controller/ExpenseController.java
create mode 100644 src/main/java/com/example/expense/model/Expense.java
create mode 100644 src/main/java/com/example/expense/service/ExpenseService.java
create mode 100644 src/main/resources/application.properties
create mode 100644 src/test/java/com/example/expense/ExpenseServiceTest.java
create mode 100644 target/classes/application.properties
create mode 100644 target/classes/com/example/expense/ExpenseApplication.class
create mode 100644 target/classes/com/example/expense/controller/ExpenseController.class
create mode 100644 target/classes/com/example/expense/model/Expense.class
create mode 100644 target/classes/com/example/expense/service/ExpenseService.class
create mode 100644 target/maven-status/maven-compiler-plugin/compile/default-compile/createdFiles.lst
create mode 100644 target/maven-status/maven-compiler-plugin/compile/default-compile/inputFiles.lst
create mode 100644 target/maven-status/maven-compiler-plugin/testCompile/default-testCompile/createdFiles.lst
create mode 100644 target/maven-status/maven-compiler-plugin/testCompile/default-testCompile/inputFiles.lst
create mode 100644 target/surefire-reports/2026-04-13T10-24-48_745.dumpstream
create mode 100644 target/surefire-reports/TEST-com.example.expense.ExpenseServiceTest.xml
create mode 100644 target/surefire-reports/com.example.expense.ExpenseServiceTest.txt
create mode 100644 target/test-classes/com/example/expense/ExpenseServiceTest.class
PS D:\academics\Expense Tracking System> git push origin main
Enumerating objects: 63, done.
Counting objects: 100% (63/63), done.
Delta compression using up to 8 threads
Compressing objects: 100% (41/41), done.
Writing objects: 100% (63/63), 14.21 KiB | 454.00 KiB/s, done.
Total 63 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/imyogeshwaran/expense-tracking-system.git
* [new branch] main -> main
PS D:\academics\Expense Tracking System>



DOCKER DESKTOP





```
PS D:\academics\Expense Tracking System> kubectl --kubeconfig=C:\ProgramData\Jenkins\.jenkins\config get pods
NAME                          READY   STATUS             RESTARTS        AGE
coupon-app-7574cf85d9-b8hdn   0/1     CrashLoopBackOff   101 (29s ago)   18h
coupon-app-7574cf85d9-lnthx   1/1     Running            0               20h
expense-app-6b54bf8bfb-5pgbr  0/1     InvalidImageName   0               7m2s
expense-app-6b54bf8bfb-f5q5t  0/1     InvalidImageName   0               7m2s
PS D:\academics\Expense Tracking System>
```

JENKINS FILE CREATION AND PIPELINE


Jenkins / All / New Item
New Item
Enter an item name
expense-tracking-system
Select an item type
Pipeline
Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.
Freestyle project
Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.
Multi-configuration project
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.
Folder
OK


localhost:8081/job/Cupon-validation/multi-pipeline-graph/
Jenkins / Cupon-validation / Stages
Stages
April 13, 2026
#12
11:14 - 49s
Start
Clone...
Build & Test...
Build Docker..
Login to...
Push Docker..
Deploy to...
Verify...
Post Actions
End
4s
11s
7s
4s
11s
2s
1s
0.16s


Jenkins / Cupon-validation
Status
Changes
Build Now
Configure
Delete Pipeline
Stages
Rename
Pipeline Syntax
Cupon-validation
Permalinks
Last build (#12), 6 min 48 sec ago
Last stable build (#12), 6 min 48 sec ago
Last successful build (#12), 6 min 48 sec ago
Last failed build (#9), 4 hr 41 min ago
Last unsuccessful build (#9), 4 hr 41 min ago
Last completed build (#12), 6 min 48 sec ago