
전자항법과 GPS

12주차

공간정보 프로그래밍 실습

임 호 용

imyong7@hanmail.net



전자항법과 GPS

1. 공간정보 프로그래밍

1-1. PostgreSQL

1-2. QGIS + PostGIS

1-3. SHP 파일 다루기

1-4. 공간질의 및 간단 분석

전자항법과 GPS

1. 공간정보 프로그래밍

1-1. PostgreSQL



postgresql

× | 📄 | 🎤 | 📷 | 🔍



PostgreSQL
<https://www.postgresql.org>

PostgreSQL: The world's most advanced open source database

PostgreSQL is a powerful, open source object-relational database system with over 35 years of active development that has earned it a strong reputation for ...

Downloads

Windows installers - macOS packages Apple Logo - Source

Documentation

You can view the manual for an older version or download a ...

[postgresql.org 검색결과 더보기 »](#)



나무위키
<https://namu.wiki>

PostgreSQL

2025. 11. 2. — PostgreSQL은 확장 기능을 통해 자유로운 기능 추가가 가능하다는 특징이 있다. 익히 알고 있는 PostGIS, Citus 등도 기본 PostgreSQL에 특수한 목적을 ...

함께 찾은 검색어



pgAdn
Management



MySQL

피지어드민

MySQL



[Home](#) [About](#) [Download](#) [Documentation](#) [Community](#) [Developers](#) [Support](#) [Donate](#) [Your account](#)

Search for...

November 13, 2025: [PostgreSQL 18.1, 17.7, 16.11, 15.15, 14.20, and 13.23 Released!](#)

PostgreSQL: The World's Most Advanced Open Source Relational Database

Download →

New to PostgreSQL?



New to PostgreSQL?

PostgreSQL is a powerful, open source object-relational database system with over 35 years of active development that has earned it a



Latest Releases

2025-11-13 - PostgreSQL 18.1, 17.7, 16.11, 15.15, 14.20, and 13.23 Released!

 [Home](#) [About](#) [Download](#) [Documentation](#) [Community](#) [Developers](#) [Support](#) [Donate](#) [Your account](#)

Search for...  

November 13, 2025: [PostgreSQL 18.1, 17.7, 16.11, 15.15, 14.20, and 13.23 Released!](#)

Quick Links

- Downloads
 - Packages
 - Source
- Software Catalogue
- File Browser

Downloads

PostgreSQL Downloads

PostgreSQL is available for download as ready-to-use packages or installers for various platforms, as well as a source code archive if you want to build it yourself.

Packages and Installers

Select your operating system family:



Source code

The source code can be found in the main [file browser](#) or you can access the source control repository directly at git.postgresql.org. Instructions for building from source can be found in the [documentation](#).



November 13, 2025: [PostgreSQL 18.1, 17.7, 16.11, 15.15, 14.20, and 13.23 Released!](#)

Quick Links

- Downloads
 - Packages
 - Source
- Software Catalogue
- File Browser

Windows installers

Interactive installer by EDB

Download the installer certified by EDB for all supported Postgres versions.

Note! This installer is hosted by EDB and not on the PostgreSQL community servers. If you have issues with the website it's hosted on, please contact webmaster@enterprisedb.com.


This installer includes:

- The PostgreSQL server
- pgAdmin, a graphical tool for managing and developing your databases
- StackBuilder, a package manager for downloading and installing additional PostgreSQL tools and drivers. Stackbuilder includes management, integration, migration, replication, geospatial, connectors and other tools.

This installer can run in graphical or silent install modes.

The Windows installer is designed to be a straightforward, fast way to get up and running with Postgres. In the unlikely event that you have issues with the installer, please report them on the [installer Github page](#). Issues with the installed packages should be reported to the appropriate project directly.

Advanced users can also download a [zip archive](#) of the binaries, without the installer. This download is intended for users who wish to include Postgres as part of another application installer.



EDB POSTGRES

Sign In  [Contact Us](#)

Download PostgreSQL

Open source PostgreSQL packages and installers from EDB

PostgreSQL Version	Linux x86-64	Linux x86-32	Mac OS X	Windows x86-64	Windows x86-32
18.1	postgresql.org 	postgresql.org 			Not supported
17.7	postgresql.org 	postgresql.org 			Not supported
16.11	postgresql.org 	postgresql.org 			Not supported
15.15	postgresql.org 	postgresql.org 			Not supported
14.20	postgresql.org 	postgresql.org 			Not supported
13.23	postgresql.org 	postgresql.org 			Not supported




Sign In  [Contact Us](#)

Your download should begin in a few seconds

[Click here](#) if your download does not start automatically.

[Installation instructions](#)





EDB Postgres® AI


Get Postgres from a Builder, Not a Borrower


- Enterprise Postgres Database
- Hybrid Management
- AI Factory
- Analytics Accelerator
- Distributed High Availability


[Learn More](#)











The image shows a Windows-style setup window titled "Setup" with a standard icon. The window has a title bar with minimize, maximize, and close buttons. The main content area is titled "Password" and contains the instruction "Please provide a password for the database superuser (postgres)." Below this, there are two text input fields: "Password" and "Retype password". At the bottom of the window, there is a status bar that says "InstallBuilder" and three buttons: "< Back", "Next >", and "Cancel". A large green arrow icon is visible in the top right corner of the window.

Setup

Password


Please provide a password for the database superuser (postgres).


Password


Retype password


InstallBuilder


< Back Next > Cancel

































































1. 공간정보 프로그래밍

PostgreSQL




1. 공간정보 프로그래밍

PostgreSQL




1. 공간정보 프로그래밍

PostgreSQL



1. 공간정보 프로그래밍

PostgreSQL



The screenshot displays the pgAdmin 4 web interface. On the left, the 'Object Explorer' shows a tree structure of the database system. Under 'Servers (1)' > 'PostgreSQL 18' > 'Databases (2)', the 'postgis_36_sample' database is expanded, showing various objects including 'Extensions (16)'. The 'postgis' extension is highlighted. The main pane shows the 'Query' tab with the SQL command: `CREATE EXTENSION postgis;`. Below the query, the 'Messages' tab displays an error message: `ERROR: extension "postgis" already exists`. The status bar at the bottom indicates 'Query complete 00:00:00.048'.

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 18
 - Databases (2)
 - postgis_36_sample
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions (16)
 - address_standardize
 - address_standardize
 - fuzzystmatch
 - h3
 - h3_postgis
 - mobilitydb
 - ogr_fdw
 - pgrouting
 - plpgsql
 - pointcloud
 - pointcloud_postgis
 - postgis**
 - postgis_raster
 - postgis_sfcgal
 - postgis_tiger_geocod
 - postgis_topology
 - Foreign Data Wrappers
 - Languages
 - Publications

Dependencies x Dependents x Processes x postgis_36_sample/postgres@PostgreSQL 18* x

postgis_36_sample/postgres@PostgreSQL 18

No limit

Query Query History Scratch Pad x

1 `CREATE EXTENSION postgis;`

Data Output Messages Notifications

ERROR: extension "postgis" already exists

오류: extension "postgis" already exists

SQL state: 42710

Total rows: Query complete 00:00:00.048 CRLF Ln 1, Col 26


전자항법과 GPS

1. 공간정보 프로그래밍

1-2. QGIS + PostGIS


1. 공간정보 프로그래밍

QGIS + PostGIS




1. 공간정보 프로그래밍

QGIS + PostGIS




1. 공간정보 프로그래밍

QGIS + PostGIS



1. 공간정보 프로그래밍

QGIS + PostGIS



전자항법과 GPS

1. 공간정보 프로그래밍

1-3. SHP 파일 다루기

1. 공간정보 프로그래밍

SHP 파일 다루기

 **V-WORLD** 디지털원국토

지도조회 다운로드 오픈API 서비스 활용지원 소통공간 기업정보

🔍 마이포털

🏠 **다운로드** 공간정보 다운로드

홈 > 다운로드 > 공간정보 다운로드

국토관리 지역개발 > **경계** (센서스경계)행정동경계 ☆

유형 **다운로드** | 기관 통계청 | 다운로드 37,890 | 문의 25 | 조회 36,966

· 설명 모든 읍/면/동 경계에 대한 공간정보 및 속성정보

· 라이선스 CC BY-NC-ND

경계

📄 컬럼 정의서 다운로드 📄 컬럼 정의서 다운로드 🐦 📘 📄 오류신고

데이터 리소스

파일명

🔍 조회

10건씩

☒ 선택 0 건 📄 선택다운로드

총 3 건 (1 / 1 page)

☒	XLSX 센서스 공간정보 지역 코드.xlsx	용량 3,121,683 byte	구분 데이터	기준일 -	갱신일 2025-04-10	다운로드
☒	SHP BND_ADM_DONG_PG.zip	용량 105,328,437 byte	구분 데이터	기준일 -	갱신일 2025-01-20	다운로드
☒	HWP 센서스 공간정보 테이블 정의서.hwp	용량 91,648 byte	구분 데이터	기준일 -	갱신일 2024-02-21	다운로드

1. 공간정보 프로그래밍


SHP 파일 다루기

메타 정보

데이터셋명	(센서스경계)행정동경계	데이터유형	공간
데이터설명	모든 읍/면/동 경계에 대한 공간정보 및 속성정보		
갱신주기	연간	구축범위	전국
데이터 좌표계	GRS80(EPsg:5186)	데이터 포맷	SHP
공간정보분류	국토관리 지역개발 > 경계	기본공간정보분류	경계 > 통계구


1. 공간정보 프로그래밍

SHP 파일 다루기




1. 공간정보 프로그래밍


SHP 파일 다루기



1. 공간정보 프로그래밍


SHP 파일 다루기






1. 공간정보 프로그래밍


SHP 파일 다루기






1. 공간정보 프로그래밍

SHP 파일 다루기




1. 공간정보 프로그래밍

SHP 파일 다루기




1. 공간정보 프로그래밍

SHP 파일 다루기



1. 공간정보 프로그래밍

SHP 파일 다루기




전자항법과 GPS

1. 공간정보 프로그래밍

1-4. 공간질의 및 간단분석

1. 공간정보 프로그래밍

공간질의 및 간단분석



1. 공간정보 프로그래밍

공간질의 및 간단분석

The screenshot displays the pgAdmin 4 interface. In the left-hand 'Object Explorer', the 'admdong' schema is selected and highlighted with a red box. Below it, the 'BND_ADM_DONG_PG' table is also highlighted with a red box. The central 'Query' pane contains the following SQL query, which is also highlighted with a red box:

```
1 SELECT *
2 FROM admdong."BND_ADM_DONG_PG";
```

The 'Data Output' pane at the bottom shows the results of the query. It indicates 'Showing rows: 1 to 1000' and 'Page No: 1 of 4'. The table has two columns: 'id' (integer) and 'geom' (geometry). The first 10 rows are visible, showing a sequence of IDs from 1 to 10, with the last row having an ID of 37. The geometry column contains long hexadecimal strings representing spatial data.

	id	geom
1	1	010600002042140000010000000103000000010000006020000BAF2AB86178407417DB6
2	2	01060000204214000001000000010300000001000000D6020000606E90F9B2970741CCA3
3	3	01060000204214000003900000000103000000010000008E0000000D4EA9AEA3ABFB401839
4	4	010600002042140000017000000001030000000100000058000000C12291D7235DFE406A3E
5	5	01060000204214000004B0000000010300000001000000E1090000075CF600007FFE4080D7
6	6	01060000204214000001000000010300000001000000D204000018C479A4591C1241DD2F
7	7	010600002042140000010000000103000000010000005F0100002095F1CE1685074141A2
8	8	01060000204214000002000000000103000000010000003B00000010B04B3F27E61141360E
9	9	01060000204214000007D000000001030000000100000066210000B8D2C8F19C181241C42F
10	37	010600002042140000010000000103000000010000007D0200005B24BAED95DF0741649F

At the bottom of the interface, the status bar shows 'Total rows: 3558', 'Query complete 00:00:01.393', 'CRLF', and 'Ln 2, Col 31'.

1. 공간정보 프로그래밍

공간질의 및 간단분석

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'BND_ADM_DONG_PG' table selected under the 'admdong' schema. The main query editor on the right contains the following SQL query:

```
SELECT *  
FROM admdong."BND_ADM_DONG_PG"  
WHERE admdong."BND_ADM_DONG_PG"."ADM_NM" = '도안동';
```

Below the query editor, the Data Output tab shows the results of the query. The results are displayed in a table with two columns: 'id' (integer) and 'geom' (geometry). The first row shows the value '1836' for 'id' and a long hexadecimal string for 'geom'.

id	geom
1836	01060000204214000001000000010300000001000000220200008589FAA6E15B0C41A4DAB1

The status bar at the bottom indicates 'Total rows: 1', 'Query complete 00:00:00.062', 'CRLF', and 'Ln 3, Col 50'.

1. 공간정보 프로그래밍

공간질의 및 간단분석

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Publications
- Schemas (5)
 - admdong
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (1)
 - BND_ADM_DONG_PG**
 - Trigger Functions
 - Types
 - Views
 - public
 - tiger
 - tiger_data
 - topology
 - Subscriptions
- postgres
- Login/Group Roles

postgis_36_sample/postgres@PostgreSQL 18*

postgis_36_sample/postgres@PostgreSQL 18

Query Query History

```
1 SELECT *
2 FROM admdong."BND_ADM_DONG_PG"
3 WHERE admdong."BND_ADM_DONG_PG"."ADM_NM" LIKE '%도%';
```

Data Output Messages Notifications

Showing rows: 1 to 92 Page No: 1 of 1

		BASE_DATE character varying (8)	ADM_CD character varying (8)	ADM_NM character varying (254)
1	90F8405CA0CAD362402...	20240630	39010670	외도동
2	72F840465856908EA7024...	20240630	39010690	도두동
3	51F419CEB2D18A498174...	20240630	32070110	도계읍
4	9CB1F417ED643EF579013...	20240630	32530390	한반도면
5	51141A534D3E8FC26064...	20240630	24050540	도산동
6	55A0B4193BBF45DB37E0...	20240630	36550120	도양읍
7	01E00B41AE9EE373AD30...	20240630	36550320	도덕면
8	02EF094126ECA0F5C6C30...	20240630	36550340	도화면
9	1DA1441F95E8B6F7D70F...	20240630	35580420	위도면
10	4B791341953A3961F20D0...	20240630	35050590	도통동

Total rows: 92 Query complete 00:00:00.317 CRLF Ln 3, Col 50

1. 공간정보 프로그래밍

공간질의 및 간단분석

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Publications
- Schemas (5)
 - admdong
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (1)
 - BND_ADM_DONG_PG**
 - Trigger Functions
 - Types
 - Views
 - public
 - tiger
 - tiger_data
 - topology
 - Subscriptions
- postgres
- Login/Group Roles

postgis_36_sample/postgres@PostgreSQL 18*

postgis_36_sample/postgres@PostgreSQL 18

Query Query History

```
1 SELECT *
2 FROM admdong."BND_ADM_DONG_PG"
3 WHERE admdong."BND_ADM_DONG_PG"."ADM_NM" LIKE '도%';
```

Data Output Messages Notifications

Showing rows: 1 to 39 Page No: 1 of 1

		BASE_DATE character varying (8)	ADM_CD character varying (8)	ADM_NM character varying (254)
1	572F840465856908EA702...	20240630	39010690	도두동
2	51F419CEB2D1BA498174...	20240630	32070110	도계읍
3	351141A534D3E8FC2606...	20240630	24050540	도산동
4	755A0B4193BBF45DB37E...	20240630	36550120	도양읍
5	D1E00B41AE9EEE373AD3...	20240630	36550320	도덕면
6	D2EF094126ECA0F5C6C3...	20240630	36550340	도화면
7	4B791341953A3961F20D...	20240630	35050590	도통동
8	879104100B629CE1CCF0...	20240630	36570360	도곡면
9	ID10418AA59E5BE067074...	20240630	36570370	도암면
10	110B4135A16FE184E105...	20240630	36590350	도암면

Total rows: 39 Query complete 00:00:00.110 CRLF Ln 3, Col 50

1. 공간정보 프로그래밍

공간질의 및 간단분석 - 동별 중심점 구하기

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Publications
- Schemas (5)
 - admdong
 - Aggregates
 - Collations
 - Domains
 - FTS Configurations
 - FTS Dictionaries
 - FTS Parsers
 - FTS Templates
 - Foreign Tables
 - Functions
 - Materialized Views
 - Operators
 - Procedures
 - Sequences
 - Tables (1)**
 - BND_ADM_DONG_PG**
 - Trigger Functions
 - Types
 - Views
 - public
 - tiger
 - tiger_data
 - topology
 - Subscriptions
- postgres
- Login/Group Roles

postgis_36_sample/postgres@PostgreSQL 18* X

postgis_36_sample/postgres@PostgreSQL 18

Query Query History

```
1 SELECT
2   "ADM_NM",
3   ST_Centroid(geom) AS cent_geom,
4   geom
5 FROM admdong."BND_ADM_DONG_PG";
```

Data Output Messages Notifications

Showing rows: 1 to 1000 Page No: 1 of 4

	ADM_NM character varying (254)	cent_geom geometry	geom geometry
1	충장동	0101000020421400005F0E27C94879074134...	010600002042140000010000
2	동명동	010100002042140000BAF324B4AD950741B...	010600002042140000010000
3	안좌면	010100002042140000141A09A50B53FD400...	010600002042140000390000
4	팔금면	010100002042140000695F2B09F89BFD400...	010600002042140000170000
5	암태면	010100002042140000A83F78EDD7EDFC407...	0106000020421400004B0000
6	내동면	010100002042140000EB6401382DFF1141D...	010600002042140000010000
7	계림1동	01010000204214000044DEE4F7187F07410E...	010600002042140000010000
8	삼동면	01010000204214000076E854D97EE7114137...	010600002042140000200000
9	미조면	010100002042140000B7CE86CD4D0012419...	0106000020421400007D0000

Total rows: 3558 Query complete 00:00:01.658 CRLF Ln 4, Col 6

1. 공간정보 프로그래밍

공간질의 및 간단분석 - 거리 구하기

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'BND_ADM_DONG_PG' table selected under the 'admdong' schema. The main query editor on the right contains the following SQL query:

```
1 SELECT
2     ST_Distance(
3         ST_Centroid(d1.geom),
4         ST_Centroid(d2.geom)
5     ) AS dist_m
6 FROM admdong."BND_ADM_DONG_PG" d1
7 JOIN admdong."BND_ADM_DONG_PG" d2
8 ON d1."ADM_NM" = '도안동'
9 AND d2."ADM_NM" = '도마1동';
```

Below the query editor, the 'Data Output' tab shows the result of the query. The result is a single row with the following data:

	dist_m double precision
1	2783.881513640355

The status bar at the bottom indicates 'Total rows: 1', 'Query complete 00:00:00.047', 'CRLF', and 'Ln 9, Col 25'.

1. 공간정보 프로그래밍

공간질의 및 간단분석 - 면적 구하기

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with 'BND_ADM_DONG_PG' selected under the 'admdong' schema. The main query editor on the right contains the following SQL query:

```
1 SELECT
2   "ADM_NM",
3   ST_Area(ST_Transform(geom, 5186)) AS area_m2,
4   ST_Area(ST_Transform(geom, 5186)) / 1000000.0 AS area_km2
5 FROM admdong."BND_ADM_DONG_PG"
6 WHERE "ADM_NM" = '도안동';
```

Below the query editor, the 'Data Output' tab shows the results of the query. The results are displayed in a table with the following columns: ADM_NM, area_m2, and area_km2. The table shows one row of data for '도안동'.

	ADM_NM character varying (254)	area_m2 double precision	area_km2 double precision
1	도안동	5240576.6118253935	5.240576611825394

At the bottom of the interface, the status bar indicates 'Total rows: 1', 'Query complete 00:00:00.071', and 'Ln 3, Col 36'.

1. 공간정보 프로그래밍

공간질의 및 간단분석 - 이웃한 동 이름 찾기

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer shows the database structure, with the 'BND_ADM_DONG_PG' table selected. The main window displays a SQL query in the Query editor, which is highlighted with a red box. The query is as follows:

```
1 SELECT n."ADM_NM" AS neighbor_name
2 FROM admdong."BND_ADM_DONG_PG" base
3 JOIN admdong."BND_ADM_DONG_PG" n
4 ON ST_Touches(base.geom, n.geom)
5 WHERE base."ADM_NM" = '도안동'
6 AND n."ADM_NM" <> '도안동';
```

Below the query editor, the Data Output tab shows the results of the query, also highlighted with a red box. The results are displayed in a table with 8 rows and 1 column, 'neighbor_name'. The data is as follows:

	neighbor_name character varying (254)
1	진잠동
2	월평1동
3	도마2동
4	정림동
5	관저1동
6	가수원동
7	관저2동
8	원신흥동

The status bar at the bottom indicates 'Total rows: 8', 'Query complete 00:00:00.050', 'CRLF', and 'Ln 6, Col 27'.

1. 공간정보 프로그래밍

공간질의 및 간단분석 - 특정 거리 내 동 찾기

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure, with the 'BND_ADM_DONG_PG' table selected under the 'admdong' schema. The main query editor on the right contains the following SQL query:

```
1 WITH base AS (  
2     SELECT ST_Transform(ST_Centroid(geom), 5186) AS cgeom  
3     FROM admdong."BND_ADM_DONG_PG"  
4     WHERE "ADM_NM" = '도안동'  
5 )  
6 SELECT n."ADM_NM"  
7 FROM admdong."BND_ADM_DONG_PG" n, base  
8 WHERE ST_DWithin(  
9     ST_Transform(n.geom, 5186),  
10    base.cgeom,  
11    1000 -- 1km  
12 );
```

Below the query editor, the 'Data Output' tab shows the results of the query. The results are displayed in a table with the following columns and rows:

	ADM_NM character varying (254)
1	진잠동
2	정림동
3	도안동
4	도마2동

The status bar at the bottom indicates 'Total rows: 4', 'Query complete 00:00:00.274', and 'Ln 11, Col 15'.

감사합니다

임호용

imyong7@hanmail.net
