



<u>Informatics Institute of Technology</u> <u>Department of Computing</u>

(B.Eng.) Software Engineering

Module: 4COSC0011C Web Design & Development

Module Leader: Ms. Aloka Fernando

Group Coursework Report

Tutorial Group : SE/CS Group B

Coursework Group No: 01

Student IIT ID : 2018194

Student UoW ID : w1714943

Student First Name : Galgamuge

Student Last Name : Fernando

1.	Introduction	. 3
2.	Technical Discussion	. 3
	Main Page	. 3
	Quiz	. 4
3.	Discussion of UI and application of UX principles	. 5
3	.1 Information architecture	. 6
	a. Design	. 6
	b. Code to achieve good Information architecture	. 6
3	.2 Colour balance/composition/graphics/consistency	. 6
	a. Design	. 6
	b. Code to achieve good colour balance & ensure consistency	. 6
3	3.3 Typography / consistency	. 6
	a. Design	. 6
	b. Code to achieve good typography / consistency	. 6
3	.4 Gestalt principles grouping	. 7
3	3.5 Accessibility (graphics/forms)	. 8
5	Conclusions	. 9
Re	ferences	. 9
Ар	pendices	. 9
Δ	ppendix A: Code	. 9
Α	ppendix B: Screenshots	. 34
А	ppendix C: Individual Statement	. 39

1. Introduction

Topic of the Website : Sports (football)

Name of the website: Footzky

Team members,

Imsar Ahmad - Student 1

Udara Shalin - Student 2

• Rusiru Fernando - Student 3

• Inshaf Ifthikar - Student 4

2. Technical Discussion

My TASKS

• Main Page (my team section)

This section contains the images of the team members side by side.

When an image is hovered, an overlay will appear in-front of the image, zooming the image, displaying the team member name and his/her role in the web coursework and a link to their Curriculum Vitae.





CSS code related to hover effect

```
.team .member:hover .pic img{
  transform: scale(1.2);
}
.team .member:hover .details{
  transform: scaleY(1);
}
```


• Quiz


This webpage contains 10 MCQ questions which the user must complete within 60 seconds.

If the user cannot complete it within 60 seconds, an alert will appear saying that the time is up. When the user clicks ok, the page will refresh.

If the user finishes the questions, he can submit it, showing him, which answers of him were wrong and which was correct including the correct answers and his score in another section, which will show up when he clicks "get score" button.

If he clicks the "clear" button the marked answers and the timer will be reset.





CV

CV page displays the curriculum vitae of myself

3. Discussion of UI and application of UX principles

We used white background as it shows more contrast between the text and the background.

Text color used for contents are mostly black.

The font we used in our pages are:

https://fonts.googleapis.com/css?family=Righteous"

We broke down each page into sections where one after each other section there is a white background or a background image which is parallax.

We haven't used much text in our webpages, which I think is a drawback to the content of the website

The Header section contains the navigation bar and it is in a fixed position and is partially transparent with a grey color.

The footer contains the site map and below the sitemap is a section which shows who designed that particular website with a link to that persons CV.

Buttons have a hover effect.... if the background color of the button is a dark color the text inside the button would be white else vice versa.

3.1 Information architecture

a. Design

When navigating through main 5 webpages, an active display will be shown in the navigation bar.

3.2 Color balance/composition/graphics/consistency

a. Design

Colors used in the logo are

- D18541
- 746B6B

These colors are also used in borders and some backgrounds



b. Code to achieve good color balance & ensure consistency

Background pictures use an overlay to darken the image a bit linear gradient colors were used at some parts of the website

3.3 Typography / consistency

a. Design


font family used: Righteous font size used for h1 headings was 60px paragraphs use 20px size website headings use text color of white to contrast it from the background image


b. Code to achieve good typography / consistency

3.4 Gestalt principles grouping

Wallpapers were obtained from <u>wallpaperswide.com</u> which is a free site for downloading images I got information for part B from <u>sportskeeda.com</u>.

I take here the Part B to explain about it,





It has a main landing page which is common with all other pages

This page has 5 sections which are arranged in a catchy way, with less distractions. They are arranged one below the other.

The website has a button at the bottom to go to the top o the webpage. The content has an orange border at its corner which is also a color of the logo.

3.5 Accessibility (graphics/forms)

a. Graphical elements - Design/Code

Explain how you addressed accessibility on the design of the web site. For example for the following graphical elements what accessibility tags have been used in order to make sure that in case that the graphics cannot be displayed the users would still get the required information and would still be able to interact with buttons and icons.

you used.

5 Conclusions

Problems encountered was we didn't have a proper team, and the first important things were not done first so others had to hold on until its done.

Some members had a hard time in making the website responsive

We did the best we could within the limited time.

References

- Wallpaperswide.com
- Sportskeeda.com

Appendices

Appendix A: Code

Filename: index.html

Filename: quiz.html

```
</div>
      <input type="radio" name="q3" value="c" id="q3">
<label>1910</label><br/>>
      </div>
```

```
<span class="a5"></span>
```

```
<label>China</label><br/>
```

Filename: Rusiru CV.html

```
<link rel="stylesheet" type="text/css" href="css/RusirucvStyle.css">
</div>
   <img src="Team Member pics/rusiruCV.jpg" class="pic">
   </div>
```

Filename: myTeam.css

```
@import url("https://fonts.googleapis.com/css?family=Righteous" rel="stylesheet");
.team{
font-family: sans-serif;
 width: 100%;
 min-height: 500px;
 background: #fff;
 margin: 70px auto 0px;
 display: flex;
flex-direction: row;
flex-wrap: wrap;
.ourTeam {
 margin-top: -10px;
 width: 20%;
 margin-left: 45%;
 height: 30px;
 position: absolute;
```

```
border-left: 4px solid orange;
padding: 10px;
.ourTeam h1{
font-size: 40px;
font-family: 'Righteous';
.team .member{
position: relative;
width:300px;
 height: 400px;
 background: #ff0;
 margin-left: 18px;
 margin-right: 19px;
 margin-bottom: 30px;
 margin-top:70px;
 box-sizing: border-box;
 display: inline-block;
 box-shadow: 10px 5px 10px grey;
.team .member:hover{
 box-shadow: 20px 10px 20px grey;
transition: .5s;
.team .member .pic{
position: relative;
overflow: hidden;
.team .member .pic img{
 max-width: 100%;
max-height: 100%;
transition: transform 2s;
.team .member:hover .pic img{
 transform: scale(1.2);
.team .member .details {
position: absolute;
top:10px;
 left:10px;
 right: 10px;
```

```
bottom: 10px;
 background:rgba(0,0,0,0.8);
 transform: scaleY(0);
 transition: transform 0.5s;
.team .member:hover .details{
 transform: scaleY(1);
.team .member .details .content {
 width: 100%;
 position: absolute;
 top:50%;
 transform: translateY(-50%);
 text-align: center;
 padding: 15px;
 color: #fff;
.team .member .details .content h2{
 margin-top: -30%;
 margin-left: -10px;
padding: 0px;
font-size: 30px;
 color: orange;
.team .member .details .content p{
 margin-top: 50px;
font-size: 20px;
 padding: 0px;
 margin-left:-18px;
.team .member .details .content a{
 text-decoration: none;
 margin-top:10%;
 margin-left:-18px;
Filename: quizStyle.css
Code
@import url("https://fonts.googleapis.com/css?family=Righteous" rel="stylesheet");
/*quiz*/
.radioCustom{
```

```
margin-top: 470px;
#timer_heading2 {
font-family: 'Roboto Slab', serif;
 color: blue;
font-size: 30px;
font-weight: bold;
 position: fixed;
 margin-left: 80%;
 margin-top: 3%;
.questions {
 margin-left: 3%;
font-size: 20px;
font-family: 'Righteous';
 background:transparent;
 width: 80%;
 margin-left: 10%;
 margin-top: 600px;
#results {
font-size: 15px;
font-weight: bold;
 color: black;
.questions input{
 width:20px;
 height: 20px;
.questions input{
 margin-left: 40%;
.quizCover{
 background: url("images/stadium.jpg");
 width: 100%;
 height: 500px;
 position: absolute;
 background-attachment: fixed;
.quizOverlay{
position: absolute;
```

```
width: 100%;
 height: 500px;
 background: rgba(0,0,0,0.5);
.quizCover .quizOverlay h1{
 margin-top: 200px;
 color: white;
margin-left: 20%;
font-size: 50px;
.q1,.q2,.q3,.q4,.q5,.q6,.q7,.q8,.q9,.q10{
margin-top: 10px;
margin-bottom: 20px;
 border-radius: 2px;
 width: 60%;
 margin-left:20%;
padding: 1%;
 background:linear-gradient(white,grey);
 transition: 1s;
box-shadow: 5px 5px 10px white;
#timer_heading2{
 margin-top: -100px;
position: fixed;
 margin-left: 10px;
 border:2px solid orange;
padding: 2%;
background: rgba(0,0,0,0.5);
.q1:hover,.q2:hover,.q3:hover,.q4:hover,.q5:hover,.q6:hover,.q7:hover,.q8:hover,.q9:hover,.q10:hover
 background: linear-gradient(left, #eee 2%, #fff 10%);
 transition: 1s;
 box-shadow: 5px 5px 5px black;
.questions p{
padding: 2% 2% 2% 2%;
text-align: center;
.buttonReset,.buttonSubmit{
 border: 3px solid tomato;
 border-radius: 10%;
```

```
}
.buttonReset {
font-size: 20px;
 width: 200px;
 height: 200px;
 padding: 2%;
 padding-right: 8%;
 padding-left: 4%;
 padding-bottom: 3%;
float: right;
 cursor: pointer;
 margin-top:-60px;
 margin-right: 34%
.buttonSubmit{
font-size: 20px;
 margin-top: 100px;
 width: 200px;
 height: 200px;
 padding: 2%;
 padding-right: 10%;
 padding-bottom: 3%;
 padding-left: 2%;
 cursor: pointer;
 margin-left: 30%;
.buttonReset:hover,.buttonSubmit:hover{
 background: orange;
 color: white;
 transition: 1s;
#results{
 border: 2px solid black;
 background: orange;
 margin-top: 30px;
 margin-bottom: 1px;
```

Filename: RusirucvStye.css

Code

@import url("https://fonts.googleapis.com/css?family=Righteous" rel="stylesheet");

```
*{
        margin:0px;
       padding: 0px;
       font-family: 'Righteous', sans-serif;
html{
 scroll-behavior: smooth;
body{
        background: url("images/cvBack.jpg");
        background-size: auto;
 background-attachment: fixed;
header{
 width: 100%;
 position: absolute;
 z-index: 999999;
.navbar ul li a{
 font-family: "Righteous", sans-serif;
 text-decoration: none;
 color: white;
.logo{
 background: url("images/logo final.png");
 background-size: cover;
 height: 80px;
 width: 300px;
 position: absolute;
 margin-top: 4px;
.navbar{
 width: 100%;
 padding: 0px;
 position: fixed;
 top:0px;
 text-align: center;
 transition: .5s;
 background: rgba(0,0,0,0.5);
.navbar a:hover .logo{
 opacity: 0.9;
.navbar ul{
 margin-left:6%;
```

```
.navbar ul li{
 list-style-type: none;
 display: inline-block;
 padding: 25px 50px;
 color: white;
 font-size: 24px;
 font-family: sans-serif;
 cursor: pointer;
.navbar ul li:hover{
 background: orange;
 transition: .5s;
.active {
 border-bottom: 8px solid orange;
body .overlay{
        width: 80%;
        height: 1700px;
        margin-bottom: 10%;
        margin-left: 10%;
        margin-top: 10%;
        background: rgba(0,0,0,0.8);
}
body .overlay .content{
       position: absolute;
        width: 60%;
        height: 1400px;
        margin-top: 10%;
        margin-right: 10%;
        margin-left: 10%;
        background: white;
}
.pic{
 float: right;
 box-shadow: 3px 3px 3px grey;
 margin-right: 1%;
 margin-top: 1%;
.content .heading{
 position: relative;
 padding: 5%;
```

```
padding-top: 10%;
.heading h1{
font-size: 40px;
.heading h3{
 color: orange;
.information{
 width: 100%;
.basic{
 margin-top: 2%;
 width: 100%;
 border-top: 4px solid tomato;
.basicinfo{
 margin-left: 1%;
 padding-left: 2%;
 border-left: 3px solid orange;
 margin-top: 2%;
 padding-top: 3%;
 width: 30%;
 float: left;
.infolist{
 margin-top: 1%;
 width: 70%;
 float: right;
 margin-right: 10%;
.information h1{
 color: grey;
.information h2{
font-size: 20px;
.skill
 position: relative;
 width: 100%;
 float: left;
```

```
.skillinfo{
 margin-left: 1%;
 padding-left: 2%;
 border-left: 3px solid orange;
 margin-top: 2%;
 padding-top: 3%;
 width: 30%;
 float: left;
.skilllist{
 margin-top: 1%;
 width: 70%;
 float: right;
 margin-right: 10%;
.Education
 position: relative;
 width: 100%;
float: left;
.eduinfo{
 margin-left: 1%;
 padding-left: 2%;
 border-left: 3px solid orange;
 margin-top: 2%;
 padding-top: 3%;
 width: 30%;
float: left;
.edulist{
 margin-top: 1%;
 width: 70%;
 float: right;
 margin-right: 10%;
.interest
 position: relative;
 width: 100%;
 float: left;
.interestinfo{
 margin-left: 1%;
 padding-left: 2%;
```

```
border-left: 3px solid orange;
 margin-top: 2%;
 padding-top: 3%;
 width: 30%;
 float: left;
.intlist{
 margin-top: 1%;
 width: 70%;
 float: right;
 margin-right: 10%;
.contact
 position: relative;
 width: 100%;
 float: left;
.contactinfo{
 margin-left: 1%;
 padding-left: 2%;
 border-left: 3px solid orange;
 margin-top: 2%;
 padding-top: 3%;
 width: 30%;
 float: left;
.contactlist{
 margin-top: 1%;
 width: 70%;
 float: right;
 margin-right: 10%;
.scrollup{
 width: 70px;
 height: 70px;
 background:rgba(0,0,0,0.5);
 position: relative;
 font-size: 40px;
 float: right;
 margin-right: 3%;
 transition: 1s;
.scrollup h1{
```

```
margin-left: 31%;
 color: orange;
 margin-top: 4%;
 transition: 1s;
.scrollup:hover{
 background: orange;
 transition: 0.8s;
 box-shadow: 5px 5px 0px rgba(0,0,0,0.5);
.scrollup:hover h1{
 color: white;
 transition: 0.8s;
Filename: quiz.js
Code
window.onload = timechecker;
var totalSeconds = 60;
var minutes = parseInt(totalSeconds / 60);
var seconds = parseInt(totalSeconds % 60);
var myTimer;
function timechecker() {
        document.getElementById("timer_heading2").innerHTML = minutes + ' min : ' + seconds + ' secs ';
        if (totalSeconds <= 0) {</pre>
               setTimeout('getScore()', 1);
               alert("Times up");
                window.location.reload();
                document.getElementById("timer heading2").innerHTML = "Time Up";
                getScore(this.form);
       } else {
               totalSeconds = totalSeconds - 1;
               minutes = parseInt(totalSeconds / 60);
               seconds = parseInt(totalSeconds % 60);
               myTimer = setTimeout("timechecker()", 1000);
        }
```

```
}
var Questions = 10;
var Selections = 4;
var answers = new Array(10);
answers[0] = "England";
answers[1] = "1863";
answers[2] = "1930";
answers[3] = "Uruguay";
answers[4] = "Argentina";
answers[5] = "Brazil";
answers[6] = "1992";
answers[7] = "Harry Kane";
answers[8] = "France";
answers[9] = "Russia";
function getScore(form) {
        var marks = 0;
        var currentEliment;
        var currentSelection;
        var wrongAns = 0;
        var correctAns = 0;
        var ansString = "";
        for (i = 0; i < Questions; i++) {
                currentEliment = i * Selections;
                for (j = 0; j < Selections; j++) {
                        currentSelection = form.elements[currentEliment + j];
                        if (currentSelection.checked) {
                                 if (currentSelection.value == answers[i]) {
                                         correctAns++;
                                         ansString += "Your answer" + " " + " " + currentSelection.value + " "
+ " is Correct" + "<br>" + "<br>";
                                         break;
                                } else {
                                         wrongAns++;
                                         ansString += "Your answer" + " " + " " + currentSelection.value + " "
                }
        }
        marks = correctAns * 2;
```

```
marks = marks;
       } else {
               marks = 0;
       }
        if (marks < 4) {
                document.getElementById("results").style.backgroundColor="red";
        } else if(marks < 6){
               document.getElementById("results").style.backgroundColor="orange";
       } else if(marks < 8){
               document.getElementById("results").style.backgroundColor="yellow";
        } else if(marks < 10){
               document.getElementById("results").style.backgroundColor="pink";
       } else if(marks < 12){
                document.getElementById("results").style.backgroundColor="purple";
       } else if(marks < 14){
                document.getElementById("results").style.backgroundColor="blue";
       } else if(marks < 16){
               document.getElementById("results").style.backgroundColor="lightgreen";
       } else if(marks < 18){
               document.getElementById("results").style.backgroundColor="grey";
       } else if(marks < 20){
               document.getElementById("results").style.backgroundColor="gold";
       } else if(marks < 22){
               document.getElementById("results").style.backgroundColor="lightpink";
       }
        var correctAnswers = "";
       for (i = 1; i <= Questions; i++) {
               correctAnswers += i + "." + answers[i - 1] + "\r\n" + "<br/>" + "<br/>";
       }
        document.getElementById("results").innerHTML += "<u>Results:</u>" + "<br>" + "<br>" + ansString +
"<br>" + "<br>":
       document.getElementById("results").innerHTML += "<u>Correct Answers:</u>" + "<br>"+"<br>"+"<br
correctAnswers + "<br>" + "<br>";
       document.getElementById("results").innerHTML += "Your Marks" + "<br/>br>" + marks;
}
PART B
```

Filename: Stadium.html

if (marks >= 0) {

```
<!DOCTYPE html>
          <a href="quiz.html">Quiz</a>
<div class="stadiumPic"><div class="picOverlay">
   <div class="heading"><h1>1) Estadio Azteca Stadium</h1></div>
   </div>
   <div class="stadImage2"></div>
       Location : Montevideo, Uruquay<br/>
```

```
FIFA has declared that this is the only historical monument of world football
</div>
       world with a capacity of 94000. This was the site of Nelson Mandela's first
```

Filename: stadiumStyle.html

Code

```
@import url("https://fonts.googleapis.com/css?family=Righteous" rel="stylesheet");
/*Part B student 3 : Stadiums*/
.stadiumPic{
 background: url("images/pitch.jpg");
 background-attachment: fixed;
 width: 100%;
 height: 500px;
}
.picOverlay{
 width: 100%;
 height: 500px;
 background: rgba(0,0,0,.5);
}
.stadiumPic .picOverlay h1,h2,h3{
 color: white;
 margin-left: 10%;
```

margin-top: 10%;

```
position: absolute;
font-size: 60px;
.stadiumPic .picOverlay h1{
font-size: 100px;
.stadiumPic .picOverlay h2{
font-size: 70px;
.stadiumPic .picOverlay h3{
font-size: 60px;
.outerContainer{
 margin-top: 70px;
 width: 90%;
 margin-left: 5%;
 height:430px;
/*border-bottom: 5px solid orange;*/
.stadImage1{
 margin-top: 1%;
margin-left: 1%;
 width: 430px;
height: 300px;
float: left;
 background: url("images/1.jpg");
 background-size: cover;
 box-shadow: 9px 9px 4px rgba(0,0,0,0.5);
}
.outerContainer .heading{
 width: 100%;
height: 70px;
}
.outerContainer .heading h1{
padding: 1%;
 color: #1F252B;
.stadDescription1{
 margin-top: 1%;
 width: 700px;
 height: 309px;
```

```
border-left: 5px solid tomato;
float:right;
}
.stadDescription1 p{
padding-left: 6%;
}
.stadImage2{
 margin-top: 1%;
 width: 430px;
 background-size: cover;
 height: 300px;
float: right;
 background: url("images/2.jpg");
box-shadow: 9px 9px 4px rgba(0,0,0,0.5);
}
.stadImage3{
 margin-top: 1%;
 width: 430px;
 background-size: cover;
 height: 300px;
float: left;
 background: url("images/3.jpg");
 box-shadow: 9px 9px 4px rgba(0,0,0,0.5);
}
.stadImage4{
 margin-top: 1%;
 width: 430px;
 background-size: cover;
 height: 300px;
float: right;
 background: url("images/4.jpg");
 box-shadow: 9px 9px 4px rgba(0,0,0,0.5);
}
.stadImage5{
margin-top: 1%;
 width: 430px;
 background-size: cover;
 height: 300px;
float: left;
background: url("images/5.jpg");
 box-shadow: 9px 9px 4px rgba(0,0,0,0.5);
}
.stadDescription2{
 margin-top: 1%;
```


```
width: 700px;
height: 309px;
background:white;
float:left;
border-right: 5px solid tomato;
}
.stadDescription2 p{
  padding: 5px;
}
```


Appendix B: Screenshots

Provide a screenshot of all your web pages, in the following format:

Filename: index.html (my team section)

Screenshot(s)







Filename: quiz.html

Quiz|Footzky.com








Filename: Rusiru CV.html

Screenshot(s)




Filename: Stadium.html

Screenshot(s)



Appendix C: Individual Statemen



3) Wembley Stadium



Location : London, England Capacitu: 90000

Originally constructed in 1923 and reopened in 2007, this is one of the most popular and celebrated stadiums in world football. With a capacity of 90000 spectators, it is the second largest stadium in Europe. It is have to the England Notional Football team and is owned by the English PR. It has hosted some of the most mazing agains in European football and is also the versue for the 2013 UETR Champions League Final. This stadium also includes a partially retractable roof and a 134 meter high arch known as the Wembely 1eth. This is one of the most historic on desouthful stadiums in Europe.

4) FNB Stadium

Location : Johannesburg, South Africa Opened on: 1989 Capacity: 94000



5) San Siro Stadium



Opened on: 1926 Capacity: 80000

Officially known as Stadio Giuseppe Meazza, and nick named the "Scola" of football, this stadium is all about football and nothing else. Home to both RC Million and Inter Million. It started functioning in 1920. It is brilliantly designed and has undergone several renovations to make it one of the most booutful stadiums around the world also attaining 5 storts standard by the UFPA. The building's structure was designed so as to allow for maximum visibility for each of its potential 80,000 spectators, as was the introtal lighting system. The form same key light of the very more special to watch a match and are some of the loudest in European football.

Student Name:		Student Id:								
State what tasks you carried out in the project.										

State any weaknesses about yourself that emerged whilst undertaking the project.									
State how you would do things better if you were to undertake the project again.									
Additional general or project specific comments:									
Student			Date:						
Signature:									