COOPER PRECISION
REVERSION PROTOCOL

Official Strategy Rulebook
Micro Futures Day Trading System

"Trade the boundaries. Respect the structure. Control the risk."

Strategy Name: Cooper Precision Reversion Protocol (CPRP)
Creator / Owner: Raymon Michael Cooper
Version: 1.5 (Final) — Chart Pair Hierarchy Locked
Original Creation Date: August 4, 2026
This Edition: August 10, 2026
Primary Instruments: MES (primary), MNQ, MYM
Style: Intraday Range / Channel Reversion

This document is the authoritative definition of the Cooper Precision Reversion Protocol. All trading decisions under this system must conform to the rules stated herein. Deviations void the integrity of the process and the performance record.

1. Strategy Overview

The Cooper Precision Reversion Protocol is a structured, rules-based intraday trading system designed exclusively for Micro E-mini futures. It identifies confirmed Support and Resistance ranges or channels (both sideways and trending) and systematically fades the boundaries until the structure is broken.

The protocol is directionally neutral: the same rules apply whether price is oscillating in a horizontal range or traveling inside a defined channel. The edge is derived from precise identification of structure, multi-factor confirmation, and absolute risk control.

Core Philosophy

- Trade only confirmed structure — never anticipate.
- Fade the extremes of the range or channel until the structure fails.
- Multi-timeframe alignment, volume, price action, and RSI must agree.
- Hard dollar risk limit on every trade. No exceptions.
- When structure breaks, step aside. Do not force trades.

2. Instruments & Chart Setup

Approved Instruments (Micro Futures Only)

- **MES** — Micro E-mini S&P 500 (Primary)
- **MNQ** — Micro E-mini Nasdaq-100
- **MYM** — Micro E-mini Dow Jones

No other instruments are permitted under this protocol.

Approved Chart Pairs (v1.5 Final)

Only the following two working pairs are approved:

- **15-minute (Structure) + 5-minute (Execution)** — Primary / default for most sessions. Cleaner RSI behavior, better range definition, and still-responsive entry timing.
- **30-minute (Structure) + 15-minute (Execution)** — Preferred when ranges are larger, slower, or volume is lighter. Highest-quality S/R levels and least noise.

No chart lower than the 5-minute is used for structure or execution. The former 5-minute + 1-minute pair has been fully retired. Select the pair based on time of day, current volume, and the size of the developing range. The higher timeframe defines structure; the lower timeframe refines entry timing.

Static Higher Timeframe – Long-Term Trend Context

In addition to the active trading pair, maintain a static 1-Hour chart in a separate window at all times. The 1-Hour chart provides long-term trend context and higher-timeframe Support/Resistance levels.

- Primary recommendation: 1-Hour (60-minute) chart as the static long-term trend reference.
- Acceptable alternative: 4-Hour chart for broader bias when preferred.
- The 1-Hour chart does not generate entries. It is used only for context, filtering, and situational awareness.
- When the 1-Hour is cleanly trending, be more selective when fading against that trend inside the active range or channel.
- When the 1-Hour is ranging or choppy, standard range-reversion setups on the active pair generally have higher quality.

3. Structure Definition – Ranges & Channels

A valid trading environment exists only when a clear Support/Resistance range or channel has been confirmed. Both horizontal ranges and sloping channels are valid.

Confirmation Requirements for Structure

- At least two clear touches (or near-touches) at both the upper and lower boundary.
- Price action shows respect for the boundaries (rejection wicks, volume spikes, or clear turns).
- The structure is visible and unambiguous on the higher timeframe of the chosen pair.
- Trend or channel direction is noted but does not change the fade logic.

Once structure is confirmed, the Protocol treats the upper boundary as Resistance (sell zone) and the lower boundary as Support (buy zone).

4. Entry Rules

Long Entries (Buy Support)

1. Price approaches or tags the confirmed lower boundary (Support).
2. Price action shows rejection (wick, engulfing candle, or clear reversal candle on the lower timeframe).
3. Volume supports the rejection or shows absorption.
4. RSI is not in extreme overbought on the higher timeframe and preferably shows bullish divergence or is rising from oversold.
5. All factors align → enter long with defined risk.

Short Entries (Sell Resistance)

1. Price approaches or tags the confirmed upper boundary (Resistance).
2. Price action shows rejection at the boundary.
3. Volume supports the rejection.
4. RSI is not in extreme oversold on the higher timeframe and preferably shows bearish divergence or is falling from overbought.
5. All factors align → enter short with defined risk.

Important: Entries are taken only when the full confluence is present. If any required confirmation is missing, there is no trade.

RSI Guidance (v1.5)

RSI is secondary confirmation. Prefer divergence at the actual Support or Resistance level over absolute 70/30 extremes. On 15-minute and 30-minute charts, RSI extremes are useful as alerts or preparation signals only. If price is still mid-range when RSI reaches an extreme, do not enter — wait for price to reach a confirmed boundary with supporting price action and volume. Optional: a faster RSI period (7 or 9) may be displayed on the execution chart purely for divergence visualization. The structure chart retains the standard 14-period RSI.

5. Risk Management & Exits

Hard Risk Rule (Non-Negotiable)

Every trade must have a hard maximum loss of **–$50 to –$100** per contract (or per position). Exit immediately if this threshold is reached. No averaging down. No “hope.”

Profit Taking & Trade Management

- The primary target is the opposite boundary of the current range or channel.
- Partial profits may be taken at logical intermediate levels or at the midpoint of the range.
- Trail stops only after the trade has moved meaningfully in your favor and structure remains intact.
- If the opposite boundary is reached with strength, consider a full exit or a scale-out.

Structure Break Rule

When price closes decisively beyond a confirmed boundary (Support or Resistance broken with conviction), the current structure is invalidated. Immediately:

- Flatten any open position related to that structure (if it is not already stopped).
- Pause all new trading for a minimum of **30 minutes** or until a new clear structure forms.
- Do not force trades during the transition period.

6. Pre-Trade Confirmation Checklist

Before every entry, verify each item. If any item fails, stand aside.

#	Confirmation Item	Status
1	Clear, confirmed S/R range or channel on the higher timeframe	■
2	Price is at or near the boundary (Support for long / Resistance for short)	■
3	Price-action rejection is visible on the lower timeframe	■
4	Volume supports the rejection or absorption	■
5	RSI condition is favorable (not an opposing extreme; divergence preferred)	■
6	Hard-stop distance fits within the –$50 to –$100 risk limit	■
7	No recent structure break (or the 30-minute pause has completed)	■

7. Operational Discipline

- Trade only during periods of reasonable liquidity for the chosen micro contract.
- Prefer MES as the primary instrument; use MNQ or MYM only when conditions are clearly superior.
- Maintain a complete trade journal for every execution (entry reason, checklist status, outcome, and lessons).
- Review performance weekly against these rules. Strategy integrity takes priority over short-term P&L.
- Never increase risk beyond the hard dollar limit to “make up” losses.
- The Protocol is complete as written. Additional indicators or discretionary overrides are not part of the system.

8. Version History

Version	Date	Changes
1.0	Aug 4, 2026	Initial formalization of Micro Range Reversion Strategy rules.
1.1	Aug 5, 2026	Minor clarifications to structure confirmation and risk language.
1.2	Aug 8, 2026	Official rename to Cooper Precision Reversion Protocol. Branding alignment.

1.3	Aug 9, 2026	Added official guidance on a static 1-Hour chart for long-term trend context.
1.5	Aug 10, 2026	Final chart-pair hierarchy locked (15m+5m default, 30m+15m secondary). 5m+1m pair fully retired. RSI clarified as secondary confirmation with mid-range alert rule. Grammar and wording polished for clarity.

Disclaimer: Futures trading involves substantial risk of loss and is not suitable for all investors. This rulebook defines a personal trading protocol. It does not constitute investment advice, a solicitation, or a recommendation. Past performance is not indicative of future results. The creator accepts no liability for trading decisions made by others using these rules.

— End of Official Rulebook —

Cooper Precision Reversion Protocol | Raymon Michael Cooper | 2026