

COOPER PRECISION REVERSION PROTOCOL

Official Strategy Rulebook
Micro Futures Day Trading System

“Trade the boundaries. Respect the structure. Control the risk.”

Strategy Name	Cooper Precision Reversion Protocol (CPRP)
Creator / Owner	Raymon Michael Cooper
Version	1.5 (Final) — Chart Pair Hierarchy Locked
Original Creation Date	August 4, 2026
This Edition	August 10, 2026
Primary Instruments	MES (primary), MNQ, MYM
Style	Intraday Range / Channel Reversion

This document is the authoritative definition of the Cooper Precision Reversion Protocol. All trading decisions under this system must conform to the rules stated herein. Deviations void the integrity of the process and the performance record.

1. Strategy Overview

The **Cooper Precision Reversion Protocol** is a structured, rules-based intraday trading system designed exclusively for Micro E-mini futures. It identifies confirmed Support and Resistance ranges or channels (both sideways and trending) and systematically fades the boundaries until the structure is broken.

The protocol is directionally neutral: the same rules apply whether price is oscillating in a horizontal range or traveling inside a defined channel. The edge is derived from precise identification of structure, multi-factor confirmation, and absolute risk control.

Core Philosophy

- Trade only confirmed structure — never anticipate.
- Fade the extremes of the range/channel until the structure fails.
- Multi-timeframe alignment + volume + price action + RSI must agree.
- Hard dollar risk limit on every trade. No exceptions.
- When structure breaks, step aside. Do not force trades.

2. Instruments & Chart Setup

Approved Instruments (Micro Futures Only)

- **MES** — Micro E-mini S&P; 500 (Primary)
- **MNQ** — Micro E-mini Nasdaq-100
- **MYM** — Micro E-mini Dow Jones

No other instruments are permitted under this protocol.

Approved Chart Pairs (v1.5 Final)

Only the following two working pairs are approved:

- **15-minute (Structure) + 5-minute (Execution)** — Primary / default for most sessions. Cleaner RSI behavior, better range definition, still-responsive entry timing.
- **30-minute (Structure) + 15-minute (Execution)** — Preferred when ranges are larger, slower, or volume is lighter. Highest quality S/R levels and least noise.

No chart lower than the 5-minute is used for structure or execution. The former 5-minute + 1-minute pair has been fully retired. Select the pair based on time of day, current volume, and the size of the developing range. The higher timeframe defines structure; the lower timeframe refines entry timing.

Static Higher Timeframe – Long-Term Trend Context

In addition to the active trading pair, maintain a **static 1-Hour chart** in a separate window at all times. The 1-Hour chart provides long-term trend context and higher-timeframe Support/Resistance levels.

- **Primary recommendation:** 1-Hour (60-minute) chart as the static long-term trend reference.
- **Acceptable alternative:** 4-Hour chart for broader bias when preferred.
- The 1-Hour does **not** generate entries. It is used only for context, filtering, and situational awareness.
- When the 1-Hour is cleanly trending, be more selective fading against that trend inside the active range/channel.
- When the 1-Hour is ranging or choppy, standard range-reversion setups on the active pair generally have higher quality.

3. Structure Definition – Ranges & Channels

A valid trading environment exists only when a clear Support/Resistance range or channel has been confirmed. Both horizontal ranges and sloping channels are valid.

Confirmation Requirements for Structure

- At least two clear touches (or near-touches) at both the upper and lower boundary.
- Price action shows respect for the boundaries (rejection wicks, volume spikes, or clear turns).
- The structure is visible and unambiguous on the higher timeframe of the chosen pair.
- Trend / Channel direction is noted but does not change the fade logic.

Once structure is confirmed, the Protocol treats the upper boundary as Resistance (sell zone) and the lower boundary as Support (buy zone).

4. Entry Rules

Long Entries (Buy Support)

1. Price approaches or tags the confirmed lower boundary (Support).
2. Price action shows rejection (wick, engulfing, or clear reversal candle on the lower timeframe).
3. Volume supports the rejection or shows absorption.
4. RSI is not in extreme overbought on the higher timeframe and preferably shows bullish divergence or rising from oversold.
5. All factors align → enter long with defined risk.

Short Entries (Sell Resistance)

1. Price approaches or tags the confirmed upper boundary (Resistance).
2. Price action shows rejection at the boundary.
3. Volume supports the rejection.
4. RSI is not in extreme oversold on the higher timeframe and preferably shows bearish divergence or falling from overbought.
5. All factors align → enter short with defined risk.

Important: Entries are only taken when the full confluence is present. Missing one required confirmation = no trade.

RSI Guidance (v1.5)

RSI is secondary confirmation. Prefer divergence at the actual Support or Resistance level over absolute 70/30 extremes. On 15-minute and 30-minute charts, RSI extremes are useful as alerts / preparation signals only. If price is still mid-range when RSI reaches an extreme, do not enter — wait for price to reach a confirmed boundary plus supporting price action and volume. Optional: a faster RSI period (7 or 9) may be displayed on the execution chart purely for divergence visualization. The structure chart retains the standard 14-period RSI.

5. Risk Management & Exits

Hard Risk Rule (Non-Negotiable)

Every trade must have a hard maximum loss of **–\$50 to –\$100** per contract (or per position). Exit immediately if this threshold is reached. No averaging down. No “hope.”

Profit Taking & Trade Management

- Primary target is the opposite boundary of the current range/channel.
- Partial profits may be taken at logical intermediate levels or midpoint of the range.
- Trail stops only after the trade has moved meaningfully in favor and structure remains intact.
- If the opposite boundary is reached with strength, consider full exit or scale-out.

Structure Break Rule

When price closes decisively beyond a confirmed boundary (Support or Resistance broken with conviction), the current structure is invalidated. Immediately:

- Flatten any open position related to that structure (if not already stopped).
- Pause all new trading for a minimum of **30 minutes** or until a new clear structure forms.
- Do not force trades during the transition period.

6. Pre-Trade Confirmation Checklist

Before every entry, verify each item. If any item fails, stand aside.

#	Confirmation Item	Status
1	Clear, confirmed S/R range or channel on higher TF	■
2	Price is at or near the boundary (Support for long / Resistance for short)	■
3	Price action rejection visible on lower TF	■
4	Volume supports the rejection / absorption	■
5	RSI condition is favorable (not opposing extreme / divergence preferred)	■
6	Hard stop distance fits within –\$50 to –\$100 risk limit	■
7	No recent structure break (or 30-min pause has completed)	■

7. Operational Discipline

- Trade only during periods of reasonable liquidity for the chosen micro contract.
- Prefer the MES as the primary instrument; use MNQ or MYM only when conditions are clearly superior.
- Maintain a complete trade journal for every execution (entry reason, checklist status, outcome, lessons).
- Review performance weekly against these rules. Strategy integrity > short-term P&L.
- Never increase risk beyond the hard dollar limit to “make up” losses.
- The Protocol is complete as written. Additional indicators or discretionary overrides are not part of the system.

8. Version History

Version	Date	Changes
1.0	Aug 4, 2026	Initial formalization of Micro Range Reversion Strategy rules.
1.1	Aug 5, 2026	Minor clarifications to structure confirmation and risk language.
1.2	Aug 8, 2026	Official rename to Cooper Precision Reversion Protocol. Branding alignment.
1.3	Aug 9, 2026	Added official guidance on static 1-Hour chart for long-term trend context.
1.5	Aug 10, 2026	Final chart-pair hierarchy locked (15m+5m default, 30m+15m secondary). 5m+1m pair fully retired. RSI clarified as secondary confirmation with mid-range alert rule.

Disclaimer: *Futures trading involves substantial risk of loss and is not suitable for all investors. This rulebook defines a personal trading protocol. It does not constitute investment advice, a solicitation, or a recommendation. Past performance is not indicative of future results. The creator accepts no liability for trading decisions made by others using these rules.*

— End of Official Rulebook —

Cooper Precision Reversion Protocol | Raymon Michael Cooper | 2026