




WAZO User Manual

Your personalized wealth organizer

Version 1.1.5 | Build 1.1.5.0 | Updated 2026-07-21

Recommended First-Time Workflow

Build the workspace in a safe order, then verify that recovery and reporting work as expected.



Local-first and private

This manual primarily describes the Windows desktop release. Android has a separate storage and feature scope; see the Android Differences section.

Index

Use this index to quickly find help for the screen or workflow you are using.

Area	What it covers
Purpose	WAZO is a local-first personal wealth organizer for W...
Installation And Privacy Acknowledgement	The Windows installer does not collect WAZO privacy a...
First Start: Seven-Step Setup	On a fresh Windows installation, WAZO opens an anonym...
Existing v1.1.4 User Upgrade	An existing v1.1.4 user is shown a one-time Required...
Navigation Overview	Use the left navigation panel to move between major w...
Portfolio	The Portfolio page gives a high-level view of the sel...
Member Setup	Member Setup is available under Settings. It controls...
Assets	The Assets page manages confirmed holdings together w...
Asset Library	Asset Library contains reusable definitions, definiti...
Allocation Targets	Allocation Targets define the desired wealth mix. The...
Optional Zakat Module	Zakat is optional. When disabled, Zakat-specific page...
Financial Goals	Financial Goals helps users plan future financial tar...
Calculators	The Calculators page includes SIP, SWP, lumpsum, FD,...
Asset Performance & Reports	Asset Performance & Reports helps users investigate a...
Settings	Settings controls general preferences, member setup,...
Optional Online Rate Updates	Core WAZO features remain usable offline. Online rate...
Privacy, Protection, And Safe Use	User guidance and workflow details
Windows-Protected Local Store	WAZO 1.1.5 stores its active logical JSON data in aut...
Privacy Mode	Privacy Mode structurally redacts sensitive financial...
Backup, Restore, Reset, And Deletion	Open Settings > Storage for the Windows data lifecycl...
Password-Protected Portable Backup	Windows-bound protected storage is not portable to an...
Reset To Demo	Reset to Demo is recoverable, not permanent deletion....
Permanently Delete Local WAZO Data	Permanently Delete Local WAZO Data is separate from r...
Android Differences	Android is a separate mobile storage scope. The Windo...
Troubleshooting	User guidance and workflow details

Purpose

WAZO is a local-first personal wealth organizer for Windows. It helps users organize profiles, members, assets, recurring investments, financial goals, reports, user-controlled backups, and optional Zakat workflows.

WAZO does not require a WAZO account or operate a cloud portfolio service. On Windows, WAZO 1.1.5 protects its app-managed active records, settings, logs, transaction generations, and internal recovery points with authenticated encryption. The protection key is secured through Windows Data Protection API (DPAPI) for the current Windows user and Windows installation.

Files that you deliberately create outside WAZO, including reports, print output, screenshots, legacy JSON imports, and portable backups, remain your responsibility. See the Privacy, Protection, And Safe Use section and the Backup, Restore, Reset, And Deletion section.

This manual primarily describes the Windows desktop release. Android has a separate storage and feature scope; see the Android Differences section.

Installation And Privacy Acknowledgement

The Windows installer does not collect WAZO privacy acknowledgement. WAZO asks for acknowledgement inside the app at the point where a new user creates a real workspace or an existing user authorizes migration of prior data.

The bundled Windows notice is policy revision WAZO-PP-1.1.5-2026-07-20, effective July 20, 2026.

The acknowledgement control is not selected in advance. WAZO records the accepted policy revision, effective date, document hash, app version, source, and an app-generated timestamp locally. Acknowledging the policy does not create an online account, upload a portfolio, authorize advertising, or turn on optional online rates.

An offline copy of the policy is bundled with the app and can be reviewed without internet access. The **Open Live Policy** action opens the published policy in the user's browser and therefore requires internet access.

First Start: Seven-Step Setup

On a fresh Windows installation, WAZO opens an anonymous demo workspace and presents a seven-step setup dialog:

1. **Welcome and privacy** explains local processing, Windows-protected storage, Privacy Mode, and provides **Review Offline Policy**. 2. **Country and regional format** selects the country and the format used for dates, numbers, currency grouping, and localized country names. App buttons and page labels remain in English. 3. **Profile** creates the first family or personal profile. 4. **First member** creates the first owner for asset records. 5. **Financial year and currency** selects the active April-to-March financial year and default currency. 6. **Optional Zakat** enables or disables the Zakat module. It can be changed later in Settings. 7. **Review and acknowledge** summarizes the choices, provides offline and live policy actions, and shows the non-preselected privacy acknowledgement.

Select **Create My Workspace** only after reviewing the summary and selecting the acknowledgement. WAZO creates the profile, member, settings, setup-completion record, and policy record together through the authoritative app process. It does not rely only on the visible form to authorize storage.

Continue Later

Select **Continue Later** or close the setup dialog to keep using anonymous demo data. A **Setup paused** notice remains available with **Resume Setup**. Demo-only use does not authorize WAZO to store a real profile or financial record; an attempted real-data action returns the user to setup.

Setup completes only after WAZO creates a non-sample profile and member and records the current policy acknowledgement. Add more members in Settings before assigning assets to them.

Existing v1.1.4 User Upgrade

An existing v1.1.4 user is shown a one-time **Required privacy review** before portfolio details are returned to the screen. This is an upgrade and migration flow, not a second profile/member setup wizard.

To continue:

1. Review the bundled offline policy or open the live policy. 2. Select the non-preselected acknowledgement. 3. Select **Acknowledge & Protect** and keep WAZO open while verification finishes.

Before acknowledgement, WAZO keeps the earlier four-file store unchanged and does not expose its portfolio details to the app page. Exiting without acknowledgement leaves those files unchanged.

After acknowledgement, WAZO validates all four v1.1.4 files, creates and verifies a Windows-protected pre-migration recovery generation, preserves record identities and financial values during compatibility normalization, writes the protected store, decrypts and validates it, and promotes it atomically. Only after the protected copy is verified does WAZO remove the app-managed plaintext live files. If migration cannot be completed safely, WAZO stops and preserves recoverable source or protected data instead of silently replacing it with demo data.

Existing profiles, members, assets, goals, theme, and supported settings should remain available without re-entry. WAZO 1.1.4 cannot read the new v1.1.5 protected store, so use WAZO 1.1.5 and create a password-protected portable backup before moving data to another account or computer.

If WAZO reports conflicting setup or origin evidence, it shows the safe-review gate and keeps the portfolio hidden. Do not create replacement data over that state; preserve the files and use the displayed recovery information.

Navigation Overview

Use the left navigation panel to move between major work areas:

- Portfolio
- Assets
- Asset Library
- Asset Performance & Reports
- Zakat Center (when enabled)
- Financial Goals
- Calculators
- Settings
- Activity & Events
- Help
- About

When the optional Zakat module is enabled, the Zakat Center and Zakat settings become available.

WAZO

Your personalized wealth organizer

Portfolio

Assets

Asset Library

Asset Performance & Reports

Zakat Center (when enabled)

Financial Goals

Calculators

Settings

Activity & Events

Help

About

Navigation Overview

Use the left navigation panel to move between major work areas:

When the optional Zakat module is enabled, the Zakat Center and Zakat settings become available.

Feature Areas

Portfolio

The Portfolio page gives a high-level view of the selected profile and financial year. Users can review net worth, asset records, net worth growth with axis values, current allocation, desired allocation from allocation targets, required rebalancing, member breakdown, and smart analytics. The **Set Active FY** button is shown only when the selected financial year is not already active.

The financial year runs from April 1 to March 31.

Member Setup

Member Setup is available under Settings. It controls profiles and members. Assets must be owned by members, and profile totals are calculated from member-owned data.

A profile cannot be deleted while it still owns members, holdings, definitions, plans, transactions, goals, budgets, Zakat records, reports, export presets, allocation targets, or history. Move or delete those records first. If a prior WAZO release left family-scoped records behind after a profile was deleted, v1.1.5 preserves them in a clearly labeled **Recovered Household** instead of discarding them or preventing startup; review and rename, move, or delete those records.

Assets

The Assets page manages confirmed holdings together with recurring investment plans, pending investment reviews, and confirmed transactions. Users can add, edit, delete, search, sort, print, and export assets. Each asset must have an existing member owner.

A backdated SIP or recurring plan queues each due occurrence through the current local date for review. Planned occurrences do not change holdings or cost basis until the user selects **Review & Confirm**. A pending occurrence can also be deleted without creating a transaction.

Only the schedule control relevant to the selected frequency is enabled. Monthly and specific-day schedules clamp to the final available day in shorter months. Long schedules use a bounded safety limit so malformed or extremely old plans cannot freeze the app; a diagnostic warning identifies a plan that requires review.

A scheduled occurrence must be confirmed for the member and asset or definition stored on its plan. It cannot be silently reassigned during confirmation. An adjustment requires an existing owned asset and a real change to units or cost basis. Adjustments correct bookkeeping and are recorded as zero investment cashflow.

Asset Library

Asset Library contains reusable definitions, definition prices and rate sources, allocation targets, the asset class registry, the definition library, and legacy type mappings. A library definition can prefill an asset's type, category, unit, valuation, rate, Zakat, and notes. Updating a linked definition rate refreshes current linked values; it does not silently rewrite historical snapshots.

An explicitly supplied current market price, including zero, is authoritative. WAZO uses NAV only when a current price is absent. A zero current value with a positive cost basis remains visible as a total loss in performance views.

Allocation Targets

Allocation Targets define the desired wealth mix. They can apply to profile scope or member scope. Duplicate owner/category targets are blocked, totals must not exceed 100%, and the table shows current value, desired value, and the required buy or reduce amount.

Optional Zakat Module

Zakat is optional. When disabled, Zakat-specific pages, fields, reports, cards, reminders, and calculations are hidden or inactive. When enabled, users can set the default Zakat rate and upcoming date, manage payees and categories, record payments, review distribution, and print or export relevant reports.

A Zakat payment amount must be greater than zero. When a payment is linked to an asset, that asset must belong to the selected paid-for member.

Financial Goals

Financial Goals helps users plan future financial targets, FIRE number, monthly needs, annual need, goal progress, and individual goal trackers. Goal Intelligence highlights deadline pressure and estimates monthly and annual investment amounts across equity, gold, and real-estate assumptions to help users compare a practical funding mix.

The FIRE calculation uses $\text{monthly need} = \text{monthly expenditure} + \text{included monthly Zakat}$, $\text{annual need} = \text{monthly need} \times 12$, and $\text{FIRE number} = \text{annual need} \times \text{FIRE multiple}$. Monthly Zakat is included only when the optional Zakat module and its planning toggle are both enabled. A missing or invalid FIRE multiple defaults to 25.

Calculators

The Calculators page includes SIP, SWP, lumpsum, FD, EMI, goal SIP, inflation impact, CAGR, delayed SIP cost, RD, and projection calculators.

Invalid, missing, out-of-range, or non-whole month inputs show a validation message instead of a plausible zero result. SIP and RD contributions are applied at month end, and SIP step-up occurs after each completed 12 months. FD uses monthly compounding; EMI uses monthly reducing-balance math. SWP applies the monthly return before withdrawal, increases the planned withdrawal after each completed year, and stops exactly when the corpus is depleted. Projection Zakat uses the current portfolio's Zakatable-to-net-worth ratio and configured Zakat rate rather than treating every projected asset as Zakatable.

Asset Performance & Reports

Asset Performance & Reports helps users investigate asset and category value, gain or loss, CAGR, residual-checked XIRR, allocation, and historical growth. Desktop reports can be printed or exported as PDF, Excel-compatible XLS, CSV, JSON, or HTML. Zakat-specific cards and post-Zakat analytics appear only when the optional Zakat module is enabled.

CAGR is displayed only for a simple single-purchase holding. SIP, multiple-purchase, redemption, fee, and other irregular cashflows show **Irregular cash flows**, with XIRR as the primary metric when it can be calculated. XIRR uses confirmed dated cashflows plus the current terminal value and is displayed only after the solver residual is validated. Aggregate SIP holdings without dated confirmed cashflows show **Not available** instead of an invented return.

For a financial-year or date-filtered report, the transaction table follows the selected dates. Investment performance remains a transparent since-inception calculation through the current holding value for assets that have a matching transaction in that report scope; date filters do not rebase a partial-period return against the whole holding. Financial-year Zakat reports use the payment's assigned cycle, while date-range reports use **Paid On**. Unlinked payments are allocated from the member or profile's complete Zakatable scope before asset or category filters are applied.

The first print or export for the current disclosure revision shows **Readable File Outside WAZO**. Review the warning before continuing. Printed and exported files can contain financial information and are not protected by WAZO's local-store encryption. Choose a safe destination and protect or delete copies when no longer needed. If Privacy Mode is active, WAZO generates the supported structurally redacted report instead of placing raw hidden values in the output.

Activity And Events

Activity & Events keeps normal user actions and technical diagnostics on one page with separate filters. Privacy Mode masks sensitive detail text in both tables.

Help And Support

The Help page explains app workflows, opens support templates, and includes **Open PDF Manual**. Keyboard users retain native select behavior, visible focus, accessible pagination, and focus containment in setup and policy dialogs.

WAZO does not automatically attach or send portfolio data with a support request. Review and redact any text, screenshot, diagnostic detail, or attachment before sending it by email.

Settings

Settings controls general preferences, member setup, Windows-protected storage, portable backup and restore, automatic protected recovery, portfolio views, asset settings, optional Zakat settings, payee categories, themes, header shortcuts, export options, notifications, and navigation visibility.

Regional Format changes date order, number grouping, decimal separators, currency formatting, and localized country names. It does not translate WAZO's buttons, menus, reports, or help text.

Optional Online Rate Updates

Core WAZO features remain usable offline. Online rate updates are off by default and are available only on Windows desktop in this release.

The first time **Allow online rate updates** is enabled, WAZO displays a separate disclosure. The chosen HTTPS rate endpoint can receive ordinary connection information, such as IP address, request time, and transport metadata, plus the requested rate URL or symbol parameters. WAZO does not send family names, holdings, values, transactions, goals, Zakat records, or portfolio files in that request.

Select **Keep Offline** to leave the feature disabled. Turning the setting off stops WAZO from making rate-provider requests. WAZO rejects embedded credentials, local/private destinations, redirects, oversized or invalid responses, and non-HTTPS rate endpoints. Never place a password, API key, access token, private key, or other secret in a rate URL.

Privacy, Protection, And Safe Use

Windows-Protected Local Store

WAZO 1.1.5 stores its active logical JSON data in authenticated encrypted envelopes under its protected application-data area. The local master key is wrapped by Electron safe storage using Windows DPAPI. App-managed transaction generations, internal recovery points, settings, activity logs, and diagnostics use the same protected boundary.

There is no automatic plaintext fallback. A missing or unusable Windows key, a different Windows user, a damaged or tampered envelope, a mixed plaintext/protected active store, or an unsupported protection version causes WAZO to fail closed and request safe recovery. WAZO does not silently initialize demo data over an existing protected store.

Windows-bound protection normally requires the same Windows user and Windows installation. It is not a substitute for a strong Windows password, device encryption, malware protection, or locking an unattended session. Software already running with the user's privileges may be able to access information while WAZO is open.

Privacy Mode

Privacy Mode structurally redacts sensitive financial figures across cards, tables, charts, reports, allocation views, financial goals, Zakat views, smart-insight explanations, activity details, diagnostic details, copied content, and generated exports. Privacy-safe exports use a generic filename and do not embed sensitive raw report rows.

Chart geometry is neutralized so line positions, bar lengths, allocation proportions, tooltips, and accessible labels do not reveal the hidden values. Outside Privacy Mode, chart legends, category names, and visible values remain available to assistive technology.

Privacy Mode is display and output redaction. It is not encryption, authentication, access control, permanent deletion, or a replacement for Windows-protected storage.

External Links

Opening the WAZO Official website, live privacy policy, Microsoft Store, LinkedIn, or a support-email action transfers control to the browser, Microsoft, LinkedIn, GitHub Pages, or the configured email provider. Those services may receive normal connection, device, account, or message information under their own terms. WAZO does not automatically send the local portfolio merely because an external link is opened.

The offline bundled policy is the appropriate choice when the user does not want to open an external service.

Information WAZO Does Not Request

Do not enter restricted credentials or secrets into WAZO. WAZO does not need and does not ask for:

- bank or payment-card login credentials or full payment-card details;
- PINs, passwords, one-time codes, or authentication answers;
- tax identification numbers;
- API keys, private keys, or access tokens; or
- cryptocurrency recovery phrases, seed words, or private keys.

Optional account and reference fields are descriptive labels only. Do not use them as a password manager or secret store.

Backup, Restore, Reset, And Deletion

Open **Settings > Storage** for the Windows data lifecycle controls.

Password-Protected Portable Backup

Windows-bound protected storage is not portable to another Windows account or computer. Use **Create Portable Backup** to create one authenticated .wazo-backup file:

1. Optionally choose a default destination folder. 2. Select **Create Portable Backup**. 3. Enter and confirm a password of at least 12 characters. 4. Save the generated .wazo-backup file in a secure location. 5. Keep the password separately from the file and verify that you can identify both before relying on the backup.

WAZO does not store the portable-backup password, and neither WAZO nor the developer can recover it. A forgotten password makes the backup unusable. Anyone who obtains both the file and password may be able to restore its content.

The selected backup destination must resolve outside WAZO's protected, legacy, transaction-generation, and recovery locations that **Permanently Delete Local WAZO Data** removes. WAZO rejects an unsafe location even when a junction, symbolic link, case variation, or missing child folder would otherwise hide that relationship.

To restore, select **Restore Portable Backup**, supply the password, and choose the file. On a fresh installation, this action is also available on the first setup step and requires a separate non-preselected acknowledgement of the current WAZO Privacy Policy; imported acknowledgement or network-disclosure records are never trusted. WAZO authenticates and validates the complete store before showing a non-sensitive preview of its creation date and record counts. Confirm the preview to continue. WAZO records the fresh-install acknowledgement only in the restored local workspace, disables optional online rates, and creates a Windows-protected pre-restore recovery point before atomically replacing active data. A wrong password, damaged or tampered file, unsupported version, or canceled preview does not change the active store.

Automatic Protected Recovery

Automatic Protected Recovery creates encrypted, Windows-bound internal recovery points while WAZO is open. It does not require a password or external folder and is not a transferable backup.

Choose Daily, Weekly, Monthly, or Custom Days and a backup time. If a schedule becomes due while WAZO is closed, it runs on the next launch. WAZO retains the latest eight automatic recovery points. Keep a separate portable backup for device loss, Windows-account loss, or transfer to another computer.

Legacy Readable JSON Import

Import Legacy Readable JSON accepts a user-selected combined WAZO export or complete timestamp-matched four-file legacy backup. WAZO previews and validates the source without changing active data, shows family/member/asset/log counts, and requires confirmation. It then creates a protected recovery point, enforces this installation's current policy authority, and commits the validated content to protected storage.

The original selected JSON remains readable outside WAZO and is not deleted. Store or remove that source safely after the import.

Startup Recovery

WAZO uses authenticated generations and last-known-good recovery information to prevent a partial write from replacing a valid store. If startup detects an interrupted transaction, invalid authentication, a missing key, incompatible data, or damage that cannot be repaired automatically, WAZO stops and presents a safe recovery error. It preserves evidence instead of overwriting protected data with the demo workspace.

Reset To Demo

Reset to Demo is recoverable, not permanent deletion. WAZO first creates a protected recovery point, installs the anonymous sample workspace, clears setup and policy authority, preserves approved backup preferences, and reopens initial setup. The pre-reset recovery point remains for safe recovery.

Permanently Delete Local WAZO Data

Permanently Delete Local WAZO Data is separate from reset. WAZO requires the exact typed phrase `DELETE WAZO DATA`. After confirmation, it removes the protected active store, app-managed transaction generations, recovery points, policy acknowledgement, app-managed automatic backups, and known app-managed legacy local files for that Windows account. WAZO then closes.

Permanent deletion does not remove portable backups, legacy imports, reports, exports, screenshots, printed copies, email attachments, cloud-provider copies, Windows File History, or other files saved outside WAZO. Delete those separately. Operating-system and storage-hardware behavior also means the app cannot promise forensic erasure.

Uninstall Retention

Uninstalling WAZO can leave per-user application data on Windows. If the intention is to remove local WAZO records, use **Permanently Delete Local WAZO Data** before uninstalling, and then separately delete any backups or exports stored elsewhere.

App Updates

App Updates is available under About. Trusted JSON-only data/settings patches are previewed, explicitly confirmed, fully validated, and applied atomically. Unsigned application-bundle patches are blocked; install a trusted WAZO release for application-code updates.

Updating from v1.1.4 to v1.1.5 uses the protected migration described above. Later v1.1.5 launches use the protected store directly and do not repeat profile setup when the current completion and policy records remain valid.

Android Differences

Android is a separate mobile storage scope. The Windows seven-step protected-storage setup, v1.1.4 Windows migration, Windows DPAPI claims, automatic protected recovery, password-protected .wazo-backup creation/restore, permanent-delete control, and online rate updates are not available on Android in v1.1.5.

Android continues to use its native app-data workflow and Android-specific four-file JSON backup. Protect any Android backup copied to Documents because it is not described as Windows DPAPI-protected. Use Android system app-storage controls when clearing Android app data.

Android reports PDF and Print as unavailable rather than creating fake output. Use Excel, CSV, JSON, or HTML export where supported. Do not describe the Android build as having protection equivalent to Windows until a separately approved and verified Android Keystore-backed design is released.

Troubleshooting

Initial setup is not visible

Look for the **Initial setup** or **Setup paused** notice and select **Start Setup** or **Resume Setup**. A fresh user can view demo data without acknowledgement, but real-data changes remain blocked until setup completes.

Existing data is hidden after updating

Complete the **Required privacy review**. If the safe-review screen reports conflicting or damaged data, do not reinstall, downgrade, or create replacement records over it. Preserve the files and follow the displayed recovery information.

A portable backup will not open

Confirm that the selected file ends in .wazo-backup and that the exact password is being used. WAZO cannot recover a forgotten password. Authentication or validation failure leaves active data unchanged.

A backup location is rejected

Choose a normal folder outside WAZO's app-managed data area, such as a user-selected folder in Documents or an external drive. WAZO rejects destinations inside protected storage, legacy live storage, transaction generations, or recovery folders because permanent deletion removes those locations.

Protected storage will not open

Confirm that WAZO is running under the same Windows user and Windows installation that created the store. A copied protected-store folder is not a portable backup. Restore a password-protected portable backup instead.

Totals look wrong

Confirm the active profile, selected financial year, member ownership, pending versus confirmed investment transactions, and whether an asset is excluded from net worth.

Zakat items are visible when not needed

Open Settings, disable the optional Zakat module, and save settings.

Online rates do not run

Online rates are off by default. On Windows desktop, enable **Allow online rate updates**, accept its separate disclosure, and use a valid public HTTPS endpoint without embedded credentials. The feature is unavailable on Android.

Layout looks broken

Resize the window, check the selected theme and control size, and report the issue from Help. Remove or redact sensitive values from any screenshot or diagnostic information you choose to send.