




WAZO User Manual

Your personalized wealth organizer

Version 1.1.6 | Build 1.1.6.0 | Updated 2026-07-23

Recommended First-Time Workflow

Build the workspace in a safe order, then verify that recovery and reporting work as expected.



Local-first and private

This manual primarily describes the Windows desktop release. Android has a separate storage and feature scope; see the Android Differences section.

Index

Use this index to quickly find help for the screen or workflow you are using.

Area	What it covers
Purpose	WAZO is an offline personal wealth organizer for Wind...
Installation And Privacy Acknowledgement	The Windows installer does not collect WAZO privacy a...
First Start: Ten-Step Setup	On a fresh Windows installation, WAZO opens an anonym...
Existing v1.1.4 And v1.1.5 User Upgrade	An existing v1.1.4 user is shown a one-time Required...
Navigation Overview	Use the left navigation panel to move between major w...
Portfolio	The Portfolio page gives a high-level view of the sel...
Member Setup	Member Setup is available under Settings. It controls...
Assets	The Assets page manages confirmed holdings together w...
Asset Library	Asset Library contains reusable definitions, locally...
Allocation Targets	Allocation Targets define the desired wealth mix. The...
Optional Zakat Module	Zakat is optional and defaults off for a genuinely fr...
Financial Goals	Financial Goals helps users plan future financial tar...
Calculators	The Calculators page includes SIP, SWP, lumpsum, FD,...
Asset Performance & Reports	Asset Performance & Reports helps users investigate a...
Settings	Settings is organized into Workspace, Guidance & Plan...
Trust Center & Data Health	Open Settings > Data & Privacy > Trust Center & Data...
Offline Prices And Rates	WAZO does not connect to a market-data or financial A...
Privacy, Protection, And Safe Use	User guidance and workflow details
Windows-Protected Local Store	WAZO 1.1.6 stores its active logical JSON data in aut...
Privacy Mode	Privacy Mode structurally redacts sensitive financial...
Backup, Restore, Reset, And Deletion	Open Settings > Data Lifecycle & Trash for the Window...
Portable .wz Backup	Windows-bound protected storage is not portable to an...
Recoverable Trash	Ordinary current-state and configuration records remo...
Reset To Demo	Reset to Demo is recoverable, not permanent deletion...
Permanently Delete Local WAZO Data	Permanently Delete Local WAZO Data is separate from r...
Android Differences	Android is a separate mobile storage scope. The Windo...
Troubleshooting	User guidance and workflow details

Purpose

WAZO is an offline personal wealth organizer for Windows. It helps users organize profiles, members, assets, recurring investments, financial goals, reports, user-controlled backups, optional Zakat workflows, and local trust/completeness reviews.

WAZO does not require a WAZO account, operate a cloud portfolio service, connect to a market-data API, synchronize records remotely, use cloud AI, or collect portfolio telemetry. On Windows, WAZO 1.1.6 protects its app-managed active records, settings, logs, transaction generations, and internal recovery points with authenticated encryption. The protection key is secured through Windows Data Protection API (DPAPI) for the current Windows user and Windows installation.

Files that you deliberately create outside WAZO, including reports, print output, screenshots, legacy JSON imports, and portable backups, remain your responsibility. See the Privacy, Protection, And Safe Use section and the Backup, Restore, Reset, And Deletion section.

This manual primarily describes the Windows desktop release. Android has a separate storage and feature scope; see the Android Differences section.

Installation And Privacy Acknowledgement

The Windows installer does not collect WAZO privacy acknowledgement. WAZO asks for acknowledgement inside the app at the point where a new user creates a real workspace or an existing user authorizes migration of prior data.

The bundled Windows notice is policy revision WAZO-PP-1.1.6-2026-07-23-R2, effective July 23, 2026.

The acknowledgement control is not selected in advance. WAZO records the accepted policy revision, effective date, document hash, app version, source, and an app-generated timestamp locally. Acknowledging the policy does not create an online account, upload a portfolio, authorize advertising, or enable any API connection.

An offline copy of the current policy is bundled with the app and can be reviewed without internet access. WAZO enables **Open Live Policy** only after the matching revision has been published and verified at the canonical website. While that publication is pending, the app clearly directs users to the current bundled copy and does not open an older live revision.

First Start: Ten-Step Setup

On a fresh Windows installation, WAZO opens an anonymous demo workspace and presents a scroll-safe ten-step setup dialog:

1. **Welcome and privacy** explains local processing, Windows-protected storage, Privacy Mode, and provides **Review Offline Policy**.
2. **Country and regional format** selects the country and the format used for dates, numbers, currency grouping, and localized country names. App buttons and page labels remain in English.
3. **Theme preview** starts with a professional default and lets the user preview every available theme immediately before choosing one.
4. **Profile** creates the first family or personal profile.
5. **Members and dates of birth** creates between one and twelve unique owners for asset records. Select **Add another member** to create more than one member during setup, or remove an extra row before continuing. Date of birth is optional sensitive information used for age-aware planning context; it never determines or raises risk appetite.
6. **Financial year and currency** selects the workspace-scoped recurring start month/day, timezone, the current financial period, and default currency. January-December, April-March, and other valid Gregorian boundaries are supported.
7. **Optional first goal** can create one initial goal with target amount, saved amount, date, priority, and notes, or can be skipped.
8. **Guidance preferences** offers optional English audio guidance from an installed local Windows voice and explains the separate, optional member risk profile. Audio is off by default, uses no microphone or network service, does not read entered personal/financial values, and stops in Privacy Mode.
9. **Optional Zakat** enables or disables the Zakat module. It is off by default for a genuinely new workspace and can be

changed later in **Settings > Module Controls**. 10. **Review and acknowledge** summarizes the choices, provides the current offline policy action and a live-policy action only when its matching revision is verified, and shows the non-preselected privacy acknowledgement. **Start with my clean workspace** is recommended; select **Keep demo profile for learning** only when the anonymous sample profile should remain after setup.

Select **Create My Workspace** only after reviewing the summary and selecting the acknowledgement. WAZO creates the profile, all initial members, settings, demo choice, setup-completion record, and policy record together through the authoritative app process. It does not rely only on the visible form to authorize storage.

Clean setup removes only WAZO's canonical anonymous sample records. It does not decide that a profile is demo data from an editable display name. The check includes canonical dependent records and normalized family-scoped asset definitions. If sample data was edited, collides with user data, contains embedded user content, or is cross-referenced, removal stops instead of guessing. If the demo profile is retained, **Remove Demo Profile** remains available later and uses the same protected-recovery-first guard.

Continue Later

Select **Continue Later** or close the setup dialog to keep using anonymous demo data. A **Setup paused** notice remains available with **Resume Setup**. Demo-only use does not authorize WAZO to store a real profile or financial record; an attempted real-data action returns the user to setup.

Setup completes only after WAZO creates a non-sample profile with at least one member and records the current policy acknowledgement. More members can be added later in Settings before assigning assets to them.

Existing v1.1.4 And v1.1.5 User Upgrade

An existing v1.1.4 user is shown a one-time **Required privacy review** before portfolio details are returned to the screen. This is an upgrade and migration flow, not a second profile/member setup wizard.

To continue:

1. Review the current bundled offline policy. The live-policy action remains unavailable until the exact matching revision is published and verified; only when the app reports that verification may the live policy also be opened. 2. Select the non-preselected acknowledgement. 3. Select **Acknowledge & Protect** and keep WAZO open while verification finishes.

Before acknowledgement, WAZO keeps the earlier four-file store unchanged and does not expose its portfolio details to the app page. Exiting without acknowledgement leaves those files unchanged.

After acknowledgement, WAZO validates all four v1.1.4 files, creates and verifies a Windows-protected pre-migration recovery generation, preserves record identities and financial values during compatibility normalization, writes the protected store, decrypts and validates it, and promotes it atomically. Before deleting managed legacy transaction, recovery, or upgrade-backup material, WAZO places it in a bounded authenticated encrypted archive and verifies the archive. A sample-only migration also records a persistent rollback guard before cleanup. Only after the protected copy and archive are verified does WAZO remove known app-managed plaintext. Partial cleanup, changed input, tamper, or an unprovable orphan state stops startup and preserves recoverable evidence for retry instead of silently replacing it with demo data.

Existing profiles, members, assets, definitions, plans, transactions, goals, Zakat records, theme, backup preferences, and supported settings should remain available without re-entry. WAZO 1.1.4 cannot read the protected store introduced in v1.1.5, so use the current WAZO release and create a portable backup before moving data to another account or computer.

An existing v1.1.5 protected store opens through the same authenticated storage boundary in v1.1.6. New correction, lifecycle, backup, and guide fields are compatible optional additions rather than a destructive bulk rewrite. Because v1.1.6 includes a materially revised privacy policy, an existing user may be asked to review and acknowledge the current policy; that review does not recreate profiles or require financial data to be entered again.

If WAZO reports conflicting setup or origin evidence, it shows the safe-review gate and keeps the portfolio hidden. Do not create replacement data over that state; preserve the files and use the displayed recovery information.

Navigation Overview

Use the left navigation panel to move between major work areas:

- Portfolio
- Assets
- Asset Library
- Asset Performance & Reports
- Zakat Center (when enabled)
- Financial Goals
- Calculators
- Settings
- Activity & Events
- Help
- About

When the optional Zakat module is enabled, the Zakat Center and Zakat settings become available.



Navigation Overview

Use the left navigation panel to move between major work areas:

When the optional Zakat module is enabled, the Zakat Center and Zakat settings become available.

Feature Areas

Portfolio

The Portfolio page gives a high-level view of the selected profile and financial year. Users can review net worth, asset records, net worth growth with axis values, current allocation, desired allocation from allocation targets, required rebalancing, member breakdown, and smart analytics. The **Set Active FY** button is shown only when the selected financial year is not already active.

The workspace uses one configured recurring Gregorian financial-year start month/day and timezone. Each generated period stores its exact start, end, label, policy metadata, stable identity, and family/profile ownership. Changing the workspace policy applies to current and future periods and does not reinterpret saved historical boundaries. A policy transition can legitimately create overlapping historical periods; WAZO resolves them by stable period identity rather than silently merging them.

Member Setup

Member Setup is available under Settings. It controls profiles and members. Assets must be owned by members, and profile totals are calculated from member-owned data. A member's date of birth is optional and is hidden with other sensitive profile details in Privacy Mode.

A profile cannot be deleted while it still owns members, holdings, definitions, plans, transactions, goals, budgets, Zakat records, reports, export presets, allocation targets, or history. Move or delete those records first. If a prior WAZO release left family-scoped records behind after a profile was deleted, WAZO preserves them in a clearly labeled **Recovered Household** instead of discarding them or preventing startup; review and rename, move, or delete those records.

Moving a member to another profile transfers the member's direct ownership records, including assets, market and metal holdings, recurring plans, confirmed investment history, Zakat payments, allocation targets, provident-fund accounts, goals, budgets, saved reports, and export presets. WAZO also moves the member's annual-snapshot and growth-history portions, recalculates affected family totals and allocation, and reuses or copies referenced market/metal catalog entries into the destination profile so links remain valid. Investment performance continues to use the asset's complete confirmed history, including transactions recorded before the transfer.

Assets

The Assets page manages confirmed holdings together with recurring investment plans, pending investment reviews, and the investment transaction audit. Users can add, edit, search, sort, print, and export holdings. Each asset must have an existing member owner. The **Holding Status** filter defaults to **Active Holdings**; choose **Sold / Lost** for disposed holdings or **All Holdings** for both.

Each asset records one primary member, an ownership type, a reference ownership percentage where applicable, nominee/beneficiary review status, and an optional institution/custodian. The percentage is informational continuity metadata only. WAZO does not multiply or prorate current value, cost, gain/loss, net worth, reports, or Zakat by that percentage. Enter the asset amounts and values as the household-owned portion that WAZO should calculate. These fields are not legal proof of title, nomination, custody, or beneficial ownership.

A backdated SIP or recurring plan queues each due occurrence through the current local date for review. Planned occurrences do not change holdings or cost basis until the user selects **Review & Confirm**. Multiple occurrences can be selected and confirmed or deleted together, while every row remains individually reviewable. A deleted pending occurrence does not create a transaction and keeps its lifecycle audit.

Only the schedule control relevant to the selected frequency is enabled. Monthly and specific-day schedules clamp to the final available day in shorter months. Long schedules use a bounded safety limit so malformed or extremely old plans cannot freeze the app; a diagnostic warning identifies a plan that requires review.

A scheduled occurrence is purchase-only and must be confirmed for the member and asset or definition stored on its plan. It cannot be silently reassigned during confirmation or correction. Deleting a pending occurrence keeps its audit entry without changing holdings. Voiding a confirmed occurrence returns it to review; reconfirming it advances the plan pointer exactly once. An adjustment requires an existing owned asset and a real change to units or cost basis. Adjustments correct bookkeeping and are recorded as zero investment cashflow.

Confirmed financial history is not raw-deleted. Select **Correct** on an effective transaction to review the before/after holding impact, enter a reason, and append a correction revision. A correction cannot move the transaction to another asset or member; void the incorrect entry and create the correct transaction when those bindings must change. Select **Void** as the safe-delete action, review the recalculated quantity, cost basis, current value, and gain/loss, enter a reason, then select **Void & Recalculate**. The original entry remains in the audit with **Superseded** or **Voided** status, and a voided scheduled confirmation returns its occurrence to review when applicable. If WAZO detects an inconsistent ledger, it shows **Needs review** and disables unsafe lifecycle actions rather than guessing a holding value.

Select **Sell / Record Loss** on an active holding to record a partial or full **Sold** or **Redeemed** outcome, a **Financial loss**, **Stolen**, **Destroyed**, **Company collapsed**, or a documented **Other** outcome. Enter the effective date, quantity, optional proceeds, **Fees, Taxes & Handling Charges**, and notes that apply. Partial sales keep the remaining holding active; a full sale or full loss marks it disposed, removes the remaining current holding value from active wealth, and retains realized proceeds, gain/loss, dates, notes, and complete performance history. Correct an incorrect outcome by voiding its loss/disposal audit record and recording the corrected outcome from the asset row.

Import & Reconcile Transactions accepts a bounded local CSV for preview. Choose a CSV, explicitly map its columns, and review row errors, source duplicates, existing-WAZO duplicates, exact matches, changed candidates, new candidates, ambiguous rows, and WAZO transactions missing from the statement comparison. WAZO computes deterministic fingerprints so the preview can explain what it compared.

This is not an authoritative import. Previewing or reconciling a CSV does not create, edit, confirm, overwrite, or delete an investment transaction. Verify the source, then use the normal confirmed transaction workflow to post the activity you accept. Closing the preview or turning on Privacy Mode clears its transient details.

Member Risk Profiles And Smart Analysis

Settings > Risk Profiles & Smart Analysis contains an optional, separate assessment for each member. It considers the member's stated willingness, financial capacity, time horizon, knowledge, and goal context. Age, wealth, and another member's answers never raise a result, and WAZO never averages household members into one score.

Completing, correcting, archiving, or restoring an assessment preserves revision history. Restoring an earlier answer set creates a new revision rather than rewriting the earlier record. Privacy Mode hides questions, answers, scores, bands, and history. Export inclusion is off by default and controlled separately.

Risk results and Smart Analysis are automated educational estimates, not investment advice, suitability certification, or a promise of returns. They may be incomplete or wrong for a user's circumstances. Do not rely solely on WAZO for a financial decision; consider consulting a properly qualified and, where applicable, registered financial professional.

Asset Library

Asset Library contains reusable definitions, locally maintained definition prices and rate sources, allocation targets, the asset class registry, the definition library, and legacy type mappings. A library definition can prefill an asset's type, category, unit, valuation, rate, Zakat, and notes. Updating a linked definition rate refreshes current linked values; it does not silently rewrite historical snapshots.

An explicitly supplied current market price, including zero, is authoritative. WAZO uses NAV only when a current price is absent. A zero current value with a positive cost basis remains visible as a total loss in performance views.

Allocation Targets

Allocation Targets define the desired wealth mix. They can apply to profile scope or member scope. Duplicate owner/category targets are blocked, totals must not exceed 100%, and the table shows current value, desired value, and the required buy or reduce amount.

Optional Zakat Module

Zakat is optional and defaults off for a genuinely fresh workspace. Enable or disable it under **Settings > Module Controls**. Disabling it preserves existing Zakat records but removes Zakat navigation, Settings sections, asset fields, cards, reminders, report sections and columns, exports, analytics, calculator contributions, and WAZO Guide suggestions from the active experience. When enabled, users can set the default Zakat rate and upcoming date, manage payees and categories, record payments, review distribution, and print or export relevant reports.

A Zakat payment amount must be greater than zero. When a payment is linked to an asset, that asset must belong to the selected paid-for member.

Financial Goals

Financial Goals helps users plan future financial targets, FIRE number, monthly needs, annual need, goal progress, and individual goal trackers. Goal Intelligence highlights deadline pressure and estimates monthly and annual investment amounts across equity, gold, and real-estate assumptions to help users compare a practical funding mix.

The FIRE calculation uses $\text{monthly need} = \text{monthly expenditure} + \text{included monthly Zakat}$, $\text{annual need} = \text{monthly need} \times 12$, and $\text{FIRE number} = \text{annual need} \times \text{FIRE multiple}$. Monthly Zakat is included only when the optional Zakat module and its planning toggle are both enabled. A missing or invalid FIRE multiple defaults to 25.

Household Resilience & Commitments compares saved classified liquid assets with monthly needs, converts active recurring plans to a monthly equivalent, identifies pending or next-due occurrences in the next 90 days, and summarizes saved goal gaps. It uses only explicit local records. Liabilities, insurance, income reliability, emergency access, and records outside WAZO are not included unless represented in saved data. These indicators are educational completeness prompts, not financial advice, and their values are hidden in Privacy Mode.

Calculators

The Calculators page includes SIP, SWP, lumpsum, FD, EMI, goal SIP, inflation impact, CAGR, delayed SIP cost, RD, and projection calculators.

Invalid, missing, out-of-range, or non-whole month inputs show a validation message instead of a plausible zero result. SIP and RD contributions are applied at month end, and SIP step-up occurs after each completed 12 months. FD uses monthly compounding; EMI uses monthly reducing-balance math. SWP applies the monthly return before withdrawal, increases the planned withdrawal after each completed year, and stops exactly when the corpus is depleted. Projection Zakat uses the current portfolio's Zakatable-to-net-worth ratio and configured Zakat rate rather than treating every projected asset as Zakatable.

Asset Performance & Reports

Asset Performance & Reports helps users investigate asset and category value, gain or loss, CAGR, residual-checked XIRR, allocation, lifecycle status/outcome, realized value, and historical growth. Desktop reports can be printed or exported as PDF, Excel-compatible XLS, CSV, JSON, or HTML. Reports use the same effective transaction ledger as Assets, so superseded and voided entries remain auditable without being counted twice. Zakat-specific cards, columns, sections, and post-Zakat analytics appear only when the optional Zakat module is enabled.

Select **Details** beside an investment-performance row to open **Calculation Details**. It explains the since-inception scope, invested/current/realized/gain totals, CAGR and XIRR methods, dated effective cash flows, valuation source, currency/FX context, reconciliation state, assumptions, and warnings. If WAZO cannot safely replay the append-only ledger, the result is **Needs review** and derived amounts/returns remain unavailable instead of appearing as zero. Privacy Mode retains only safe method/review context and hides identities, dates, values, sources, and cash-flow rows.

WAZO keeps each priced value's source currency separate from the workspace reporting currency. When a required FX conversion is missing or invalid, WAZO does not change the currency label or silently include that value in totals, performance, analytics, exports, forecasts, or calculator defaults. The affected result remains unavailable and identifies the FX/review requirement. Once any financial or priced record exists, including a budget category, the reporting currency is locked to prevent existing values from being reinterpreted. An unchanged imported or legacy purchase cost and ledger-opening balance retains its recorded currency; confirmed transactions and opening balances also retain currency evidence so mixed histories can be reviewed safely.

CAGR is displayed only for a simple single-purchase holding. SIP, multiple-purchase, redemption, fee, and other irregular cashflows show **Irregular cash flows**, with XIRR as the primary metric when it can be calculated. XIRR uses confirmed dated cashflows plus the current terminal value and is displayed only after the solver residual is validated. Aggregate SIP holdings without dated confirmed cashflows show **Not available** instead of an invented return.

For a financial-year or date-filtered report, the transaction table follows the selected dates. Investment performance remains a transparent since-inception calculation through the current holding value for assets that have a matching transaction in that report scope; date filters do not rebase a partial-period return against the whole holding. Financial-year Zakat reports use the payment's assigned cycle, while date-range reports use **Paid On**. A member-scoped report includes only payments explicitly assigned to that member; unassigned or family-level payments remain available only at the broader scope. Unlinked payments are allocated from the applicable complete Zakatable scope before asset or category filters are applied.

The first readable print or export for the current disclosure revision shows **Readable File Outside WAZO**. Review the warning before continuing. Printed and exported files can contain financial information and are not protected by WAZO's local-store encryption. Choose a safe destination and protect or delete copies when no longer needed. If Privacy Mode is active, or **Settings > Privacy & Security > Default supported exports to privacy-safe mode** remains enabled, WAZO generates the supported structurally redacted report instead of placing raw hidden values in the output. Turn the export preference off only when a readable report is deliberately required; the separate readable-file disclosure still applies.

Activity And Events

Activity & Events keeps normal user actions and technical diagnostics on one page with separate filters. Privacy Mode masks sensitive detail text in both tables.

Help And Support

The Help page explains app workflows, opens support templates, and includes **Open PDF Manual**. Keyboard users retain native select behavior, visible focus, accessible pagination, and focus containment in setup and policy dialogs.

WAZO Guide is a private, deterministic, offline assistant inside Help. It can explain the current page and calculations, suggest tasks, use **Take me there** navigation, prepare a privacy-conscious issue template for copying, and turn a phrase such as an investment made today into a structured transaction preview. It does not use cloud AI, transmit or save the question, upload diagnostics, or change a financial record automatically. Review the normal form and explicitly confirm any prepared entry. Enabling Privacy Mode immediately clears the current Guide question/result and prevents names, values, or sensitive geometry from appearing; when Zakat is disabled it does not suggest Zakat actions. Guide calculations are planning information, not financial advice.

English Audio Guide is a separate optional accessibility and reminder feature. It uses fixed WAZO scripts and an installed local English Windows voice. It has controls for voice, volume, rate, pitch, reminder cadence, selected reminder topics, setup/page guidance, and manual play/stop. WAZO also applies internal replay cooldowns so automatic

guidance does not repeat continuously. It never uses a microphone, recording, cloud speech, names, dates of birth, account paths, or portfolio values. Turning on Privacy Mode immediately stops speech. The feature can be disabled at any time under Settings > Audio Guide.

WAZO does not automatically attach or send portfolio data with a support request. Review and redact any text, screenshot, diagnostic detail, or attachment before sending it by email.

Settings

Settings is organized into **Workspace**, **Guidance & Planning**, **Appearance**, **Data & Privacy**, **Optional Modules**, and **Advanced** groups. It controls regional and currency formats, configurable financial years, profiles/members, risk profiles, audio guidance, notifications, themes/accessibility, portfolio views, header shortcuts, export preferences, optional Zakat, Windows-protected storage, portable backup/restore, protected recovery, recoverable Trash, Trust Center/Data Health, and advanced diagnostic/navigation options.

Regional Format changes date order, number grouping, decimal separators, currency formatting, and localized country names throughout supported values and outputs. It does not change the currency selection and does not translate WAZO's buttons, menus, report labels, or help text; full app-language translation is a separate feature.

Settings > Themes provides all seventeen included themes. Theme-aware semantic colors keep ordinary text, muted text, controls, placeholders, status messages, navigation, onboarding/privacy surfaces, and focus indicators readable across light and dark themes. Soft toggle controls use the active theme's accent color when on. Privacy Mode remains visually distinguishable without exposing hidden data.

Settings > Workspace > Financial Year changes the workspace-scoped recurring start boundary used for current and future periods. Review the preview and transition warning before saving. Saved historical periods retain their exact dates, stable identities, original policy metadata, and family/profile ownership.

Trust Center & Data Health

Open **Settings > Data & Privacy > Trust Center & Data Health** to run a local, non-mutating review. It checks the protected-storage boundary, authenticated protected-recovery inventory, record links, investment-ledger replay, asset/definition valuation freshness, FX context, ownership completeness, goals, and optional risk context. **Recheck Data Health** recalculates findings; it does not repair or alter financial records.

A finding's action takes you to the responsible WAZO workflow. Critical findings cannot be dismissed. Non-critical findings may be dismissed for the current workspace, but an unresolved dismissal expires after 30 days and returns for review. Use **Show Dismissed** to restore a current dismissal sooner.

Privacy Mode shows safe categories and counts but removes affected names, identifiers, values, dates, and detailed evidence. Data Health is a local consistency/completeness assistant, not proof that every external account, legal document, value, nominee, backup, or financial decision is correct.

Offline Prices And Rates

WAZO does not connect to a market-data or financial API. Enter and review definition prices, rates, valuation dates, and source descriptions locally in Asset Library. Updating a locally saved definition price refreshes only linked holdings that use definition pricing; manual overrides remain unchanged.

When a required foreign-exchange conversion is not available from locally saved evidence, WAZO fails closed and marks dependent totals or performance for review instead of relabelling a value or silently downloading a rate.

Privacy, Protection, And Safe Use

Windows-Protected Local Store

WAZO 1.1.6 stores its active logical JSON data in authenticated encrypted envelopes under its protected application-data area. The local master key is wrapped by Electron safe storage using Windows DPAPI. App-managed transaction generations, internal recovery points, settings, activity logs, and diagnostics use the same protected boundary.

There is no automatic plaintext fallback. A missing or unusable Windows key, a different Windows user, a damaged or tampered envelope, a mixed plaintext/protected active store, or an unsupported protection version causes WAZO to fail closed and request safe recovery. WAZO does not silently initialize demo data over an existing protected store.

Windows-bound protection normally requires the same Windows user and Windows installation. It is not a substitute for a strong Windows password, device encryption, malware protection, or locking an unattended session. Software already running with the user's privileges may be able to access information while WAZO is open.

Privacy Mode

Privacy Mode structurally redacts sensitive financial figures across cards, tables, charts, reports, allocation views, financial goals, Zakat views, smart-insight explanations, activity details, diagnostic details, copied content, and generated exports. Privacy-safe exports use a generic filename and do not embed sensitive raw report rows.

Chart geometry is neutralized so line positions, bar lengths, allocation proportions, tooltips, and accessible labels do not reveal the hidden values. Outside Privacy Mode, chart legends, category names, and visible values remain available to assistive technology.

Privacy Mode is display and output redaction. It is not encryption, authentication, access control, permanent deletion, or a replacement for Windows-protected storage.

When Privacy Mode activates manually, after the configured idle interval, or because WAZO is minimized, it also clears or suppresses transient CSV reconciliation, Calculation Details, WAZO Guide results, and spoken audio guidance. If an investment file is still being read, WAZO invalidates that in-progress read so its late completion cannot recreate a preview.

External Links

WAZO has no cloud synchronization, market-data API, cloud AI, portfolio telemetry, or background portfolio upload. Prices and rates are entered or maintained locally.

Opening the WAZO Official website, a verified live privacy policy, Microsoft Store, LinkedIn, or a support-email action transfers control to the browser, Microsoft, LinkedIn, GitHub Pages, or the configured email provider. Those services may receive normal connection, device, account, or message information under their own terms. WAZO does not automatically send the local portfolio merely because an external link is opened.

The offline bundled policy is the appropriate choice when the user does not want to open an external service.

Information WAZO Does Not Request

Do not enter restricted credentials or secrets into WAZO. WAZO does not need and does not ask for:

- bank or payment-card login credentials or full payment-card details;
- PINs, passwords, one-time codes, or authentication answers;
- tax identification numbers;
- API keys, private keys, or access tokens; or
- cryptocurrency recovery phrases, seed words, or private keys.

Optional account and reference fields are descriptive labels only. Do not use them as a password manager or secret store.

Backup, Restore, Reset, And Deletion

Open **Settings > Data Lifecycle & Trash** for the Windows data lifecycle controls.

Portable .wz Backup

Windows-bound protected storage is not portable to another Windows account or computer. Use **Create Portable Backup** to create one compact, importable .wz file:

1. Optionally choose a default destination folder. 2. Select **Create Portable Backup**. 3. Keep **Password-protect this backup (recommended)** on, then enter and confirm a password of at least 12 characters; or deliberately turn protection off. 4. When protection is off, read the warning and separately select **I understand this unprotected file contains readable financial data** before continuing. 5. Save the generated .wz file in a secure location and use **Verify Backup** before relying on it.

For a protected .wz, WAZO does not store the password, and neither WAZO nor the developer can recover it. A forgotten password makes that backup unusable. Anyone who obtains both the file and password may be able to restore its content. An unprotected .wz is integrity-checked but not encrypted and may be readable by anyone who can access it; protect or delete every copy.

The selected backup destination must resolve outside WAZO's protected, legacy, transaction-generation, and recovery locations that **Permanently Delete Local WAZO Data** removes. WAZO rejects an unsafe location even when a junction, symbolic link, case variation, or missing child folder would otherwise hide that relationship.

Portable backup creation never overwrites an existing file. WAZO claims the final destination exclusively after producing and validating the backup bytes; if another program creates the same path during that operation, WAZO preserves the other file and asks the user to choose a new name. It then reopens and verifies the published container before reporting success. If temporary cleanup fails before or after publication, WAZO reports a specific failure instead of silently claiming success; a verified destination or competing file is not deleted.

Verify Backup selects and inspects a file, asks for a password only when its protection mode requires one, authenticates or integrity-checks the content, and shows its creation date, source version, and non-sensitive record counts without restoring anything.

To restore, select **Restore Portable Backup** and choose the file first. WAZO inspects its format before asking for a password. On a fresh installation, restore also requires a separate non-preselected acknowledgement of the current WAZO Privacy Policy; imported acknowledgement or network-disclosure records are never trusted. WAZO authenticates or integrity-checks the complete store, shows a privacy-safe preview, and asks for final replacement confirmation. It rechecks that the selected file has not changed, creates a Windows-protected pre-restore recovery point, and atomically replaces active data only after validation. A wrong password, damaged or tampered file, changed source, unsupported version, canceled preview, or declined confirmation does not change the active store.

Current .wz files and existing password-protected .wazo-backup files are supported. Legacy compatibility import does not weaken, rewrite, or delete the selected source file.

Automatic Protected Recovery

Automatic Protected Recovery creates encrypted, Windows-bound internal recovery points while WAZO is open. It does not require a password or external folder and is not a transferable backup.

Choose Daily, Weekly, Monthly, or Custom Days and a backup time. If a schedule becomes due while WAZO is closed, it runs on the next launch. WAZO retains the latest eight automatic recovery points. Keep a separate portable backup for device loss, Windows-account loss, or transfer to another computer.

Protected Recovery History lists available Windows-bound points by date, source, protected identifier, and verification state. WAZO decrypts each point and validates its complete store structure and investment-ledger integrity before labelling it **Verified**. **Not checked** means the point is visible but was beyond the bounded listing-authentication work; it is not a failure or a verification claim. **Invalid** means authentication or validation failed and the point cannot restore. A folder or recorded timestamp alone is not proof that recovery is usable.

Each recovery point is limited to 96 MiB of actual authenticated envelope data. One history listing scans and exposes at most 128 candidates, authenticates at most 24 of them, and reads at most 256 MiB in aggregate from stable open file handles. Selecting an exact protected identifier can locate a point outside the returned view, but WAZO must still authenticate and validate that exact point before restore. For a verified point, select **Restore**, review it, type **RESTORE** exactly, and choose **Restore Recovery Point**. WAZO creates another protected safety point before replacement, so recovery history restore does not discard the immediately preceding active state. These points are available only to the same Windows user and are not substitutes for portable backups.

Recoverable Trash

Ordinary current-state and configuration records removed through WAZO are moved to protected local Trash with their stable IDs, deletion reason, dependency information, and recoverable companion records. Review them under **Settings > Data Lifecycle & Trash** and select **Restore** to run conflict, ownership, family, and dependency checks before the record returns to the active workspace.

Confirmed investment transactions and other append-only financial facts do not use ordinary Trash; use their correction, void, or reversal workflows so the original audit evidence remains available.

Permanent deletion of one Trash snapshot is a separate exceptional action. WAZO requires a reason, an explicit acknowledgement, and the exact displayed confirmation phrase. A minimal tombstone remains in the lifecycle journal without the deleted record contents, and the purged snapshot cannot be restored.

Legacy Readable JSON Import

Import Legacy Readable JSON accepts a user-selected combined WAZO export or complete timestamp-matched four-file legacy backup. WAZO previews and validates the source without changing active data, shows family/member/asset/log counts, and requires confirmation. It then creates a protected recovery point, enforces this installation's current policy authority, and commits the validated content to protected storage.

The original selected JSON remains readable outside WAZO and is not deleted. Store or remove that source safely after the import.

Startup Recovery

WAZO uses authenticated generations and last-known-good recovery information to prevent a partial write from replacing a valid store. Recovery of an orphan protected migration requires provable protected-store provenance; WAZO does not adopt an ambiguous directory. If startup detects an interrupted transaction, rollback guard, invalid authentication, a missing key, incompatible data, tampered encrypted legacy archive, or damage that cannot be repaired automatically, WAZO stops and presents a safe recovery error. It preserves evidence instead of overwriting protected data with the demo workspace.

Reset To Demo

Reset to Demo is recoverable, not permanent deletion. WAZO first creates a protected recovery point, installs the anonymous sample workspace, clears setup and policy authority, preserves approved backup preferences, and reopens initial setup. The pre-reset recovery point remains for safe recovery.

Permanently Delete Local WAZO Data

Permanently Delete Local WAZO Data is separate from reset. WAZO requires the exact typed phrase **DELETE WAZO DATA**. After confirmation, it removes the protected active store, app-managed transaction generations, recovery points, policy acknowledgement, app-managed automatic backups, and known app-managed legacy local files for that Windows account. WAZO then closes.

Permanent deletion does not remove portable backups, legacy imports, reports, exports, screenshots, printed copies, email attachments, cloud-provider copies, Windows File History, or other files saved outside WAZO. Delete those separately. Operating-system and storage-hardware behavior also means the app cannot promise forensic erasure.

Uninstall Retention

Uninstalling WAZO can leave per-user application data on Windows. If the intention is to remove local WAZO records, use **Permanently Delete Local WAZO Data** before uninstalling, and then separately delete any backups or exports stored elsewhere.

App Updates

App Updates is available under About. Trusted JSON-only data/settings patches are previewed, explicitly confirmed, fully validated, and applied atomically. Unsigned application-bundle patches are blocked; install a trusted WAZO release for application-code updates.

Updating from v1.1.4 uses the protected migration described above. Updating a v1.1.5 protected store to v1.1.6 preserves the compatible protected-store format and existing records without repeating profile setup or requiring financial data re-entry. WAZO requests policy review only when the authoritative policy revision has changed, as it has for the v1.1.6 portable-backup and local-guide disclosures.

Android Differences

Android is a separate mobile storage scope. The Windows ten-step protected-storage setup, v1.1.4 Windows migration, Windows DPAPI claims, automatic protected recovery/history, .wz creation/verification/restore, legacy .wazo-backup restore, and permanent-delete control are not available on Android in v1.1.6.

Android continues to use its native app-data workflow and Android-specific four-file JSON backup. Protect any Android backup copied to Documents because it is not described as Windows DPAPI-protected. Use Android system app-storage controls when clearing Android app data.

Android reports PDF and Print as unavailable rather than creating fake output. Use Excel, CSV, JSON, or HTML export where supported. Do not describe the Android build as having protection equivalent to Windows until a separately approved and verified Android Keystore-backed design is released.

Troubleshooting

Initial setup is not visible

Look for the **Initial setup** or **Setup paused** notice and select **Start Setup** or **Resume Setup**. A fresh user can view demo data without acknowledgement, but real-data changes remain blocked until setup completes.

Existing data is hidden after updating

Complete the **Required privacy review**. If the safe-review screen reports conflicting or damaged data, do not reinstall, downgrade, or create replacement records over it. Preserve the files and follow the displayed recovery information.

A portable backup will not open

Select the file first and let WAZO inspect its format. Current backups normally end in .wz; existing supported password-protected backups may end in .wazo-backup. Enter the exact password only when WAZO reports that one is required. WAZO cannot recover a forgotten password. Authentication, integrity, compatibility, or validation failure leaves active data unchanged.

A backup location is rejected

Choose a normal folder outside WAZO's app-managed data area, such as a user-selected folder in Documents or an external drive. WAZO rejects destinations inside protected storage, legacy live storage, transaction generations, or recovery folders because permanent deletion removes those locations.

Protected storage will not open

Confirm that WAZO is running under the same Windows user and Windows installation that created the store. A copied protected-store folder is not a portable backup. Restore a verified .wz or supported legacy portable backup instead.

Totals look wrong

Confirm the active profile, selected financial year, member ownership, pending versus confirmed investment transactions, and whether an asset is excluded from net worth. Asset values are not prorated by the reference ownership percentage; enter values as the household-owned portion. Use **Calculation Details** to review investment scope and cash flows, and open **Trust Center & Data Health** for ledger/link findings.

A protected recovery point cannot be restored

Open **Trust Center & Data Health** and **Protected Recovery History**. WAZO enables restore only after the actual point decrypts and passes complete store and investment-ledger validation. Keep the failed point available for diagnosis and create/verify another recovery option; do not assume its timestamp proves it is usable.

A CSV preview does not add transactions

This is expected. **Import & Reconcile Transactions** is a comparison preview, not an authoritative import. Review the classifications, then post accepted activity through the normal confirmed transaction workflow.

Zakat items are visible when not needed

Open Settings, disable the optional Zakat module, and save settings.

A price or rate did not change

WAZO is fully offline and does not download prices or rates. Update the applicable definition price, valuation date, rate source description, or manual asset value in Asset Library or Assets, then review linked-holding and reporting-currency warnings.

Layout looks broken

Resize the window, check the selected theme and control size, and confirm visible focus/text contrast in another included theme if necessary. Use WAZO Guide or the Help issue template to prepare a report. Remove or redact sensitive values from any screenshot or diagnostic information you choose to send.