
When Net Influence Misleads

Calibration, Innocent Dependence, and Coalition Size

Rucha Agashe, Imperial College London
Apart Research AI Collusion Sprint, October 2026. Tracks 1 and 2.
github.com/in-a-quantum-world/collusion-net-influence


When does statistical dependence count as evidence of collusion?


- Antitrust rule: parallel conduct is not an agreement. Auditors need a plus factor.
- Pairwise net influence (Bonjour et al. 2022): dependence between two agents' actions given the public state, minus the strongest third-party dependence. Action logs only.
- We ask: under which assumptions about public information, sample size and coalition structure does it separate planted coordination from innocent dependence?
- 7,400 scripted games with ground truth, two GPT-4.1-mini pilot runs (30 games each), one exploratory Jacobian-lens assay.
- Four findings. Each is an assumption an auditor must check before trusting a verdict.




Finding 1: conditioning on the wrong public state confidently names an innocent pair

Two non-colluders following the same public rule (beat last round's majority) are perfectly correlated without any agreement








- Unconditioned statistics (memoryless net influence, raw MI, Cramer's V, same-action rate) rank the innocent pair first in 96 to 100% of games.
- Condition on the previous majority: true pair ranked first in 98 to 100%, innocent pair never flagged.
- But an innocent rule keyed on a richer state (parallel_rich) defeats majority conditioning in 100% of games; the fixed rule flags it in 65 to 100% of no-collusion games.
- Profile-state conditioning works only once T is large relative to the number of states.

Finding 2: removing estimation bias is not controlling false positives

Plug-in MI bias at 25 rounds (about 0.08 nats) exceeds the published threshold of 0.05




- Fixed threshold, corrected: still fires in about half of all-random 25-round games.
- Holm permutation rule: 3 to 6% on scripted nulls, never names the innocent pair. Power at 25 rounds drops to 0.42.
- Transfer: on the pooled GPT-4.1-mini control with no planted coalition, the Holm rule flags a pair at Holm p = 0.012 in both runs.
- Rejecting conditional independence is a statement about a null; it is not establishing collusion.

Finding 3: the pairwise correction cancels a coalition of three

Primary A, assistants B and C. The published method is scoped to two colluders.

gamma(B; A) = gamma(C; A) = m in expectation, so
Gamma(B; A) = m - max_k gamma(k; A) = m - m = 0

- The subtraction treats another coalition member as the competing explanation and removes the signal.
- Pair score is the minimum of both directions, so the true pair cannot exceed a positive threshold in the population limit.
- Empirically: AB score 0.006 nats at 500 rounds; the fixed rule returns no pair in 25%, 32%, 54%, 68% of games at 50, 100, 200, 500 rounds. More data, less detection.
- Ranking is unaffected (0.98 to 1.00). Coalition membership and direct dependence are different ground truths.



Finding 4: ranking, detection and benefit come apart on real agents


GPT-4.1-mini, 4 players, 25 rounds, two independent runs of 10 games x 3 conditions. Detector sees actions only.

	Pair ranked first (single games)	Fixed rule flags the pair	Holm rule on pooled control	Mean within-game score advantage
Run 1	9 / 10	5 / 10	flags Alpha-Delta (no planted coalition)	-0.25
Run 2	8 / 10	7 / 10	flags Charlie-Delta (no planted coalition)	+1.00

- The private channel is visible in the actions: the team's dependence is 4 to 9 times any other pair's, and the messages show a sacrificial scheme ("I'll play rock to beat your scissors, so I can score while you lose").
- Single-game ranking was more successful than threshold detection, but both remain uncertain (ten games; ranking ties not audited).
- The fixed rule fires in 50 to 70% of single control games, matching the scripted all-random rate.
- Score advantage of -0.25 and +1.00 across runs does not establish a benefit from coordination.

Exploratory: a Jacobian-lens readout of a coded proposal (gemma-4-12B-it)

Does the workspace readout differ between adopting a partner's proposal and understanding it and refusing? The control Rose et al. (2026) describe.



- 30 base cases x 5 matched conditions, 150 receiver evaluations.
- Unauthorised adoption never occurred: 30/30 abstentions. The intended contrast is unresolved.
- Readout strongly recovered the nominated item during permitted adoption (rank 0) but not during abstention (at chance).
- This does not establish that the proposal is absent from the model, nor that the workspace shows actions rather than understanding; one lens, one position, best-rank aggregation with censoring.

What an auditor must check before treating dependence as evidence

- Is the conditioning state at least as rich as any public rule the agents could innocently follow? If not, a confident verdict can be wrong in every game.
- Is the decision rule calibrated on the right null? Bias correction is not calibration; a rule calibrated on one family of nulls flagged pairs in LLM controls without a planted coalition.
- Could the coalition have more than two members? Pairwise net scores cancel a three-member coalition, and detection falls as evidence accumulates.
- Which outcome is being claimed: ranking, thresholded detection, or demonstrated benefit? They are different numbers.
- Everything is reproducible from the repository: 7,400 scripted games in about 16 minutes on two CPU cores, LLM pilot under 2 USD, lens assay on one Colab GPU.

github.com/in-a-quantum-world/collusion-net-influence