Agent Trace: s-20260404-110628-165e02bc

Started: 2026-04-04 11:06:28 北京时间

🧑 User Input

```
创建一个名为 hello.py 的文件，打印 "Hello, World!"
```

Step 1

Time: 2026-04-04T11:07:01.998329+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 1 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"
```

Step 1

Time: 2026-04-04T11:07:03.361108+08:00

🧠 Model Output

Tokens: 65 → 21 = 86
Tool calls:

```
[
  {
    "id": "call_cede9eaa9c794cb0b105988e",
    "name": "bash",
    "input": {
      "command": "echo 'print(\"Hello, World!\")' > hello.py"
    }
  }
]
```

Step 1

Time: 2026-04-04T11:07:03.361108+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "echo 'print(\"Hello, World!\")' > hello.py"}
```

Step 1

Time: 2026-04-04T11:07:03.369108+08:00

👁 Tool Result

Tool: bash

```
(no output)
```

Step 2

Time: 2026-04-04T11:07:03.369108+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 3 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)
```

Step 2

Time: 2026-04-04T11:07:04.362247+08:00

🧠 Model Output

Tokens: 29 → 12 = 41
Tool calls:

```
[
  {
    "id": "call_f4828f6dc4114be7b8440d28",
    "name": "bash",
    "input": {
      "command": "python hello.py"
    }
  }
]
```

Step 2

Time: 2026-04-04T11:07:04.362247+08:00

🛠 Tool Call

Tool: bash

```
{"command": "python hello.py"}
```

Step 2

Time: 2026-04-04T11:07:04.455232+08:00

👁 Tool Result

Tool: bash

```
(no output)
```

Step 3

Time: 2026-04-04T11:07:04.455232+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 5 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)
```

Step 3

Time: 2026-04-04T11:07:05.399294+08:00

🧠 Model Output

Tokens: 48 → 12 = 60
Tool calls:

```
[
  {
    "id": "call_e79985f8879140219bd5e787",
    "name": "bash",
    "input": {
      "command": "cat hello.py"
    }
```

```
    }
  ]
```

Step 3

Time: 2026-04-04T11:07:05.399294+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "cat hello.py"}
```

Step 3

Time: 2026-04-04T11:07:05.462431+08:00

👁️ Tool Result

Tool: bash

```
'print("Hello, World!")'
```

Step 4

Time: 2026-04-04T11:07:05.462431+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 7 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'
```

Step 4

Time: 2026-04-04T11:07:07.159791+08:00

🧠 Model Output

Tokens: 259 → 21 = 280
Tool calls:

```
[
  {
    "id": "call_a354c7d635c64830b57d1f12",
    "name": "bash",
    "input": {
      "command": "echo 'print(\"Hello, World!\")' > hello.py"
    }
  }
]
```

Step 4

Time: 2026-04-04T11:07:07.159791+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "echo 'print(\"Hello, World!\")' > hello.py"}
```

Step 4

Time: 2026-04-04T11:07:07.167787+08:00

👁️ Tool Result

Tool: bash

```
(no output)
```

Step 5

Time: 2026-04-04T11:07:07.167787+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 9 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
```

```
    [tool_result] bash(id=call_cede9...) => (no output)

  [4] assistant:
    [tool_use] bash({'command': 'python hello.py'})

  [5] user:
    [tool_result] bash(id=call_f4828...) => (no output)

  [6] assistant:
    [tool_use] bash({'command': 'cat hello.py'})

  [7] user:
    [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

  [8] assistant:
    [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

  [9] user:
    [tool_result] bash(id=call_a354c...) => (no output)
```

Step 5

Time: 2026-04-04T11:07:08.424175+08:00

🧠 Model Output

Tokens: 100 → 12 = 112
Tool calls:

```
[
  {
    "id": "call_23624ced8b994c189e5e9096",
    "name": "bash",
    "input": {
      "command": "python hello.py"
    }
  }
]
```

Step 5

Time: 2026-04-04T11:07:08.424175+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "python hello.py"}
```

Step 5

Time: 2026-04-04T11:07:08.478168+08:00

👁️ Tool Result

Tool: bash

```
(no output)
```

Step 6

Time: 2026-04-04T11:07:08.478168+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 11 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)
```

Step 6

Time: 2026-04-04T11:07:10.069988+08:00

🧠 Model Output

Tokens: 55 → 12 = 67
Tool calls:


```
[
  {
    "id": "call_c4b958f0c20845af8519eca5",
    "name": "bash",
    "input": {
      "command": "cat hello.py"
```

```
      }
    }
  ]
```

Step 6

Time: 2026-04-04T11:07:10.069988+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "cat hello.py"}
```

Step 6

Time: 2026-04-04T11:07:10.099986+08:00

👁️ Tool Result

Tool: bash

```
'print("Hello, World!")'
```

Step 7

Time: 2026-04-04T11:07:10.099986+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 13 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})
```

```
[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'
```

Step 7

Time: 2026-04-04T11:07:11.671904+08:00

🧠 Model Output

Tokens: 79 → 39 = 118
Tool calls:

```
[
  {
    "id": "call_475f6e27f9104867aa137fe3",
    "name": "bash",
    "input": {
      "command": "printf 'print(\"Hello, World!\")\\n' > hello.py"
    }
  }
]
```

Content:

```
There seems to be an issue with the file content. Let me fix it:
```

Step 7

Time: 2026-04-04T11:07:11.671904+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "printf 'print(\"Hello, World!\")\\n' > hello.py"}
```

Step 7

Time: 2026-04-04T11:07:11.788743+08:00

👁️ Tool Result

Tool: bash

```
(no output)
```

Step 8

Time: 2026-04-04T11:07:11.788743+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 15 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)
```

Step 8

Time: 2026-04-04T11:07:13.046678+08:00

🧠 Model Output

Tokens: 61 → 12 = 73
Tool calls:

```
[
  {
    "id": "call_c0c46bbf413a46f4befb10e5",
    "name": "bash",
    "input": {
      "command": "cat hello.py"
    }
  }
]
```

Step 8

Time: 2026-04-04T11:07:13.047202+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "cat hello.py"}
```

Step 8

Time: 2026-04-04T11:07:13.078472+08:00

👁️ Tool Result

Tool: bash

```
print("Hello, World!")
```

Step 9

Time: 2026-04-04T11:07:13.078472+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 17 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
```

```
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")
```

Step 9

Time: 2026-04-04T11:07:15.167153+08:00

🧠 Model Output

Tokens: 83 → 12 = 95
Tool calls:


```
[
  {
    "id": "call_31ce82731b9c4d98af679f8e",
    "name": "bash",
    "input": {
      "command": "python hello.py"
    }
  }
]
```

Step 9

Time: 2026-04-04T11:07:15.168480+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "python hello.py"}
```

Step 9

Time: 2026-04-04T11:07:15.218598+08:00

👁️ Tool Result

Tool: bash

```
Hello, World!
```

Step 10

Time: 2026-04-04T11:07:15.218598+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 19 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})
```

```
[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!
```

Step 10

Time: 2026-04-04T11:07:16.553636+08:00

🧠 Model Output

Tokens: 39 → 23 = 62
Content:

```
已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。
```

🧑 User Input

```
列出当前目录下的所有 Python 文件
```

Step 1

Time: 2026-04-04T11:07:23.727512+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 21 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
```

```
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件
```

Step 1

Time: 2026-04-04T11:07:24.880407+08:00

🧠 Model Output

Tokens: 72 → 12 = 84
Tool calls:

```
[
  {
    "id": "call_c953b298f8e04ce0a2181f3d",
    "name": "bash",
    "input": {
      "command": "ls *.py"
    }
  }
]
```

Step 1

Time: 2026-04-04T11:07:24.880407+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "ls *.py"}
```

Step 1

Time: 2026-04-04T11:07:24.932310+08:00

👁️ Tool Result

Tool: bash

```
hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py
```

Step 2

Time: 2026-04-04T11:07:24.932310+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 23 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)
```

```
[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py
```

Step 2

Time: 2026-04-04T11:07:27.123267+08:00

🧠 Model Output

Tokens: 51 → 63 = 114
Content:

```
当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。
```

🧑 User Input

```
当前的 git 分支是什么？
```

Step 1

Time: 2026-04-04T11:07:35.391029+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 25 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)
```

```
[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？
```

Step 1

Time: 2026-04-04T11:07:36.774090+08:00

🧠 Model Output

Tokens: 122 → 14 = 136
Tool calls:

```
[
  {
    "id": "call_f9d93e295d8642509b47c9a3",
    "name": "bash",
    "input": {
      "command": "git branch --show-current"
    }
  }
]
```

Step 1

Time: 2026-04-04T11:07:36.774090+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "git branch --show-current"}
```

Step 1

Time: 2026-04-04T11:07:36.799088+08:00

👁️ Tool Result

Tool: bash

```
main
```

Step 2

Time: 2026-04-04T11:07:36.800088+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 27 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
```

```
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
```

```
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main
```

Step 2

Time: 2026-04-04T11:07:37.723546+08:00

🧠 Model Output

Tokens: 77 → 10 = 87
Content:

```
当前的 git 分支是 **main**。
```

🧑 User Input

```
创建一个名为 test_output 的目录，并在其中写入 3 个文件
```

Step 1

Time: 2026-04-04T11:07:43.647127+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 29 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
```

```
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**
```

```
共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么?

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件
```

Step 1

Time: 2026-04-04T11:07:46.137202+08:00

🧠 Model Output

Tokens: 40 → 59 = 99
Tool calls:


```
[
  {
    "id": "call_c4edeb44a6a142a2bb72a2d2",
    "name": "bash",
    "input": {
      "command": "mkdir -p test_output && echo \"This is file 1\" > test_output/file1.txt && echo \"This i
    }
  }
]
```


Step 1

Time: 2026-04-04T11:07:46.137202+08:00

🛠️ Tool Call

Tool: bash


```
{"command": "mkdir -p test_output && echo \"This is file 1\" > test_output/file1.txt && echo \"This is fil
```


Step 1

Time: 2026-04-04T11:07:46.146200+08:00

👁️ Tool Result

Tool: bash

```
A subdirectory or file -p already exists.
Error occurred while processing: -p.
```

Step 2

Time: 2026-04-04T11:07:46.146200+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 31 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")
```

```
[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件

[30] assistant:
  [tool_use] bash({'command': 'mkdir -p test_output && echo "This is file 1" > test_output/file1.txt && ec

[31] user:
  [tool_result] bash(id=call_c4ede...) => A subdirectory or file -p already exists.
Error occurred while processing: -p.
```

Step 2

Time: 2026-04-04T11:07:47.099910+08:00

🧠 Model Output

Tokens: 121 → 12 = 133

Tool calls:


```
[
  {
    "id": "call_cad505894af4459e9c2c6ec1",
    "name": "bash",
    "input": {
      "command": "mkdir test_output"
    }
  }
]
```


Step 2

Time: 2026-04-04T11:07:47.099910+08:00

🛠️ Tool Call

Tool: bash


```
{"command": "mkdir test_output"}
```


Step 2

Time: 2026-04-04T11:07:47.111920+08:00

👁️ Tool Result

Tool: bash

```
A subdirectory or file test_output already exists.
```

Step 3

Time: 2026-04-04T11:07:47.112920+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 33 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)
```

```
[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**
```

```
共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么?

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件

[30] assistant:
  [tool_use] bash({'command': 'mkdir -p test_output && echo "This is file 1" > test_output/file1.txt && ec

[31] user:
  [tool_result] bash(id=call_c4ede...) => A subdirectory or file -p already exists.
Error occurred while processing: -p.

[32] assistant:
  [tool_use] bash({'command': 'mkdir test_output'})

[33] user:
  [tool_result] bash(id=call_cad50...) => A subdirectory or file test_output already exists.
```

Step 3

Time: 2026-04-04T11:07:48.066528+08:00

🧠 Model Output

Tokens: 83 → 12 = 95
Tool calls:

```
[
  {
    "id": "call_2bba82a008444590ba1d8d18",
    "name": "bash",
    "input": {
      "command": "ls test_output"
    }
  }
]
```

Step 3

Time: 2026-04-04T11:07:48.066528+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "ls test_output"}
```

Step 3

Time: 2026-04-04T11:07:48.097867+08:00

👁 Tool Result

Tool: bash

```
(no output)
```

Step 4

Time: 2026-04-04T11:07:48.097867+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 35 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})
```

```
[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件

[30] assistant:
  [tool_use] bash({'command': 'mkdir -p test_output && echo "This is file 1" > test_output/file1.txt && ec

[31] user:
  [tool_result] bash(id=call_c4ede...) => A subdirectory or file -p already exists.
Error occurred while processing: -p.

[32] assistant:
  [tool_use] bash({'command': 'mkdir test_output'})
```

```
[33] user:
  [tool_result] bash(id=call_cad50...) => A subdirectory or file test_output already exists.

[34] assistant:
  [tool_use] bash({'command': 'ls test_output'})

[35] user:
  [tool_result] bash(id=call_2bba8...) => (no output)
```

Step 4

Time: 2026-04-04T11:07:50.125041+08:00

🧠 Model Output

Tokens: 38 → 53 = 91
Tool calls:

```
[
  {
    "id": "call_b182ef41f8a948518953118b",
    "name": "bash",
    "input": {
      "command": "echo \"This is file 1\" > test_output/file1.txt && echo \"This is file 2\" > test_output
    }
  }
]
```

Step 4

Time: 2026-04-04T11:07:50.125041+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "echo \"This is file 1\" > test_output/file1.txt && echo \"This is file 2\" > test_output/file
```

Step 4

Time: 2026-04-04T11:07:50.135039+08:00

👁️ Tool Result

Tool: bash

```
(no output)
```

Step 5

Time: 2026-04-04T11:07:50.135039+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 37 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
```

```
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py

[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件

[30] assistant:
  [tool_use] bash({'command': 'mkdir -p test_output && echo "This is file 1" > test_output/file1.txt && ec

[31] user:
  [tool_result] bash(id=call_c4ede...) => A subdirectory or file -p already exists.
Error occurred while processing: -p.

[32] assistant:
  [tool_use] bash({'command': 'mkdir test_output'})

[33] user:
  [tool_result] bash(id=call_cad50...) => A subdirectory or file test_output already exists.

[34] assistant:
  [tool_use] bash({'command': 'ls test_output'})

[35] user:
  [tool_result] bash(id=call_2bba8...) => (no output)

[36] assistant:
  [tool_use] bash({'command': 'echo "This is file 1" > test_output/file1.txt && echo "This is file 2" > te

[37] user:
  [tool_result] bash(id=call_b182e...) => (no output)
```

Step 5

Time: 2026-04-04T11:07:51.153904+08:00

🧠 Model Output

Tokens: 98 → 12 = 110
Tool calls:

```
[
  {
    "id": "call_153e67aa894b49f7a2a3f491",
    "name": "bash",
    "input": {
      "command": "ls test_output"
    }
  }
]
```

Step 5

Time: 2026-04-04T11:07:51.153904+08:00

🛠️ Tool Call

Tool: bash

```
{"command": "ls test_output"}
```

Step 5

Time: 2026-04-04T11:07:51.180905+08:00

👁️ Tool Result

Tool: bash

```
file1.txt
file2.txt
file3.txt
```

Step 6

Time: 2026-04-04T11:07:51.180905+08:00

🔵 Model Call

System: You are a coding agent at F:\Agent\learn-claude-code. Use bash to solve tasks. Act, don't explain.
Tools: 1 tools defined
Messages: 39 messages

```
[1] user:
  创建一个名为 hello.py 的文件，打印 "Hello, World!"

[2] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})
```

```
[3] user:
  [tool_result] bash(id=call_cede9...) => (no output)

[4] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[5] user:
  [tool_result] bash(id=call_f4828...) => (no output)

[6] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[7] user:
  [tool_result] bash(id=call_e7998...) => 'print("Hello, World!")'

[8] assistant:
  [tool_use] bash({'command': 'echo \'print("Hello, World!")\' > hello.py'})

[9] user:
  [tool_result] bash(id=call_a354c...) => (no output)

[10] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[11] user:
  [tool_result] bash(id=call_23624...) => (no output)

[12] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[13] user:
  [tool_result] bash(id=call_c4b95...) => 'print("Hello, World!")'

[14] assistant:
  [text] There seems to be an issue with the file content. Let me fix it:
  [tool_use] bash({'command': 'printf \'print("Hello, World!")\\n\' > hello.py'})

[15] user:
  [tool_result] bash(id=call_475f6...) => (no output)

[16] assistant:
  [tool_use] bash({'command': 'cat hello.py'})

[17] user:
  [tool_result] bash(id=call_c0c46...) => print("Hello, World!")

[18] assistant:
  [tool_use] bash({'command': 'python hello.py'})

[19] user:
  [tool_result] bash(id=call_31ce8...) => Hello, World!

[20] assistant:
  [text] 已成功创建 hello.py 文件，内容为打印 "Hello, World!"。运行结果显示正确输出。

[21] user:
  列出当前目录下的所有 Python 文件

[22] assistant:
  [tool_use] bash({'command': 'ls *.py'})

[23] user:
  [tool_result] bash(id=call_c953b...) => hello.py
quicksort.py
read_agents.py
test_agent_utils.py
test_data_processor.py
test_e2e.py
```

```
[24] assistant:
  [text] 当前目录下的所有 Python 文件：

1. **hello.py**
2. **quicksort.py**
3. **read_agents.py**
4. **test_agent_utils.py**
5. **test_data_processor.py**
6. **test_e2e.py**

共 6 个 Python 文件。

[25] user:
  当前的 git 分支是什么？

[26] assistant:
  [tool_use] bash({'command': 'git branch --show-current'})

[27] user:
  [tool_result] bash(id=call_f9d93...) => main

[28] assistant:
  [text] 当前的 git 分支是 **main**。

[29] user:
  创建一个名为 test_output 的目录，并在其中写入 3 个文件

[30] assistant:
  [tool_use] bash({'command': 'mkdir -p test_output && echo "This is file 1" > test_output/file1.txt && ec

[31] user:
  [tool_result] bash(id=call_c4ede...) => A subdirectory or file -p already exists.
Error occurred while processing: -p.

[32] assistant:
  [tool_use] bash({'command': 'mkdir test_output'})

[33] user:
  [tool_result] bash(id=call_cad50...) => A subdirectory or file test_output already exists.

[34] assistant:
  [tool_use] bash({'command': 'ls test_output'})

[35] user:
  [tool_result] bash(id=call_2bba8...) => (no output)

[36] assistant:
  [tool_use] bash({'command': 'echo "This is file 1" > test_output/file1.txt && echo "This is file 2" > te

[37] user:
  [tool_result] bash(id=call_b182e...) => (no output)

[38] assistant:
  [tool_use] bash({'command': 'ls test_output'})

[39] user:
  [tool_result] bash(id=call_153e6...) => file1.txt
file2.txt
file3.txt
```

Step 6

Time: 2026-04-04T11:07:52.845269+08:00

🧠 Model Output

Tokens: 61 → 35 = 96
Content:

```
已成功在 test_output 目录中创建 3 个文件：

1. **file1.txt**
2. **file2.txt**
3. **file3.txt**
```

📊 Session Summary

```
{
  "total_steps": 10,
  "tools_used": 16,
  "total_tokens": 2039
}
```