





이클립스에서 SQL 실행하기
Data Source Explorer


Window - Show View - Other...




Show View



Show View



New Connection Profile

 New Connection Profile

Connection Profile
Create an Oracle connection profile.


Connection Profile Types:

type filter text


- Derby
- Generic JDBC
- HSQldb
- Informix
- Ingres
- MaxDB
- MySQL
- Oracle**
- PostgreSQL
- SQL Server
- SQLite
- Sybase ASA
- Sybase ASE

Name:
SCOTT

Description (optional):

 < Back **Next >** Finish Cancel

New Connection Profile



New Connection Profile

Specify a Driver and Connection Details

Define and select a driver from the drop-down list to continue.

Drivers: ▼ ⊕


Properties

☒ Connect when the wizard completes Test Connection

☐ Connect every time the workbench is started

? < Back Next > Finish Cancel

New Driver Definition

 New Driver Definition ✕

Specify a Driver Template and Definition Name

Specify a driver template, then modify details in the fields below to provide a unique name, a list of required jars, and set any available and applicable property values.


Name/Type JAR List Properties

Available driver templates:


Name	System Vendor	System Version
Database		
Oracle Thin Driver	Oracle	10
Oracle Thin Driver	Oracle	11
Oracle Thin Driver	Oracle	8
Oracle Thin Driver	Oracle	9
Other Driver	Oracle	10
Other Driver	Oracle	11
Other Driver	Oracle	8
Other Driver	Oracle	9

Driver name:


Driver type:

 OK Cancel


New Driver Definition




New Driver Definition



New Driver Definition



New Driver Definition



The image shows a 'New Driver Definition' dialog box with a title bar containing a gear icon and a close button. The main heading is 'Specify a Driver Template and Definition Name', followed by a descriptive paragraph. Below this are three tabs: 'Name/Type', 'JAR List', and 'Properties'. The 'JAR List' tab is selected and highlighted with a red box. Inside this tab, the 'Driver files:' section contains a text area with a single entry, 'C:\oracle\app\oracle\product\11.2.0\server\jdbc\lib\ojdbc6.jar', which is also highlighted with a red box. To the right of the text area are four buttons: 'Add JAR/Zip...', 'Edit JAR/Zip...', 'Remove JAR/Zip', and 'Clear All'. At the bottom of the dialog are a help icon, an 'OK' button, and a 'Cancel' button.

New Driver Definition

Specify a Driver Template and Definition Name

Specify a driver template, then modify details in the fields below to provide a unique name, a list of required jars, and set any available and applicable property values.

Name/Type **JAR List** Properties


Driver files:

C:\oracle\app\oracle\product\11.2.0\server\jdbc\lib\ojdbc6.jar

Add JAR/Zip...
Edit JAR/Zip...
Remove JAR/Zip
Clear All

? OK Cancel

New Driver Definition



The image shows a 'New Driver Definition' dialog box. It has a title bar with a question mark icon, the text 'New Driver Definition', and a close button. Below the title bar is a section titled 'Specify a Driver Template and Definition Name' with a descriptive paragraph. There are three tabs: 'Name/Type', 'JAR List', and 'Properties'. The 'Properties' tab is selected and highlighted with a red rectangle. Inside the 'Properties' tab, there is a table with two columns: 'Property' and 'Value'. The table has a section for 'General' properties. The properties listed are: Catalog (USER), Connection URL (jdbc:oracle:thin:@server:1521:db), Database Name (db), Driver Class (oracle.jdbc.OracleDriver), Password, and User ID. At the bottom of the dialog box, there is a help icon (question mark), an 'OK' button, and a 'Cancel' button.

New Driver Definition

Specify a Driver Template and Definition Name

Specify a driver template, then modify details in the fields below to provide a unique name, a list of required jars, and set any available and applicable property values.

Name/Type JAR List **Properties**


Properties:

Property	Value
General	
Catalog	USER
Connection URL	jdbc:oracle:thin:@server:1521:db
Database Name	db
Driver Class	oracle.jdbc.OracleDriver
Password	
User ID	

?

OK Cancel

New Driver Definition



The image shows a 'New Driver Definition' dialog box with three tabs: 'Name/Type', 'JAR List', and 'Properties'. The 'Properties' tab is selected and highlighted with a red box. Below the tabs, there is a section titled 'Specify a Driver Template and Definition Name' with a descriptive paragraph. Underneath, a table lists properties for a driver. The 'General' category is expanded, and a red box highlights the first six rows of the table: Catalog, Connection URL, Database Name, Driver Class, Password, and User ID. The 'User ID' row is currently selected. At the bottom right, the 'OK' button is highlighted with a red box, next to a 'Cancel' button and a help icon.

New Driver Definition

Specify a Driver Template and Definition Name

Specify a driver template, then modify details in the fields below to provide a unique name, a list of required jars, and set any available and applicable property values.


Name/Type JAR List **Properties**

Properties:

Property	Value
General	
Catalog	USER
Connection URL	jdbc:oracle:thin:@localhost:1521:xe
Database Name	xe
Driver Class	oracle.jdbc.OracleDriver
Password	*****
User ID	SCOTT

? OK Cancel

New Driver Definition

 New Connection Profile

Specify a Driver and Connection Details

Select a driver from the drop-down and provide login details for the connection.

Drivers: Oracle Thin Driver

Properties

General Optional

Database instance: ☒ Service Name xe
☐ SID

Connection URL: jdbc:oracle:thin:@localhost:1521:xe

Host: localhost

Port number: 1521

User name: SCOTT

Password: ●●●●●●

☐ Save password


Catalog: User

☒ Connect when the wizard completes
☐ Connect every time the workbench is started

Test Connection

? < Back Next > Finish Cancel

New Driver Definition

 New Connection Profile

Specify a Driver and Connection Details

Select a driver from the drop-down and provide login details for the connection.

Drivers: Oracle Thin Driver

Properties

General Optional

Database instance: ☒ Service Name xe
☐ SID

Connection URL: jdbc:oracle:thin:@localhost:1521:xe

Host: localhost

Port number: 1521


User name: SCOTT


Password: ●●●●●●

☒ Save password

Catalog: User

☒ Connect when the wizard completes
☐ Connect every time the workbench is started



 < Back Next > Finish Cancel

Finish

