



**Started on** Thursday, 23 October 2025, 6:45 PM

**State** Finished

**Completed on** Thursday, 23 October 2025, 6:46 PM

**Time taken** 33 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

Write a Program to Implement the Quick Sort Algorithm

Input Format:

The first line contains the no of elements in the list-n

The next n lines contain the elements.

Output:

Sorted list of elements

**For example:**

Input	Result
5 67 34 12 98 78	12 34 67 78 98

**Answer:**

```

1  #include <stdio.h>
2
3  void swap(int* a, int* b) {
4      int temp = *a;
5      *a = *b;
6      *b = temp;
7  }
8
9  int partition(int arr[], int low, int high) {
10     int pivot = arr[high];
11     int i = low - 1;
12
13     for (int j = low; j < high; j++) {
14         if (arr[j] <= pivot) {
15             i++;
16             swap(&arr[i], &arr[j]);
17         }
18     }
19
20     swap(&arr[i + 1], &arr[high]);
21     return i + 1;
22 }
23
24 void quickSort(int arr[], int low, int high) {
25     if (low < high) {
26         int pi = partition(arr, low, high);
27         quickSort(arr, low, pi - 1);
28         quickSort(arr, pi + 1, high);
29     }
30 }
31
32 int main() {
33     int n;
34     scanf("%d", &n);
35
36     int arr[n];
37     for (int i = 0; i < n; i++)
38         scanf("%d", &arr[i]);
39
40     quickSort(arr, 0, n - 1);
41
42     for (int i = 0; i < n; i++)
43         printf("%d ", arr[i]);
44
45     return 0;
46 }
```

	Input	Expected	Got	
✓	5 67 34 12 98 78	12 34 67 78 98	12 34 67 78 98	✓
✓	10 1 56 78 90 32 56 11 10 90 114	1 10 11 32 56 56 78 90 90 114	1 10 11 32 56 56 78 90 90 114	✓
✓	12 9 8 7 6 5 4 3 2 1 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	1 2 3 4 5 6 7 8 9 10 11 90	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)