

Party App Db Schema V1.1

1. Users Table (Core User Profile)

id
email
password
username
is_guest
city
age
event_id
budget_id
vibe_id
genres_id
social_links JSONB, -- { instagram: "", twitter: "" }
location
user_role_id
social_mode TEXT DEFAULT 'public', -- public, friends-only, private
profile_visibility TEXT DEFAULT 'public', -- public, private
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

2. Organizers Table (Event Creators)

id
email
password
name
social_links JSONB,
average_rating
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

3. Venues Table (Physical Locations)

id
name
location
logo
photos
address
capacity (max attendees)
customer_Reviews
parking_info TEXT
transport_info TEXT
average_rating
organizer_id
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

4. Events Table (Core Event Entity)

id
organizer_id
venue_id
name
description
category_id -- e.g., 'Music', 'Comedy', 'Festival'
vibe TEXT, -- e.g., 'Energetic', 'Relaxed'
genre TEXT, -- e.g., 'Techno', 'Stand-up'
status TEXT DEFAULT 'Draft' CHECK (status IN ('Draft', 'Published', 'Cancelled', 'Completed')),
date DATE NOT NULL,
start_time TIMESTAMPTZ,
end_time TIMESTAMPTZ,
cover_image TEXT, -- URL
region TEXT, -- e.g., 'Downtown', 'Westside'
watchlist_available BOOLEAN DEFAULT TRUE,
watching_count INT DEFAULT 0,
price_id
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

5. Event Categories Table (Predefined Event Types)

id
name
description TEXT,
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

6. Performers Table (Artists/Bands/DJs)

id
type TEXT NOT NULL, -- e.g., 'DJ', 'Band', 'Comedian'
name
bio TEXT
is_group BOOLEAN DEFAULT FALSE,
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

7. Vibe Tags Table (User-defined tags for events)

id
name
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

8. Genres Tags Table (User-defined tags for events)

id
name
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

9. Event Schedules Table (For multi-day or recurring events)

```
id
event_id
start_date TIMESTAMPTZ NOT NULL,
end_date TIMESTAMPTZ,
recurrence TEXT, -- e.g., 'daily', 'weekly'
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()
);
```

10. Event Policies Table (Rules for attendees)

```
id
event_id
additional_policies TEXT,
age_restriction INT,
allow_pets BOOLEAN DEFAULT FALSE,
re_entry_allowed BOOLEAN DEFAULT FALSE,
refund_policy TEXT,
wheelchair_accessible BOOLEAN DEFAULT FALSE,
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()
```

11. Reviews Table (User Feedback on Events/Organizers)

id
user_id
event_id
rating NUMERIC(2,1) NOT NULL CHECK (rating >= 1 AND rating <= 5),
comment
reply
is_flagged BOOLEAN DEFAULT FALSE,
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

12. Social Posts Table (User-generated content)

id
user_id
media_url TEXT NOT NULL,
caption TEXT,
tags
location GEOMETRY(Point, 4326), -- Optional: where post was taken
visibility TEXT DEFAULT 'public' CHECK (visibility IN ('public', 'friends-only', 'private')),
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

13. Post Interactions Table (Likes, Comments)

id
post_id
interaction_count
comment_text TEXT, -- NULL for likes
created_at TIMESTAMPTZ DEFAULT NOW()
updated_at TIMESTAMPTZ DEFAULT NOW()

14. Live Metrics Table (Real-time event stats)

id
event_id
crowd_size INT,
music_type TEXT, -- e.g., 'EDM', 'Hip-Hop'
queue_time INT, -- in minutes
capacity INT, -- Venue capacity (denormalized for speed)
timestamp TIMESTAMPTZ DEFAULT NOW()

15. Music type Table

id
name
created_at TIMESTAMPTZ DEFAULT NOW(),
updated_at TIMESTAMPTZ DEFAULT NOW()

16. Safety Alerts Table (Push notifications for users)

```
id
user_id
alert_type TEXT NOT NULL, -- e.g., 'queue_time', 'safety_tip', 'crowd_level'
alert_message TEXT NOT NULL,
created_at TIMESTAMPTZ DEFAULT NOW()
);
```