Pro Teams Pricing Documentation

npm

Sign Up Sign In

Search packages Search

react-use-downloader

1.2.4 • Public • Published 2 months ago

Readme

Code Beta

0 Dependencies

0 Dependents

16 Versions

react-use-downloader

> Creates a download handler function with its progress information and cancel ability.

npm v1.2.4

Statements	Branches	Functions	Lines
statements 87.96%	branches 73.68%	functions 81.81%	lines 88.65%

Table of Contents

- Running example
- Install
- Usage
- Documentation

- License

Running example

Plain

react-use-downloader

Creates a download handler function and gives progress information

- size: **0 bytes**
- elapsed: **0s**
- percentage: **0%**
- error: **{"errorMessage":"Download canceled"}**
- isInProgress: **false**

DOWNLOAD FILE CANCEL FILE

Preview!

> You may find another **example** in this project which are served at **Github Pages**.

Install

```
npm install --save react-use-downloader
```

Usage

```
    useDownloader();

  const fileUrl =
    'https://upload.wikimedia.org/wikipedia/commons/4/4d/%D0%
  const filename = 'beautiful-carpathia.jpg';

  return (
    <div className="App">
      <p>Download is in {isInProgress ? 'in progress' : 'stop
      <button onClick={() => download(fileUrl, filename)}>
        Click to download the file
      </button>
      <button onClick={() => cancel()}>Cancel the download</b
      <p>Download size in bytes {size}</p>
      <label for="file">Downloading progress:</label>
      <progress id="file" value={percentage} max="100" />
      <p>Elapsed time in seconds {elapsed}</p>
      {error && <p>possible error {JSON.stringify(error)}</p>
    </div>
  );
}
```

Documentation

`useDownloader()` returns:

- An object with the following keys:

key	description	arguments
size	size in bytes	n/a
elapsed	elapsed time in seconds	n/a
percentage	percentage in string	n/a

key	description	arguments
download	download function handler	(downloadUrl: string, filename: string, timeout?: number)
cancel	cancel function handler	n/a
error	error object from the request	n/a
isInProgress	boolean denoting download status	n/a

```
const { size, elapsed, percentage, download, cancel, error, is
  useDownloader();
```

`useDownloader(options?: UseDownloaderOptions)` also accepts fetch's RequestInit options:

- Ex.:

```
const { download } = useDownloader({
  mode: 'no-cors',
  credentials: 'include',
  headers: {
    Authorization: 'Bearer TOKEN',
  },
});
```

Contributors ✨

Thanks goes to these wonderful people (**emoji key**):

		
Eric Semeniuc 🤔	davdi1337 💻 🐛	Mauro Stepanoski 🤔 💻

This project follows the **all-contributors** specification. Contributions of any kind welcome!

License

react-use-downloader is **MIT licensed**.

This hook is created using **create-react-hook**.

Keywords

none

Install

```
> npm i react-use-downloader
```

Repository

github.com/the-bugging/react-use-downloader

Homepage

github.com/the-bugging/react-use-downloader#readme

Weekly Downloads

3.751



Version	License
1.2.4	MIT

Unpacked Size

69.3 kB

Total Files

9

Issues

0

Pull Requests

0

Last publish

2 months ago

Collaborators

>_Try on RunKit

Report malware

Support

Help

Advisories

Status

Contact npm

Company

About

Blog

Press

Terms & Policies

Policies

Terms of Use

Code of Conduct

Privacy