

Firewall Rule Compliance Review — Audit Report

Organization: THE RDCC

Generated (UTC): 2026-06-21T20:22:13.851620+00:00 | Compliance mode: strict | Report style: standard | Rules reviewed: 312

Disabled or inactive rules in import: 294 — (unnamed), MANDAR SIR WIFI POLICY, Sanket Raul Access, (unnamed), MPCS acces, (unnamed), (unnamed), Quick assist, Harshal Patel Acces, MIS SERV TO NDR DB, SOC_INCOMING, SOC TO NDR SERVER, NDR SERVER TO SOC, LAN to Mail Push, Clearing Depart to NetBanking, Perplexity, Temp Internet, SOC_SEQUERET, CISCO DUO, PAM ACCES TO RDP, NDR PA ACCES, NDR PAM TO DMZ, OPManager to SIL, PAM & EPC to NDR PC, NDR AND BRANCH RDP LOCK, WP-WEB-Access, RECON PORTAL ACCES FATPIPE, DENY ULTRA VIEW, GlobleDNS_Services Access, RDCC-NTP to Globle NTP, Global NTP, ATMportal_Access _SIL, NTP SERVER COMMUNICATION, BLOCK OPMANAGER, BRANCH AND NDR TO DC RDP BLOCK, (unnamed), BRANCH & NDR RDP DMZ BLOCK, WHATS APP BANKING, Sophos AV, Mail Access, AD_Integration, Branch-to SDP-Access, BRANCH TO NEW EPC, Branch-to PAM360 Access, Branch-to LOG360 Access, Branch-to OPManager Access, ATM ACCES TO EJ SERVER, DC NDR TO NEW EPC-FATPIPE, NDR COMMUNICATE TO EPC REVERS, FORTIANALYZER, NDR ACCES TO DC SUBNET, TeamViewer-Webss, CMGP ACCES GOV SITE, PALO MGMT to WAN, teamviewer.com, SophosSRV-Update, DCFirewall_Updates, RDCCBANK.COM, Clearing to NACH, GST Access-TATA, Nach-airtel, TATA telebusiness, Mail_Access, NEW EPC TO DC NDR, DC SUBNET ACCES TO NDR SUBNET, (unnamed), CISCO ISE TO BRANCH, BRANCH TO DMZ, HARDNING POLICY-DMZ, BRANCH 20 TO 40, P2B ACCES, Branch 1 to 20, BRANCH 20 TO 40 COMMUNICATE, Branch 41 to 62, Branch 41 - 62 Hardning, CCTV SUBNET, LOKSATTA, HO ATM ACCES VIA FATPIPE, USER COMMUNICATION, DC_ROUTER_MGMT_Access, IB-AIRTEL, NEW_TEST_MAIL_RULE, SOC_NDR_FATPIPE_REVERSE, SIL UAT TOWARD FATPIPE, UAT WAN to LAN, FATPIPE_MPLS(X1)_LANs, DFA, IMPS SERVER ACCES FATPIPE, ECOM TO ATM SERVER VI FATPIPE, SIL RECOM TO ATM SERVER, EJ SERVER ACCES TO SIL, ATM SERV ACCES VIA FATPIPE, SIL TO PAM ACCESS, SIL Insta to ATM, APC_AIRTEL, PFMS_TATAs, PFMS_Airtel, VC-Branch2DC-TATA, SIL12 to UAT Server, NDR ATM COMMUNICATE TO DC ADC, SIL TO HO ATM, DUO DFA SERVER ACCES, DR_Yotta, ICMP_Timestamp_block, DR_Yotta MPLS, MPLS Link Acces, Branch_DC _MPLS, Branch-to DC router ping Access, DCROUETERTOSOC, Rasayani WAN to Swifcore, YOTTA TO EPC, TrendMicro updates, RBI_TATA_NAT_Outside, TrendMicro-Internet, Microsoft_Access, MicroSoft-Update, PFMS Basic Internet, APPLimited_internet, SMS SERVER-internet Access, NEW EPC LIMITED ACCES, INTERNET_WAN MONITOR LINK, WIFI USER TO OUTLOOK, NUTANIX INTERNET, E-KYC TEST, EPC to NDR PC, EPC TO YOTTA, EJ SERVER ACCES TO ATM, SIL 6.3 COMMUNICATION, E-Mandate App Acces) Revers, SNMP-Access-to DC router, wifi acces, Rdcc Banking URL access, WiFi2Internet, Cisco Duo, (unnamed), DMZ TO USER RDP BLOCK, (unnamed), new dfa to fs, PAM acces to DMZ, DMZBLOCK, Duo Proxy to LAN, NEW EPC, ISE_2_SOC, DMZ TO EPC, DNS, TRENDMICRO, TRENDMICRO -DNS, Cisco ISE INT ACC, (unnamed), NEW EPC TO DMZ SUBNET, (unnamed), LOG360 DMZ access, DMZ To LOG360, cisco ISE 1, cisco ISE, TEST IDBI TO AD, P2B ACCES TO LAN, PAN ADHAR, PAN ACCES REVERS NEW, DR DRILL ACTIVITY-AIRTEL-IMPS, DR DRILL ACTIITY-AIRTEL ATM, EJ Server to ATM, SIL DFA, LAN_TO_FATPIPE_(X1)s, PAM TO ALL RDP, TELNET PORT BLOCK, TEST, (unnamed), DENY AD, OP MANAGER TO DB, USER TO DATA BASE ACCES, abhi manyu acces to pam via rdp, CR-100223-01, P2B-POLICY, PAN ADHAR ACCES, NEW CTS ALLOWED, CTS COMMUNICATION REVERS, SOC USER TO LAN, Network Device MGMT, MGMT Access Block, NEW CTS BLOCK, DENY PRODUCTION, UAT INTER COMMUNICATION BLOCK, CTS clearing from CTS server, CTS SERVER NOT COMMUNICATE TO DB, DC-USER TO PRODUCTION SUBNET, DC PROXY SERVER, LOG 360, SWIP CORE Communication, NODE COMMUNICATION, SERVER TEAM ACCES, DATA BASE ACCES, ATM- IMPS - COMMUNICATION, SWIPE CORE ACCES, EPC Communication, UAT Communication, DATA BASE ACCES-1, SWIFT CLEARING, JUMP SERVER, SWIFT COE ACCES-1, AD COMMUNICATION, AD COMMUNICATIION REVERS, PFMS TO MIS SERVER, RTGS ACCES, OP MANAGER ACCES, 192.168.11.200, SDP communication, PAM ACCES, TREND MICRO ACCESS, C-UAT COMMUNICATION, BMA SERV COMMUNICATION, NACH COMMUNICATION, EPC COMMUNICATION, Far DR FatPipe, LOG360 TO YOTTA, CTS SERVER COMMUNICATION, LOG360/TRENT MICRO ACCES, CTS CLEARING, NACH SERVER COMMUNICATION, HO CKY ACCES, MGMT ACCESS, EJ SERVER ACCES, BMA SERVER ACCESS, DFA SERVER, 172.29.17.40, TRENT MICRO UPDATE, APP 7 CLONE, REMOTE APP RDP, BMA SERVER ACCES, MIS SERVER ACCESS, PARANJE ACCES TO CTS SERVER, VEEM ACCES, NACH ACCES, SYSLOG ACCES, TAPE BACKUP, 21 VLAN Communication, EPC TO ALL, Core-Core, PAN ADHAR INTERNET, SARWATRA INTERFACE CHECK, Cisvco ISE Backup, NEW DFA TO FIREWALL, DB-access, DFA TO DC PRISM, SIL to OPManager & FTP Server, ping check, Parali to Swift40, NTP to Google NTP, (unnamed), (unnamed), DMS SERVER TO BRANCH, CTS_Clearing_Access, TEMP_TRENDMICRO, SOC to NAC, Lan user dmz access, CR170523:02, PAM360 To EPC, IPMI PORT, SIL TO HEAD OFFICE NE 6.3 SERVER, HEAD OFFICE TO

SIL 6.3, Array Internet, EJ SERVER FATPIPE, GST Access-Airtel, SIL PORTAL ACCES VIA FATPIPE, Yotta app access, DB to UAT, PatchManagerGalaxy-Update Access, Trend Micro Block, UAT INTERNET SERVER, UAT Airtel, ATMportal_Access, TrendMicro, MANISH SAWANT ACCES TO SIL, NACH Portal access, FTP Server to SIL, NPCI ACCESS, Sachin Gurav Month end, CTS SERVER TO SIL-1, ATM TO EJ ACCES, SIL TO HEAD OFFICE NEW 6.3 SERVER, HEAD OFFICE SIL TO NEW 6.3 SERVER, ATM TO INSTACARD PORTAL, INSTA PORTAL, NPCI Acces, Switc 40 to Parali, (unnamed), SACHIN GURAV IDBI ACCES, CSMI_Acces, whatsapp, vpn_KAMESH_local_allow, kamesh, SSL_USER, Aadhar seeding, Implicit Deny.

Executive Summary

This report presents the results of an independent review of 312 firewall rules for THE RDCC. Of these, 2 rule(s) were assessed as non-compliant against the defined audit configuration. The overall risk rating for the reviewed sample is High. Management should prioritize remediation of higher-severity findings and track closure through the governance process. 294 rule object(s) were flagged as disabled or inactive in the import ((unnamed), MANDAR SIR WIFI POLICY, Sanket Raul Access, (unnamed), MPCS acces, (unnamed), (unnamed), Quick assist, Harshal Patel Acces, MIS SERV TO NDR DB, SOC_INCOMING, SOC TO NDR SERVER, NDR SERVER TO SOC, LAN to Mail Push, Clearing Depart to NetBanking, Perplexity, Temp Internet, SOC_SEQUERET, CISCO DUO, PAM ACCES TO RDP, NDR PA ACCES, NDR PAM TO DMZ, OPManager to SIL, PAM & EPC to NDR PC, NDR AND BRANCH RDP LOCK, WP-WEB-Access, REONE PORTAL ACCES FATPIPE, DENY ULTRA VIEW, GlobleDNS_Services Access, RDCC-NTP to Globle NTP, Global NTP, ATMportal_Access _SIL, NTP SERVER COMMUNICATION, BLOCK OPMANAGER, BRANCH AND NDR TO DC RDP BLOCK, (unnamed), BRANCH & NDR RDP DMZ BLOCK, WHATS APP BANKING, Sophos AV, Mail Access, AD_Integration, Branch-to SDP-Access, BRANCH TO NEW EPC, Branch-to PAM360 Access, Branch-to LOG360 Access, Branch-to OPManager Access, ATM ACCES TO EJ SERVER, DC NDR TO NEW EPC-FATPIPE, NDR COMMUNICATE TO EPC REVERS, FORTIANALYZER, NDR ACCES TO DC SUBNET, TeamViewer-Webss, CMGP ACCES GOV SITE, PALO MGMT to WAN, teamviewer.com, SophosSRV-Update, DCFirewall_Updates, RDCCBANK.COM, Clearing to NACH, GST Access-TATA, Nach-airtel, TATA telebusiness, Mail_Access, NEW EPC TO DC NDR, DC SUBNET ACCES TO NDR SUBNET, (unnamed), CISCO ISE TO BRANCH, BRANCH TO DMZ, HARDNING POLICY-DMZ, BRANCH 20 TO 40, P2B ACCES, Branch 1 to 20, BRANCH 20 TO 40 COMMUNICATE, Branch 41 to 62, Branch 41 - 62 Hardning, CCTV SUBNET, LOKSATTA, HO ATM ACCES VIA FATPIPE, USER COMMUNICATION, DC_ROUTER_MGMT_Access, IB-AIRTEL, NEW_TEST_MAIL_RULE, SOC_NDR_FATPIPE_REVERSE, SIL UAT TOWARD FATPIPE, UAT WAN to LAN, FATPIPE_MPLS(X1)_LANs, DFA, IMPS SERVER ACCES FATPIPE, ECOM TO ATM SERVER VI FATPIPE, SIL RECOM TO ATM SERVER, EJ SERVER ACCES TO SIL, ATM SERV ACCES VIA FATPIPE, SIL TO PAM ACCESS, SIL Insta to ATM, APC_AIRTEL, PFMS_TATAs, PFMS_Airtel, VC-Branch2DC-TATA, SIL12 to UAT Server, NDR ATM COMMUNICATE TO DC ADC, SIL TO HO ATM, DUO DFA SERVER ACCES, DR_Yotta, ICMP_Timestamp_block, DR_Yotta MPLS, MPLS Link Acces, Branch_DC _MPLS, Branch-to DC router ping Access, DCROUETERTOSOC, Rasayani WAN to Swifcore, YOTTA TO EPC, TrendMicro updates, RBI_TATA_NAT_Outside, TrendMicro-Internet, Microsoft_Access, MicroSoft-Update, PFMS Basic Internet, APPLimited_internet, SMS SERVER-internet Access, NEW EPC LIMITED ACCES, INTERNET_WAN MONITOR LINK, WIFI USER TO OUTLOOK, NUTANIX INTERNET, E-KYC TEST, EPC to NDR PC, EPC TO YOTTA, EJ SERVER ACCES TO ATM, SIL 6.3 COMMUNICATION, E-Mandate App Acces) Revers, SNMP-Access-to DC router, wifi acces, Rdcc Banking URL access, WiFi2Internet, Cisco Duo, (unnamed), DMZ TO USER RDP BLOCK, (unnamed), new dfa to fs, PAM acces to DMZ, DMZBLOCK, Duo Proxy to LAN, NEW EPC, ISE_2_SOC, DMZ TO EPC, DNS, TRENDMICRO, TRENDMICRO -DNS, Cisco ISE INT ACC, (unnamed), NEW EPC TO DMZ SUBNET, (unnamed), LOG360 DMZ access, DMZ To LOG360, cisco ISE 1, cisco ISE, TEST IDBI TO AD, P2B ACCES TO LAN, PAN ADHAR, PAN ACCES REVERS NEW, DR DRILL ACTIVITY-AIRTEL-IMPS, DR DRILL ACTIITY-AIRTEL ATM, EJ Server to ATM, SIL DFA, LAN _TO_FATPIPE_(X1)s, PAM TO ALL

RDP, TELNET PORT BLOCK, TEST, (unnamed), DENY AD, OP MANAGER TO DB, USER TO DATA BASE ACCES, abhi manyu acces to pam via rdp, CR-100223-01, P2B-POLICY, PAN ADHAR ACCES, NEW CTS ALLOWED, CTS COMMUNICATION REVERS, SOC USER TO LAN, Network Device MGMT, MGMT Access Block, NEW CTS BLOCK, DENY PRODUCTION, UAT INTER COMMUNICATION BLOCK, CTS clearing from CTS server, CTS SERVER NOT COMMUNICATE TO DB, DC-USER TO PRODUCTION SUBNET, DC PROXY SERVER, LOG 360, SWIP CORE Communication, NODE COMMUNICATION, SERVER TEAM ACCES, DATA BASE ACCES, ATM- IMPS - COMMUNICATION, SWIPE CORE ACCES, EPC Communication, UAT Communication, DATA BASE ACCES-1, SWIFT CLEARING, JUMP SERVER, SWIFT COE ACCES-1, AD COMMUNICATION, AD COMMUNICATIION REVERS, PFMS TO MIS SERVER, RTGS ACCES, OP MANAGER ACCES, 192.168.11.200, SDP communication, PAM ACCES, TREND MICRO ACCESS, C-UAT COMMUNICATION, BMA SERV R COMMUNICATION, NACH COMMUNICATION, EPC COMMUNICATION, Far DR FatPipe, LOG360 TO YOTTA, CTS SERVER COMMUNICATION, LOG360/TRENT MICRO ACCES, CTS CLEARING, NACH SERVER COMMUNICATION, HO CKY ACCES, MGMT ACCESS, EJ SERVER ACCES, BMA SERVER ACCESS, DFA SERVER, 172.29.17.40, TRENT MICRO UPDATE, APP 7 CLONE, REMOTE APP RDP, BMA SERVER ACCES, MIS SERVER ACCESS, PARANJE ACCES TO CTS SERVER, VEEM ACCES, NACH ACCES, SYSLOG ACCES, TAPE BACKUP, 21 VLAN Communication, EPC TO ALL, Core-Core, PAN ADHAR INTERNET, SARWATRA INTERFACE CHECK, Ciscvco ISE Backup, NEW DFA TO FIREWALL, DB-access, DFA TO DC PRISM, SIL to OPManager & FTP Server, ping check, Parali to Swift40, NTP to Google NTP, (unnamed), (unnamed), DMS SERVER TO BRANCH, CTS_Clearing_Access, TEMP_TRENDMICRO, SOC to NAC, Lan user dmz access, CR170523:02, PAM360 To EPC, IPMI PORT, SIL TO HEAD OFFICE NE 6.3 SERVER, HEAD OFFICE TO SIL 6.3, Array Internet, EJ SERVER FATPIPE, GST Access-Airtel, SIL PORTAL ACCES VIA FATPIPE, Yotta app access, DB to UAT, PatchManagerGalaxy-Update Access, Trend Micro Block, UAT INTERNET SERVER, UAT Airtel, ATMportal_Access, TrendMicro, MANISH SAWANT ACCES TO SIL, NACH Portal access, FTP Server to SIL, NPCI ACCESS, Sachin Gurav Month end, CTS SERVER TO SIL-1, ATM TO EJ ACCES, SIL TO HEAD OFFICE NEW 6.3 SERVER, HEAD OFFICE SIL TO NEW 6.3 SERVER, ATM TO INSTACARD PORTAL, INSTA PORTAL, NPCI Acces, Switc 40 to Parali, (unnamed), SACHIN GURAV IDBI ACCES, CSMI_Acces, whatsapp, vpn_KAMESH_local_allow, kamesh, SSL_USER, Aadhar seeding, Implicit Deny); these are assumed not to enforce traffic but should be reconciled with the live device state. Additionally, duplicate and shadow rule analysis identified 1 exact duplicate pair(s) among the 18 active rules — see the Duplicate & Shadow Rule Detection section for details.

Scope of Review

The scope comprised 312 firewall rule object(s) supplied for analysis on behalf of THE RDCC. Of the supplied objects, 294 were recorded as disabled or inactive: (unnamed), MANDAR SIR WIFI POLICY, Sanket Raul Access, (unnamed), MPCS acces, (unnamed), (unnamed), Quick assist, Harshal Patel Acces, MIS SERV R TO NDR DB, SOC_INCOMING, SOC TO NDR SERVER, NDR SERVER TO SOC, LAN to Mail Push, Clearing Depart to NetBanking, Perplexity, Temp Internet, SOC_SEQUERET, CISCO DUO, PAM ACCES TO RDP, NDR PA ACCES, NDR PAM TO DMZ, OPManager to SIL, PAM & EPC to NDR PC, NDR AND BRANCH RDP LOCK, WP-WEB-Access, RECON PORTAL ACCES FATPIPE, DENY ULTRA VIEW, GlobleDNS_Services Access, RDCC-NTP to Globle NTP, Global NTP, ATMportal_Access _SIL, NTP SERVER COMMUNICATION, BLOCK OPMANAGER, BRANCH AND NDR TO DC RDP BLOCK, (unnamed), BRANCH & NDR RDP DMZ BLOCK, WHATS APP BANKING, Sophos AV, Mail Access, AD_Integration, Branch-to SDP-Access, BRANCH TO NEW EPC, Branch-to PAM360 Access, Branch-to LOG360 Access, Branch-to OPManager Access, ATM ACCES TO EJ SERVER, DC NDR TO NEW EPC-FATPIPE, NDR COMMUNICATE TO EPC REVERS, FORTIANALYZER, NDR ACCES TO DC SUBNET, TeamViewer-Webss, CMGP ACCES GOV SITE, PALO MGMT to WAN, teamviewer.com, SophosSRV-Update, DCFirewall_Updates, RDCCBANK.COM, Clearing to NACH, GST

Access-TATA, Nach-airtel, TATA telebusiness, Mail_Access, NEW EPC TO DC NDR, DC SUBNET ACCES TO NDR SUBNET, (unnamed), CISCO ISE TO BRANCH, BRANCH TO DMZ, HARDNING POLICY-DMZ, BRANCH 20 TO 40, P2B ACCES, Branch 1 to 20, BRANCH 20 TO 40 COMMUNICATE, Branch 41 to 62, Branch 41 - 62 Hardning, CCTV SUBNET, LOKSATTA, HO ATM ACCES VIA FATPIPE, USER COMMUNICATION, DC_ROUTER_MGMT_Access, IB-AIRTEL, NEW_TEST_MAIL_RULE, SOC_NDR_FATPIPE_REVERSE, SIL UAT TOWARD FATPIPE, UAT WAN to LAN, FATPIPE_MPLS(X1)_LANs, DFA, IMPS SERVER ACCES FATPIPE, ECOM TO ATM SERVER VI FATPIPE, SIL RECOM TO ATM SERVER, EJ SERVER ACCES TO SIL, ATM SERV R ACCES VIA FATPIPE, SIL TO PAM ACCESS, SIL Insta to ATM, APC_AIRTEL, PFMS_TATAs, PFMS_Airtel, VC-Branch2DC-TATA, SIL12 to UAT Server, NDR ATM COMMUNICATE TO DC ADC, SIL TO HO ATM, DUO DFA SERVER ACCES, DR_Yotta, ICMP_Timestamp_block, DR_Yotta MPLS, MPLS Link Acces, Branch_DC _MPLS, Branch-to DC router ping Access, DCROUETERTOSOC, Rasayani WAN to Swifcore, YOTTA TO EPC, TrendMicro updates, RBI_TATA_NAT_Outside, TrendMicro-Internet, Microsoft_Access, MicroSoft-Update, PFMS Basic Internet, APPLimited_internet, SMS SERVER-internet Access, NEW EPC LIMITED ACCES, INTERNET_WAN MONITOR LINK, WIFI USER TO OUTLOOK, NUTANIX INTERNET, E-KYC TEST, EPC to NDR PC, EPC TO YOTTA, EJ SERVER ACCES TO ATM, SIL 6.3 COMMUNICATION, E-Mandate App Acces) Revers, SNMP-Access-to DC router, wifi acces, Rdcc Banking URL access, Wi-Fi2Internet, Cisco Duo, (unnamed), DMZ TO USER RDP BLOCK, (unnamed), new dfa to fs, PAM acces to DMZ, DMZBLOCK, Duo Proxy to LAN, NEW EPC, ISE_2_SOC, DMZ TO EPC, DNS, TRENDMICRO, TRENDMICRO -DNS, Cisco ISE INT ACC, (unnamed), NEW EPC TO DMZ SUBNET, (unnamed), LOG360 DMZ access, DMZ To LOG360, cisco ISE 1, cisco ISE, TEST IDBI TO AD, P2B ACCES TO LAN, PAN ADHAR, PAN ACCES REVERS NEW, DR DRILL ACTIVITY-AIRTEL-IMPS, DR DRILL ACTIITY-AIRTEL ATM, EJ Server to ATM, SIL DFA, LAN _TO_FATPIPE_(X1)s, PAM TO ALL RDP, TELNET PORT BLOCK, TEST, (unnamed), DENY AD, OP MANAGER TO DB, USER TO DATA BASE ACCES, abhi manyu acces to pam via rdp, CR-100223-01, P2B-POLICY, PAN ADHAR ACCES, NEW CTS ALLOWED, CTS COMMUNICATION REVERS, SOC USER TO LAN, Network Device MGMT, MGMT Access Block, NEW CTS BLOCK, DENY PRODUCTION, UAT INTER COMMUNICATION BLOCK, CTS clearing from CTS server, CTS SERVER NOT COMMUNICATE TO DB, DC-USER TO PRODUCTION SUBNET, DC PROXY SERVER, LOG 360, SWIP CORE Communication, NODE COMMUNICATION, SERVER TEAM ACCES, DATA BASE ACCES, ATM- IMPS - COMMUNICATION, SWIPE CORE ACCES, EPC Communication, UAT Communication, DATA BASE ACCES-1, SWIFT CLEARING, JUMP SERVER, SWIFT COE ACCES-1, AD COMMUNICATION, AD COMMUNICATIION REVERS, PFMS TO MIS SERVER, RTGS ACCES, OP MANAGER ACCES, 192.168.11.200, SDP communication, PAM ACCES, TREND MICRO ACCESS, C-UAT COMMUNICATION, BMA SERV R COMMUNICATION, NACH COMMUNICATION, EPC COMMUNICATION, Far DR FatPipe, LOG360 TO YOTTA, CTS SERVER COMMUNICATION, LOG360/TRENT MICRO ACCES, CTS CLEARING, NACH SERVER COMMUNICATION, HO CKY ACCES, MGMT ACCESS, EJ SERVER ACCES, BMA SERVER ACCESS, DFA SERVER, 172.29.17.40, TRENT MICRO UPDATE, APP 7 CLONE, REMOTE APP RDP, BMA SERVER ACCES, MIS SERVER ACCESS, PARANJE ACCES TO CTS SERVER, VEEM ACCES, NACH ACCES, SYSLOG ACCES, TAPE BACKUP, 21 VLAN Communication, EPC TO ALL, Core-Core, PAN ADHAR INTERNET, SARWATRA INTERFACE CHECK, Ciscvco ISE Backup, NEW DFA TO FIREWALL, DB-access, DFA TO DC PRISM, SIL to OPManager & FTP Server, ping check, Parali to Swift40, NTP to Google NTP, (unnamed), (unnamed), DMS SERVER TO BRANCH, CTS_Clearing_Access, TEMP_TRENDMICRO, SOC to NAC, Lan user dmz access, CR170523:02, PAM360 To EPC, IPMI PORT, SIL TO HEAD OFFICE NE 6.3 SERVER, HEAD OFFICE TO SIL 6.3, Array Internet, EJ SERVER FATPIPE, GST Access-Airtel, SIL PORTAL ACCES VIA FATPIPE, Yotta app access, DB to UAT, PatchManagerGalaxy-Update Access, Trend Micro Block, UAT INTERNET SERVER, UAT Airtel, ATMportal_Access, TrendMicro, MANISH SAWANT ACCES TO SIL, NACH Portal access, FTP Server to SIL, NPCI ACCESS, Sachin Gurav Month end, CTS SERVER TO SIL-1, ATM TO EJ ACCES, SIL TO HEAD OFFICE NEW 6.3 SERVER, HEAD OFFICE SIL TO NEW 6.3 SERVER, ATM TO INSTACARD PORTAL, INSTA PORTAL, NPCI Acces, Switc 40 to Parali, (unnamed), SACHIN GURAV

IDBI ACCES, CSMI_Acces, whatsapp, vpn_KAMESH_local_allow, kamesh, SSL_USER, AAdhar seeding, Implicit Deny. Those entries were not assessed as active enforcement rules; validate against the appliance. The assessment evaluated permit/deny intent, source and destination constraints, and port usage against blocked ports [20, 21, 23, 80, 88, 135, 137, 139, 389, 445, 8080, 3389], approved ports [443, 8443, 22, 53], and policy flags allow_any_source=False, allow_any_destination=False. The review does not replace a full configuration audit of the security appliance or change-management records unless explicitly extended.

Risk Rating

Overall risk rating: High.

Highest observed severity among non-compliant rules: High.

Severity distribution (non-compliant rules): {'Critical': 0, 'High': 2, 'Medium': 0, 'Low': 0}

Observations / Findings

The following findings are presented in accordance with structured audit practice. Each finding is numbered and includes an observation, risk assessment, impact, and recommendation.

Finding 1 (FTP Access) [High]

Observation: Allow rule exposes blocked/insecure port 21 per audit configuration.; Port 21 is not in the approved port list for this review.

Risk: High — significant exposure to known insecure services or ports.

Impact: Legacy or cleartext protocols may expose credentials and sensitive traffic.

Recommendation: Disable or replace services on blocked ports; use approved alternatives (e.g., TLS on approved ports) and document exceptions.

Finding 2 (Mail Access-WiFi) [High]

Observation: Allow rule exposes blocked/insecure port 80 per audit configuration.; Port 80 is not in the approved port list for this review.

Risk: High — significant exposure to known insecure services or ports.

Impact: Legacy or cleartext protocols may expose credentials and sensitive traffic.

Recommendation: Disable or replace services on blocked ports; use approved alternatives (e.g., TLS on approved ports) and document exceptions.

Finding 3 — Batch-level observation

Observation: No explicit any-any deny rule observed; validate default deny behavior on the platform and document implicit deny posture.

Risk: Variable — depends on platform default-deny implementation.

Impact: Potential for unintended permit if implicit deny is misconfigured.

Recommendation: Confirm default deny and last-rule behavior with the vendor documentation.

Recommendations

1. Establish a remediation plan with owners and target dates for each non-compliant rule.
2. Re-run this assessment after changes to validate closure.
3. Remove 1 exact duplicate rule pair(s); retain change-management evidence of deletion.

Conclusion

The review identified 2 non-compliant rule(s) for THE RDCC. The overall risk rating is High. Management should ensure corrective actions are tracked to completion and that residual risk is formally accepted where applicable. Duplicate and shadow rule analysis further identified 1 structural issue(s) (duplicates: 1, shadows: 0, conflict-shadows: 0) that should be remediated to reduce policy complexity and eliminate dead rules.

Duplicate & Shadow Rule Detection

Detected 1 duplicate pair(s) among 18 active rule(s) (294 disabled rule(s) excluded from comparison). Overall severity: Medium.

Overall severity: Medium | Rules analysed: 18 | Duplicates: 1 | Shadows: 0 | Conflict-shadows: 0

[Duplicate | Medium] WAN to LAN ICMP deny (pos 39) → TIMESTAMP DENY (pos 183)

Description: Rule 'TIMESTAMP DENY' (position 183) is an exact duplicate of 'WAN to LAN ICMP deny' (position 39): both rules match identical source, destination, service, and action. The later rule is never evaluated and creates unnecessary management overhead.

Recommendation: Remove or consolidate 'TIMESTAMP DENY' into 'WAN to LAN ICMP deny'. Retain change-management evidence of the deletion.