



REAL WORLD, UNREAL EXPERIENCES

A camera you can build on.

Low-latency video, onboard recording, and a companion computer all rolled into a single unit.

The camera

Three units on one link. They differ only in the picture.

Ghost JON	
Recording and live	720p · 90 fps
Sensor	1/4 inch CMOS
Storage	8 GB ~50 MIN
Latency · range	60 ms · up to 5 km
Greywind ROBB	
Recording and live	1080p · 30 fps 720P AT 90 FPS
Sensor	1/4 inch CMOS
Storage	16 GB ~1 H 45
Latency · range	60 ms · up to 5 km
Raven BRAN	
Recording and live	4K · 30 fps 1080P AT 60 FPS
Sensor	1/4 inch CMOS
Storage	32 GB
Latency · range	60 ms · up to 5 km

The compute

Every unit in the line is available as a **Pro**: the same camera and the same link, with a Linux processor on board.

Memory and storage are chosen separately from the camera.

MEMORY	STORAGE
2 / 4 / 8 _{GB}	32 / 64 / 128 _{GB}

WHAT YOU CAN RUN ON IT

Image processing Detection and tracking against the full-rate frame, before compression.
Autonomous navigation The aircraft acts on what it sees, so the link is no longer in the control loop.
Path finding Routing computed from the live picture rather than a map made earlier.
Precision flight Close-quarters work where ground-station latency is the limiting factor.

PLATFORM

Processor	ARM 64
Operating system	Linux
Protocol	Mavlink
Connector	JST-SH
VIN	5.5-36V

Get in touch

Pro units are built to order against a configuration, so pricing depends on what you need the compute to do.

Tell us what you are building and we will take it from there — bulk orders, custom work and evaluation units all start the same way.

hello@wargrobotics.com

wargrobotics.com · Panaji, Goa 403001



DESIGNED AND MADE IN INDIA