

LAPORAN PRAKTIKUM MATA KULIAH PEMOGRAMANAN WEB 1 MODUL II



Nama : Shoffya Jihan Priyastri


Kelas : TI-1D

No. Absen : 25


NPM : 240302121

1. Praktikum 1


Program:



```
1 <!DOCTYPE html>
2 <html lang="id">
3   <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Praktikum CSS</title>
7     <link rel="stylesheet" href="style.css">
8   </head>
9   <body>
10
11     <h1 id="judul">Belajar CSS itu seru</h1>
12
13     <div class="box">
14       <p>Box bulat</p>
15     </div>
16
17     <p class="deskripsi">CSS bikin tampilan web makin keren dan ga ngebosenin.</p>
18
19     <div class="card">
20       <p>Ini adalah card dengan style CSS.</p>
21     </div>
22
23     <button>Klik Aku</button>
24
25   </body>
26 </html>
```




```
1 body {
2   font-family: arial, sans-serif;
3   background-color: #d3d3d3;
4   text-align: center;
5 }
6
7 #judul {
8   color: blue;
9   font-size: 24px;
10 }
11
12 .deskripsi {
13   color: gray;
14   font-style: italic;
15 }
16
17 .card {
18   background-color: white;
19   padding: 15px;
20   border-radius: 8px;
21   box-shadow: 2px 2px 10px rgba(255, 0, 0, 0.5), 0 0 0 1px blue;
22   width: 250px;
23   margin: 10px auto;
24 }
25
26 .card:hover {
27   background-color: hotpink;
28 }
29
30 button {
31   background-color: dodgerblue;
32   color: white;
33   padding: 10px 15px;
```



The screenshot shows the Visual Studio Code editor with a project named 'Modul_2'. The Explorer sidebar on the left shows a file structure with folders for 'Penugasan', 'Praktikum', and sub-folders 'praktikum_1' through 'praktikum_5'. The 'style.css' file in 'praktikum_1' is selected and open in the main editor. The code in the editor is as follows:


```
17 .card {
21   width: 250px;
22   margin: 10px auto;
23 }
24
25
26 .card:hover {
27   background-color: hotpink;
28 }
29
30 button {
31   background-color: dodgerblue;
32   color: white;
33   padding: 10px 15px;
34 }
35
36 button:hover {
37   background-color: darkblue;
38 }
39
40 .box {
41   width: 150px;
42   height: 150px;
43   margin: 20px auto;
44   background-color: white;
45   border: 2px solid pink;
46   border-radius: 50%;
47   display: flex;
48   align-items: center;
49   justify-content: center;
50 }
```

Output:




2. Praktikum 2

Program:




```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Praktikum Box Model</title>
7     <link rel="stylesheet" href="style.css">
8   </head>
9   <body>
10
11     <h1>Belajar Box Model</h1>
12
13     <div class="box">
14       <p>Ini adalah contoh Box Model</p>
15     </div>
16
17   </body>
18 </html>
```




```
1 body {
2   font-family: "poppins", sans-serif;
3   text-align: center;
4   background-color: whitesmoke;
5 }
6
7 h1 {
8   color: rgb(76, 7, 7);
9 }
10
11 .box {
12   width: 300px;
13   padding: 20px;
14   border: 3px dashed blue;
15   margin: 20px auto;
16   background-color: white;
17   box-shadow: 2px 2px 10px rgba(0, 0, 0, 0.2);
18   border-radius: 15px;
19   justify-content: center;
20   align-items: center;
21 }
```


Output:




3. Praktikum 3

Program:






Output:




4. Praktikum 4

Program:




```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8">
5     <meta name="viewport" content="width=device-width, initial-scale=1.0">
6     <title>Praktikum CSS Grid</title>
7     <link rel="stylesheet" href="style.css">
8   </head>
9   <body>
10    <div class="container">
11      <div class="item item1">Header</div>
12      <div class="item item2">Sidebar</div>
13      <div class="item item3">Content</div>
14      <div class="item item4">Footer</div>
15    </div>
16  </body>
17 </html>
```




```
1 .container {
2   display: grid;
3   grid-template-columns: 1fr 3fr;
4   grid-template-rows: 60px auto 40px;
5   gap: 10px;
6   height: 100vh;
7 }
8
9 .item {
10  background-color: lightblue;
11  padding: 20px;
12  text-align: center;
13 }
14
15 .item1 {
16   grid-column: 1 / 3;
17 }
18
19 .item4 {
20   grid-column: 1 / 3;
21 }
```

Output:



5. Praktikum 5

Program:



This screenshot shows the Visual Studio Code editor with a project named 'Modul_2'. The Explorer sidebar on the left displays a file tree with folders 'Penugasan', 'Praktikum', and subfolders 'praktikum_1' through 'praktikum_5'. The file 'style.css' is selected in the 'praktikum_5' folder. The main editor window shows the content of 'style.css' with the following CSS rules:

```
1 body {
2     font-family: arial, sans-serif;
3     margin: 0;
4     padding: 0;
5 }
6
7 .container {
8     position: relative;
9     width: 80%;
10    margin: 20px auto;
11    padding: 20px;
12    background: #f0f0f0;
13    border: 2px solid #ccc;
14 }
15
16 .static-box {
17     position: static;
18     background: lightblue;
19     padding: 10px;
20     margin-bottom: 10px;
21 }
22
23 .relative-box {
24     position: relative;
25     left: 20px;
26     top: 10px;
27     background: lightgreen;
28     padding: 10px;
29     margin-bottom: 10px;
30 }
31
32 .absolute-box {
```


The status bar at the bottom indicates the cursor is at Line 41, Column 20, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS syntax.

This screenshot shows the same Visual Studio Code editor with the 'style.css' file open. The CSS code continues from the previous screenshot, defining styles for absolute, fixed, sticky, and spacer boxes:

```
32 .absolute-box {
33     position: absolute;
34     top: 50px;
35     left: 50px;
36     background: orange;
37     padding: 10px;
38 }
39
40 .fixed-box {
41     position: fixed;
42     bottom: 10px;
43     right: 10px;
44     background: red;
45     color: white;
46     padding: 10px;
47 }
48
49 .sticky-box {
50     position: sticky;
51     top: 0;
52     background: yellow;
53     padding: 10px;
54     font-weight: bold;
55 }
56
57 .spacer {
58     height: 800px;
59 }
```


The status bar at the bottom shows the cursor is now at Line 41, Column 20, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS syntax.


Output:



6. Penugasan Modul 2


Program:





This screenshot shows the Visual Studio Code editor with the 'index.html' file open. The Explorer sidebar on the left shows a project structure with folders for 'MODU...', 'Penugasan', and several 'praktikum' subfolders, each containing 'index.html' and 'style.css' files. The main editor area displays the HTML code for 'index.html', which includes a navigation bar, a hero section with a welcome message, a main content area with two columns of placeholder text, and a footer with copyright information. The status bar at the bottom indicates the cursor is at line 19, column 8.

```
1 <html lang="id">
2 <body>
3
4 <nav>
5   <a href="#">Beranda</a>
6   <a href="#">Layanan</a>
7   <a href="#">Kontak</a>
8 </nav>
9
10 <div class="hero">
11   <h2>Selamat Datang di Politeknik Negeri Cilacap</h2>
12 </div>
13
14 <div class="content">
15   <div class="box">
16     <h3>Artikel Utama</h3>
17     <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla vehicula, lacus eu facilisis dapibus, purus t
18   </div>
19   <div class="box">
20     <h3>Sidebar</h3>
21     <p>Lorem ipsum dolor sit amet consectetur adipiscing elit. Eligendi, assumenda. Dita est enim animi mollitia v
22   </div>
23 </div>
24
25 <footer>
26   © 2025 Pemrograman Web. All Rights Reserved.
27 </footer>
28
29 </body>
30 </html>
```



This screenshot shows the Visual Studio Code editor with the 'style.css' file open. The Explorer sidebar on the left is the same as the previous image. The main editor area displays the CSS code for 'style.css', which defines the styling for the HTML document, including a reset of margin and padding, a body background color, a header with a gradient background and white text, a navigation bar with a blue background, and a navigation link with white text and a margin.

```
1 {
2   margin: 0;
3   padding: 0;
4   box-sizing: border-box;
5   font-family: Arial, sans-serif;
6 }
7
8 body {
9   background-color: #f2f2f2;
10 }
11
12 header {
13   background: linear-gradient(to bottom, #0080ff, #0055cc);
14   padding: 20px;
15   text-align: center;
16   color: white;
17   font-size: 24px;
18   font-weight: bold;
19 }
20
21 nav {
22   background-color: #003366;
23   text-align: center;
24   padding: 10px;
25 }
26
27 nav a {
28   color: white;
29   margin: 15px;
30   text-decoration: none;
31   font-size: 14px;
32 }
```


This screenshot shows the VS Code editor with the Explorer sidebar on the left. The file explorer shows a project structure with folders for 'MODUL_2' and 'Penugasan'. The 'Penugasan' folder is expanded, showing files like 'index.html' and 'style.css'. The 'style.css' file is selected and its content is displayed in the main editor. The code defines styles for a hero section and a content area.

```
34 .hero {
35   text-align: center;
36   margin: 40px 40px;
37   justify-content: center;
38   align-items: center;
39 }
40
41 .hero h2 {
42   background-color: #555;
43   color: white;
44   display: inline-block;
45   padding: 15px 25px;
46   border-radius: 10px;
47   margin-top: 100px;
48 }
49
50 .content {
51   display: flex;
52   justify-content: center;
53   gap: 20px;
54   margin: 40px 20px;
55 }
56
57 .box {
58   background-color: white;
59   box-shadow: 0 0 8px rgba(0, 0, 0, 0.1);
60   padding: 20px;
61   width: 300px;
62   border-radius: 8px;
63   margin-top: 100px;
64 }
```

This screenshot shows the VS Code editor with the Explorer sidebar on the left. The file explorer shows a project structure with folders for 'MODUL_2' and 'Penugasan'. The 'Penugasan' folder is expanded, showing files like 'index.html' and 'style.css'. The 'style.css' file is selected and its content is displayed in the main editor. The code defines styles for a box, a footer, and an h3 element.

```
49 .content {
50   display: flex;
51   justify-content: center;
52   gap: 20px;
53   margin: 40px 20px;
54 }
55
56 .box {
57   background-color: white;
58   box-shadow: 0 0 8px rgba(0, 0, 0, 0.1);
59   padding: 20px;
60   width: 300px;
61   border-radius: 8px;
62   margin-top: 100px;
63 }
64
65 .box h3 {
66   margin-top: 20px;
67 }
68
69 footer {
70   background-color: #333;
71   color: white;
72   text-align: center;
73   padding: 15px 0;
74   font-size: 14px;
75   margin-top: 130px;
76 }
77
78 }
```

Output Penugasan:



Arti Kode

1. `<html>` berarti elemen paling luar dalam HTML.
2. `*{}` berarti mengatur semua elemen.
3. Box-sizing berarti membuat ukuran elemen tetap.
4. Background-color berarti mengatur warna latar belakang.
5. Header berarti bagian atas halaman atau judul utama.
6. Nav berarti bagian menu navigasi.
7. Hero berarti untuk mengatur bagian tengah.
8. Content berarti sebagai kontainer dua kotak.
9. Footer berarti bagian paling bawah halaman.
10. Div berarti mengelompokkan elemen.
11. Hover berarti mengubah latar saat kursor menyentuh button.
12. Card berarti membuat kotak bayangan rapi.
13. Border-radius berarti membuat elemen menjadi bulat.