Status	Finished
Started	Tuesday, 20 October 2026, 6:41 PM
Completed	Tuesday, 20 October 2026, 6:48 PM
Duration	6 mins 47 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 90 and 99 ✓

b. 89 and 99

c. 89 and 94

d. 90 and 94

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is a limitation of binary search?

a. It does not work with negative numbers

b. It requires the list to be sorted ✓

c. It is slower than linear search for small lists

d. It can only be applied to large lists

Question **3**

Correct

Mark 1.00 out of 1.00

In the context of searching, what is a successful search?

a. When the list contains duplicate elements

b. When the list is sorted

c. When the element is found in the list ✓

d. When the search algorithm finishes

Question **4**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

a. O(log n)
b. O👎
c. O(n log n)
d. O(1) ✓

Question **5**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection
b. Complexity
c. Insertion
d. Bubble ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. The list must be sorted
b. There must be a mechanism to delete and/or insert elements in the list ✓
c. There should be direct access to the middle element in any sublist
d. Number values should only be present

Number values should only be present

Question **7**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The search is considered unsuccessful ✓
- b. The first element is returned
- c. An error is raised
- d. The last element is returned

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list contains duplicate elements
- b. When the list is unsorted
- c. When the list is sorted ✓
- d. When the list is very small

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

- a. Linear search ✓
- b. Binary search
- c. Dynamic search
- d. Hashing

Question **10**

Correct

Mark 1.00 out of 1.00

During a linear search, what is the maximum number of comparisons needed to find an element in a list of size n?

- a. log n
- b. n/2
- c. n ✓
- d. n-1

Question **11**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Both (1) & (3)

b. Binary search

c. Linear search ✓

d. Hash search

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Quick search

b. Merge search

c. Linear search ✓

d. Bubble search

Question **13**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Binary search

b. Hashing

c. Linear search ✓

d. Jump search

Question **14**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By comparing each element in the list sequentially ✓

b. By dividing the list into halves

c. By sorting the list first

d. By using a hash function

Question **15**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. At the beginning of the list
b. In the left sublist
c. In the right sublist ✓
d. In the middle of the list