Status	Finished
Started	Tuesday, 20 October 2026, 9:59 PM
Completed	Tuesday, 20 October 2026, 10:05 PM
Duration	6 mins 11 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. {'rec', 1, ('cse', 'ece'),True}

c. Error

d. {'rec', True, ('cse', 'ece')}

Question **2**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. [11,11,11,3,3,3]

b. (11, 3, 11, 3, 11, 3) ✓

c. (11,3,11,11,3,11,11,11,3)

d. (11,3)(11,3)(11,3)

Question **3**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. Error

b. 2

c. 117 ✓

d. 100

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, 50, 20, 60, 30}

c. {40, '10', 50, 20, 60, 30}

d. {40, 10, '10', 50, 20, 60, 30} ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {2}

b. {1,3,2}

c. {4} ✓

d. {1,3,4}

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. False ✓

b. True

c. Error

d. Error

Question **7**

Correct

Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

a. ['30', '8', '3', '2']

b. ['2', '3', '30', '8']

c. ['8', '30', '3', '2'] ✓

d. ['2', '3', '8', '30']

Question **8**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

a=(15,16,17,18,19,25)

print((a[1:-1]))

a. (25,19,18,17)

b. (16,17,18,19) ✓

c. (16,17,18)

d. Error

Question **9**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

a. <class 'int'>

b. <class 'str'> ✓

c. <class 'tuple'>

d. str

Question **10**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

a. None of these

b. A tuple is unordered

c. We can change the tuple once created

d. A tuple maintains the order of items ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

- a. Error ✓
- b. (12)
- c. (55,78,64,25)
- d. 12

Question **12**

Correct

Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

- a. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✓
- b. TypeError: update() doesn't allow list as a argument.
- c. Name Error
- d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Question **13**

Correct

Mark 1.00 out of 1.00

```
What is the output of the following code?
```

```
aTuple = (10, 20, 30, 40, 50, 60, 70, 80)
print(aTuple[2:5], aTuple[:4], aTuple[3:])
```

- a. (30, 40, 50)(40, 50, 60, 70, 80)
- b. (30, 40, 50) (10, 20, 30, 40)
- c. (30, 40, 50) (10, 20, 30, 40) (40, 50, 60, 70, 80) ✓
- d. (10, 20, 30, 40) (40, 50, 60, 70, 80)

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. Computer

b. () ✓

c. Error

d. (Computer)

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {}

b. {3} ✓

c. {2,5,3,1}

d. {2,5,1}